

Synthesis of Bioactive Heterocycles : One Pot Regioselective Synthesis of Pyrano[3,2-f]benzo[b]thiophene Derivatives.[†]

Krishna C. Majumdar* and Paritosh Biswas

Department of Chemistry, University of Kalyani, Kalyani 741 235, W.B., INDIA.

Received 18 September 1998; revised 10 November 1998; accepted 3 December 1998

Abstract: Regioselective synthesis of hitherto unreported pyrano[3,2-f]benzo[b]thiophene derivatives (8a-f) in 90-95 % yields are reported by the application of a less studied rearrangement of 6-(4-aryloxybut-2-ynylthio)[1]benzopyran-2-ones (5a-f) via oxidation with *m*-chloroperoxybenzoic acid followed by thermal rearrangement and treatment with methanol. Substrates 5a-f are prepared by the reaction of 6-mercaptocoumarin (unstable) with 1-aryloxy-4-chlorobut-2-ynes (4) in refluxing acetone in the presence of anhydrous potassium carbonate and sodium iodide. 6-Mercaptocoumarin (3) is in turn prepared by the zinc-acid reduction of the disulfide (2) obtained by the reaction of the diazotised 6-aminocoumarin (1) with potassium ethylxanthate followed by decomposition. Pyrano[3,2-f]benzo[b]thiophene derivatives (8a-f) are easily converted to 1-acetylpyrano[3,2-f]benzo[b]thiophene-7-one (12) when refluxed in acetic acid in the presence of catalytic amount of conc. sulfuric acid for 4 h. © 1999 Elsevier Science Ltd. All rights reserved.


Coumarin derivatives are important for their well-known biological activity.¹ There has been a continuous interest in the synthesis² of coumarin derivatives. We have earlier reported³ the synthesis of a number of heterocycles containing the coumarin moiety. In connection with the synthesis of pyrrolocoumarins and pyrroloquinolones we have applied the Amine Oxide Rearrangement⁴ for the construction of the pyrrole ring in both the heterocycles coumarin⁵ and quinolone.⁶ Recently we have reported the synthesis of thieno[3,2-f]quinolin-7(6H)-one⁷ by the application of the less studied sulfoxide rearrangement⁸ for the construction of the thiophene ring in the heterocyclic substrate. Herein we report the synthesis of pyrano[3,2-f]benzo[b]thiophene (8) by rearrangement of an appropriate sulfoxide.

Results and Discussion:

The starting materials for this study viz. 6-(4-aryloxybut-2-ynylthio)[1]benzopyran-2-ones (5a-f) were prepared starting from 6-aminocoumarin⁹ (1). Diazotised 6-aminocoumarin was treated with potassium ethylxanthate and the resulting xanthate was hydrolyzed to give the disulfide 2. 6-Mercaptocoumarin (3) (unstable) was generated *in situ* from the disulfide 2. This reduction was achieved with zinc-dust in acetic acid

^{*}This paper is dedicated to Professor S. K. Talapatra of the University of Calcutta on the occasion of his 65th birth anniversary.


in the presence of 6N sulfuric acid by heating at 80 $^{\circ}$ C until the solution became clear. This 6-mercaptocoumarin was used without further purification for the synthesis of the substrates **5a-f** in 85-91 % yields by reaction with 1-aryloxy-4-chlorobut-2-ynes (4) in refluxing dry acetone in the presence of anhydrous potassium carbonate and sodium iodide (Finkelstein conditions) for 2 h (Scheme 1).



Scheme 1


The sulfides 5a-f were oxidized to the corresponding sulfoxides by slow addition of one equivalent of *m*chloroperoxybenzoic acid in dichloromethane or carbon tetrachloride solution at 0-5 $^{\circ}$ C over 1 h (Scheme 2). The thermally labile crude sulfoxide 6a was refluxed in carbon tetrachloride for 2 h resulting in an inseparable 7:3 mixture of 7a and 8a, as judged by IR and ¹H-NMR spectroscopy.¹⁰ When this mixture was dissolved in dry methanol component 7a smoothly converted to 8a exclusively. The product was characterized from its elemental analysis and spectral data. Encouraged by this result other substrates 6b-f were also similarly subjected to thermal rearrangement and the resulting mixtures of 7b-f and 8b-f were dissolved in methanol by heating to give products 8b-f in quantitative yields. The selective oxidation of the sulfides 5a-f to sulfoxides 6af may be conducted in carbon tetrachloride at 0-5 $^{\circ}$ C. The reaction mixture was then refluxed for 2 h, and carbon tetrachloride was removed. The residual mass was dissolved in dry methanol and heated to give products 8 in 85-90 % overall yield. Thus the whole operation could be conducted in a single pot.

The formation of products 8a-f from the sulfoxides 6a-f may be rationalized by the initial [2,3] sigmatropic rearrangement of the sulfoxides to give intermediates 9 followed by a [3,3] sigmatropic rearrangement and enolisation leading to the intermediate 11, containing an enone moiety favorably juxtaposed to a -SH function for the facile formation of the product monothio-hemiacetal 7 (Scheme 2). The labile monothio-hemiacetals 7 then undergo an internal Michael addition of the thiol on to the enone moiety in 11' to furnish the pyrano[3,2-f]benzo[b]thiophene derivatives 8a-f. The monothio-hemiacetals 7a-f seem to be very reactive leading to internal Michael addition. In earlier cases,⁸ trituration with 20 % potassium hydroxide was necessary to achieve this conversion. In this case simple dissolution of the monothio-hemiacetals in hot methanol is found to be quite satisfactory for this transformation.



Scheme 2

Although we could only get a single product from the sulfoxide rearrangement of each of the substrates studied, and in some cases were able to see from the ¹H-NMR spectra that this was the expected angularly fused product. However, in some cases it was quite difficult to ascertain the structure as the aromatic protons were not well separated due to the presence of aryloxy groups in the final product **8**. For this reason we wanted to obtain the final product without an aryloxy group. Therefore, we subjected products **8a-f** to heating in acetic acid in the presence of conc. sulfuric acid for 4 h. Fortunately we were successful in affecting dehydrogenative elimination¹¹ of phenols from the substrates **8** to give 1-acetylpyrano[3,2-*f*]benzo[*b*]thiophene-7-one (**12**) in 70-75 % yields (Scheme 3). The ¹H-NMR of compound **12** showed two well-separated *ortho*-



Scheme 3

coupled aromatic protons at δ 7.45 (d, 1H, J = 9 Hz) and 7.97 (d, 1H, J = 9 Hz) as well as two protons at δ 6.48 (d, 1H, J = 9.5 Hz) and 8.94 (d, 1H, J = 9.5 Hz) due to vinylic protons of the coumarin moiety. The presence of the former two *ortho*-coupled protons conclusively shows this product to be the angularly fused thienocoumarin.

The method is found to be general for the regioselective synthesis of thienocoumarins in excellent yields. This is also an example of the application of a sulfoxide rearrangement in heterocyclic substrates to furnish polyheterocycles. It is reported¹² that other thienocoumarins are known to possess antiinflammatory, antipyretic and antiallergic properties. This is an extremely facile and mild synthesis of thienocoumarin derivatives.

Experimental:

Melting points are uncorrected. IR spectra were run on KBr discs. UV absorption spectra were recorded in absolute EtOH. ¹H-NMR spectra were determined for solutions in CDCl₃ with TMS as internal standard. Elemental analyses and recording of mass spectra were carried out by RSIC (CDRI) Lucknow. Silica gel (60-120 mesh) was used for chromatographic separation.

The 1-aryloxy-4-chlorobut-2-ynes were prepared according to the published procedure. 46,86,13

Procedure for the Preparation of disulfide 2:

In a beaker (100 ml) equipped with a stirrer and a thermometer, immersed in an ice bath were placed conc. hydrochloric acid (4 ml) and crushed ice (6 g). 6-Aminocoumarin (2 g, 12.5 mmol) was slowly added while stirring. The mixture was cooled to 0° C and a cold solution of sodium nitrite (2.5 g) in water (5 ml) was slowly added and the temperature was kept below 4 °C. In a round bottom flask (250 ml) equipped with magnetic stirrer was placed a solution of potassium ethylxanthate (5 g) in water (10 ml). This mixture was warmed to 40-45 °C and kept in that range during the slow addition (~2 h) of the cold diazonium solution. This reaction mixture was extracted with chloroform (3 x 50 ml) and the extract was washed with water (3 x 40 ml) and dried (Na₂SO₄). Evaporation of chloroform gave a crude solid. This was dissolved in ethanol (20 ml) and the solution was heated to reflux. Solid potassium hydroxide pellets (1.5 g) were slowly added so as to keep the solution boiling. The reaction mixture was then refluxed for 1 h, cooled and then acidified with 6N sulfuric acid (20 ml). This was extracted with chloroform (3 x 50 ml), washed with water (3 x 30 ml) and dried (Na₂SO₄). Evaporation of chloroform gave a crude solid 2. This may be used without further purification in the subsequent reaction for the preparation of sulfides. However, an analytical sample was prepared by column chromatographic purification over silica gel. The column was eluted with benzene-ethyl acetate (1:1) to give compound 2, yield 2.875 g, 65 %; as yellow powder, mp 228 ${}^{\circ}$ C; λ_{max}/nm 245 (log ε 4.19), 276 (log ε 4.09), 330 (log ε 3.56); v_{max}/cm^{-1} 1710, 1590, 1540, 1460, 1420; δ_{H} (300 MHz) 6.48 (d, J = 9.5 Hz, 2H), 7.34 (d, J = 9 Hz, 2H), 7.60-7.69 (m, 6H); m/z 354 (M⁺), (Found: C, 61.21; H, 3.02. C₁₈H₁₀O₄S₂ requires C, 61.02; H, 2.82%).

General Procedure for the Preparation of 6-(4-Aryloxybut-2-ynylthio)[1]benzopyran-2-ones (5a-f):

Zinc dust (1 g) was added to the crude disulfide 2 (0.885 g, 2.5 mmol) in 6N sulfuric acid (20 ml). This was heated on a water bath until the reaction mixture becomes clear. This was extracted with chloroform (3 x 25 ml), washed with water (3 x 20 ml) and dried (Na₂SO₄). Evaporation of solvent gave thiol 3 as a viscous liquid. This was refluxed with the 1-aryloxy-4-chlorobut-2-yne (2.5 mmol) in dry acetone (100 ml) in the presence of anhydrous potassium carbonate (1 g) and a catalytic amount of sodium iodide for 2 h. After cooling the reaction was filtered, solvent was removed from the filtrate. The residual mass was extracted with chloroform (3 x 25 ml). This extract was washed with water (3 x 20 ml) and dried (Na₂SO₄). Evaporation of chloroform gave a crude viscous mass which was purified by column chromatography using benzene-ethyl acetate (3:1) to furnish the sulfides **5a-f**.

6-(4-Phenoxybut-2-ynylthio)[1]benzopyran-2-one (5a), yield 0.725 g, 90 %; Viscous liquid; λ_{max}/nm 223 (log ε 4.26), 266 (log ε 4.16), 323 (log ε 3.58); ν_{max}/cm^{-1} 1710, 1465, 1360, 1230; δ_{H} (100 MHz) 3.64 (t, J = 1.5 Hz, 2H), 4.66 (t, J = 1.5 Hz, 2H), 6.42 (d, J = 9.5 Hz, 1H), 6.82-7.10 (m, 3H), 7.16-7.40 (m, 3H), 7.44-7.70 (m, 3H); m/z 322 (M⁺); (Found: C, 71.09; H, 4.57. C₁₉H₁₄O₃S requires C, 70.81; H, 4.35 %).

6-[4-(4'-Methylphenoxy)but-2-ynylthio][1]benzopyran-2-one (5b), yield 0.730 g, 87 %; as yellowish powder, mp 97 ⁰C; λ_{max} /nm 224 (log ε 4.47), 267 (log ε 4.29), 330 (log ε 3.62); ν_{max} /cm⁻¹ 1715, 1500, 1370, 1225; δ_{H} (300 MHz) 2.30 (s, 3H), 3.65 (t, J = 1.5 Hz, 2H), 4.65 (t, J = 1.5 Hz, 2H), 6.42 (d, J = 9.5 Hz, 1H), 6.81 (d, J = 9 Hz, 2H), 7.06 (d, J = 9 Hz, 2H), 7.24 (d, J = 9 Hz, 1H), 7.45-7.60 (m, 3H); m/z 336 (M⁺); (Found: C, 71.62; H, 4.97. C₂₀H₁₆O₃S requires C, 71.43; H, 4.76 %).

6-[4-(2'-Chlorophenoxy)but-2-ynylthio][1]benzopyran-2-one (5c), yield 0.750 g, 85 %; as white needle, mp 111 ⁰C; λ_{max}/nm 226 (log ε 4.38), 266 (log ε 4.18), 330 (log ε 3.54); ν_{max}/cm^{-1} 1690, 1565, 1540, 1460, 1355, 1210; δ_{H} (100 MHz) 3.62 (t, J = 1.5 Hz, 2H), 4.65 (t, J = 1.5 Hz, 2H), 6.43 (d, J = 9.5 Hz, 1H), 6.82 (d, J = 9 Hz, 2H), 7.12-7.32 (m, 3H), 7.48-7.64 (m, 3H); m/z 358, 356 (M⁺); (Found: C, 64.21; H, 3.82. C₁₉H₁₃ClO₃S requires C, 64.04; H, 3.65 %).

6-[4-(4'-Chlorophenoxy)but-2-ynylthio][1]benzopyran-2-one (5d), yield 0.780 g, 88 %; as white powder, mp 104 0 C; $\lambda_{max}/nm 224$ (log ε 4.44), 267 (log ε 4.36), 323 (log ε 3.72); ν_{max}/cm^{-1} 1715, 1475, 1285, 1220; δ_{H} (100 MHz) 3.64 (t, J = 1.5 Hz, 2H), 4.74 (t, J = 1.5 Hz, 2H), 6.42 (d, J = 9.5 Hz, 1H), 6.84-7.45 (m, 5H), 7.58-7.71 (m, 3H); m/z 358, 356 (M⁺); (Found: C, 63.84; H, 3.45. C₁₉H₁₃ClO₃S requires C, 64.04; H, 3.65 %).

6-[4-(2',4'-Dichlorophenoxy)but-2-ynylthio][1]benzopyran-2-one (5e), yield 0.885 g, 91 %; as white powder, mp 108 °C; λ_{max} /nm 228 (log ε 4.12), 266 (log ε 3.95), 323 (log ε 3.33); ν_{max} /cm⁻¹ 1720, 1555, 1475, 1370, 1285, 1240; $\delta_{\rm H}$ (100 MHz) 3.62 (t, J = 1.5 Hz, 2H), 4.72 (t, J = 1.5 Hz, 2H), 6.44 (d, J = 9.5 Hz, 1H), 6.85 (d, J = 9 Hz, 1H), 7.03 (d, J = 2.5 Hz, 1H), 7.09-7.40 (m, 2H), 7.46-7.68 (m, 3H); m/z 394, 392, 390 (M⁺); (Found: C, 58.63; H, 2.88. C₁₉H₁₂Cl₂O₃S requires C, 58.46; H, 3.08 %). 6-[4-(2',4'-Dimethylphenoxy)but-2-ynylthio][1]benzopyran-2-one (5f), yield 86 %; Viscous liquid; $\lambda_{max}/nm 235$ (log ε 4.44), 274 (log ε 4.26), 317 (log ε 3.84); ν_{max}/cm^{-1} 1720, 1585, 1480, 1375, 1240; δ_{H} (100 MHz) 2.15 (s, 3H), 2.24 (s, 3H), 3.64 (t, J = 1.5 Hz, 2H), 4.65 (t, J = 1.5 Hz, 2H), 6.48 (d, J = 9.5 Hz, 1H), 6.66-7.01 (m, 2H), 7.12-7.79 (m, 2H), 7.62-7.82 (m, 3H); m/z 350 (M⁺); (Found: C, 72.17; H, 4.95. C₂₁H₁₈O₃S requires C, 72.00; H, 5.14 %).

General Procedure for the Pyrano[3,2-f]benzo[b]thiophene derivatives (8a-f):

m-Chloroperoxybenzoic acid (50 %, 0.345 g, 1 mmol) in dichloromethane (30 ml) was slowly added to a well stirred solution of the disulfide **5a-f** (1 mmol) in dichloromethane (20 ml) at 0-5 $^{\circ}$ C over a period of 1 h. The mixture was stirred for half an hour, the solution was washed with 5 % sodium carbonate solution (2 x 20 ml) to remove the organic acid, then water (2 x 20 ml) and dried (Na₂SO₄). The solvent was removed and the residue was refluxed in carbon tetrachloride (20 ml) for 2 h. The reaction mixture was cooled to give a yellow solid. This was found to be a mixture of 7 (~70 %) and 8 (~30 %). Then this solid was dissolved in dry methanol (20 ml) by heating over a period of 30 min. Crystalline solids 8a-f were obtained in almost quantitative yields when the methanolic solution was cooled.

1,2-Dihydro-1-(phenoxyacetyl)pyrano[3,2-f]benzo[b]thiophene-7-one (8a), yield 95 %; white crystal, mp 154 0 C; $\lambda_{max}/nm 224$ (log $\varepsilon 4.28$), 250 (log $\varepsilon 4.10$), 272 (log $\varepsilon 4.19$); ν_{max}/cm^{-1} 1730, 1700, 1580, 1475, 1425, 1235; δ_{H} (300 MHz) 3.75 (dd, J = 12, 1.8 Hz, 1H), 4.03 (dd, J = 12, 9 Hz, 1H), 4.74 (d, J = 16.5 Hz, 1H), 4.89 (d, J = 16.5 Hz, 1H), 4.93 (dd, J = 9, 1.8 Hz, 1H), 6.44 (d, J = 9.5 Hz, 1H), 6.91 (d, J = 9 Hz, 2H), 7.06-7.11 (m, 1H), 7.27-7.38 (m, 3H), 7.44 (d, J = 9 Hz, 1H), 7.51 (d, J = 9.5 Hz, 1H); m/z 338 (M⁺); (Found: C, 67.56; H, 4.32. C₁₉H₁₄O₄S requires C, 67.45; H, 4.14 %).

1,2-Dihydro-1-(4'-methylphenoxyacetyl)pyrano[3,2-f]benzo[b]thiophene-7-one (8b), yield 90 %; as white crystal, mp 180 0 C; λ_{max}/nm 223 (log ε 4.32), 252 (log ε 4.27), 266 (log ε 4.31); ν_{max}/cm^{-1} 1735, 1705, 1505, 1440, 1235; δ_{H} (300 MHz) 2.31 (s, 3H), 3.70 (dd, J = 12, 1.8 Hz, 1H), 3.98 (dd, J = 12, 9 Hz, 1H), 4.68 (d, J = 16.5 Hz, 1H), 4.84 (d, J = 16.5 Hz, 1H), 4.91 (dd, J = 9, 1.8 Hz, 1H), 6.37 (d, J = 9.5 Hz, 1H), 6.73 (d, J = 9 Hz, 2H), 7.10 (d, J = 9 Hz, 2H), 7.21 (d, J = 9 Hz, 1H), 7.36 (d, J = 9 Hz, 1H), 7.42 (d, J = 9.5 Hz, 1H); m/z 352 (M⁺); (Found: C, 68.37; H, 4.65. C₂₀H₁₆O₄S requires C, 68.18; H, 4.54 %).

1-(2'-Chlorophenoxyacetyl)-1,2-dihydropyrano[3,2-f]benzo[b]thiophene-7-one (8c), yield 94 %; as yellow crystal, mp 194 °C; λ_{max} /nm 225 (log ε 4.36), 274 (log ε 4.10); ν_{max} /cm⁻¹ 1735, 1700, 1585, 1480, 1435, 1260, 1240; δ_{H} (200 MHz) 3.74 (dd, J = 12, 1.8 Hz, 1H), 4.06 (dd, J = 12, 9 Hz, 1H), 4.74 (d, J = 16.5 Hz, 1H), 4.90 (d, J = 16.5 Hz, 1H), 5.06 (dd, J = 9, 1.8 Hz, 1H), 6.41 (d, J = 9.5 Hz, 1H), 6.81 (d, J = 9 Hz, 1H), 6.98-7.06 (m, 1H), 7.20-7.28 (m, 2H), 7.42-7.47 (m, 2H), 7.53 (d, J = 9.5 Hz, 1H); m/z 374, 372 (M⁺); (Found: C, 61.12; H, 3.67. C₁₉H₁₃ClO₄S requires C, 61.29; H, 3.49 %).

1-(4'-Chlorophenoxyacetyl)-1,2-dihydropyrano[3,2-f]benzo[b]thiophene-7-one (8d), yield 90 %; as

white crystal, mp 180 °C; λ_{max}/mm 225 (log ε 4.15), 275 (log ε 3.98); ν_{max}/cm^{-1} 1720, 1695, 1575, 1460, 1420, 1245; δ_{H} (300 MHz) 3.73 (dd, J = 12, 1.8 Hz, 1H), 4.03 (dd, J = 12, 9 Hz, 1H), 4.71 (d, J = 16.5 Hz, 1H), 4.85 (d, J = 9, 1.8 Hz, 1H), 4.90 (d, J = 16.5 Hz, 1H), 6.48 (d, J = 9.5 Hz, 1H), 6.82 (d, J = 9 Hz, 2H), 7.30 (d, J = 9 Hz, 3H), 7.45 (d, J = 9 Hz, 1H), 7.58 (d, J = 9.5 Hz, 1H); m/z 374, 372 (M⁻); (Found: C, 61.43; H, 3.65. C₁₉H₁₃ClO₄S requires C, 61.29; H, 3.49 %).

1-(2',4'-Dichlorophenoxyacetyl)-1,2-dihydropyrano[3,2-f]benzo[b]thiophene-7-one (8e), yield 95 %; as white crystal, mp 204 0 C; λ_{max}/nm 227 (log ε 4.35), 252 (log ε 4.24), 267 (log ε 4.28); ν_{max}/cm^{-1} 1715, 1695, 1575, 1460, 1415, 1240; δ_{H} (300 MHz) 3.76 (dd, J = 12, 1.8 Hz, 1H), 4.09 (dd, J = 12, 9 Hz, 1H), 4.76 (d, J = 16.5 Hz, 1H), 4.93 (d, J = 16.5 Hz, 1H), 5.03 (dd, J = 9, 1.8 Hz, 1H), 6.48 (d, J = 9.5 Hz, 1H), 6.76 (d, J = 9 Hz, 1H), 7.24 (dd, J = 9, 2.5 Hz, 1H), 7.30 (d, J = 9 Hz, 1H), 7.45 (d, J = 9 Hz, 1H), 7.48 (d, J = 2.5 Hz, 1H), 7.60 (d, J = 9.5 Hz, 1H); m/z 410, 408, 406 (M⁺); (Found: C, 56.29; H, 3.15. C₁₉H₁₂Cl₂O₄S requires C, 56.16; H, 2.95 %).

1,2-Dihydro-1-(2',4'-dimethylphenoxyacetyl)pyrano[3,2-f]benzo[b]thiophene-7-one (8f), yield 92 %; as white crystal, mp 156 °C; λ_{max}/nm 224 (log ε 4.45), 252 (log ε 4.22), 273 (log ε 4.32); ν_{max}/cm^{-1} 1735, 1700, 1580, 1480, 1415, 1440, 1215; δ_{H} (300 MHz) 2.32 (s, 6H), 3.76 (dd, J = 12, 1.8 Hz, 1H), 4.03 (dd, J = 12, 9 Hz, 1H), 4.74 (d, J = 16.5 Hz, 1H), 4.89 (d, J = 16.5 Hz, 1H), 4.92 (dd, J = 9, 1.8 Hz, 1H), 6.43 (d, J = 9.5 Hz, 1H), 6.58 (d, J = 9 Hz, 1H), 6.97 (dd, J = 9, 2.5 Hz, 1H), 7.06 (d, J = 2.5 Hz, 1H), 7.30 (d, J = 9 Hz, 1H), 7.42 (d, J = 9 Hz, 1H), 7.46 (d, J = 9.5 Hz, 1H); m/z 366 (M⁺); (Found: C, 68.99; H, 4.78. C₂₁H₁₈O₄S requires C, 68.85; H, 4.92 %).

Conversion of pyrano[3,2-f]benzo[b]thiophene derivatives (8a-f) to 1-acetylpyrano[3,2-f]benzo[b]thiophene-7-one (12):

A solution of the compound **8a-f** (0.5 mmol) in acetic acid (2 ml) and conc. sulfuric acid (1 drop) was refluxed for 4 h. After cooling the reaction mixture was poured into ice-water and extracted with chloroform (3 x 25 ml). The extract was washed with brine (3 x 20 ml) and dried (Na_2SO_4). Evaporation of solvent gave a crude mass which was subjected to column chromatography using benzene-ethyl acetate (3:1) to furnish product 12.

1-Acetylpyrano[3,2-*f*]benzo[*b*]thiophene-7-one (12), yield 70-75 %; as white powder, mp 206 ⁰C; λ_{max}/nm 223 (log ε 4.24), 314 (log ε 3.82), 336 (log ε 3.84); ν_{max}/cm^{-1} 1730, 1695, 1475, 1420, 1235; δ_{H} (300 MHz) 2.78 (s, 3H), 6.48 (d, J = 9.5 Hz, 1H), 7.45 (d, J = 9 Hz, 1H), 7.97 (d, J = 9 Hz, 1H), 8.44 (s, 1H), 8.94 (d, J = 9.5 Hz, 1H); m/z 244 (M⁺); (Found: C, 63.81; H, 3.37. C₁₃H₈O₃S requires C, 63.93; H, 3.28 %).

Acknowledgement:

We thank the CSIR (New Delhi) for financial assistance. One of us (PB) is grateful to CSIR (New Delhi) for a fellowship.

References and Notes:

- a) Audus, L. J.; Quastel, J. H. Nature 1947, 159, 320; b) Feuer, G. Progress in Medicinal chemistry; Ellies, G. P.; West, G. B., Eds.; North-Holland Publishing Company: New York, 1974; c) Dean, F. M. Naturally Occurring Oxygen Ring Compounds; Butterworths: London, 1963; d) Deans, A. A. J. Med. Chem. 1983, 26, 580; e) Gordon, M.; Grover, S. H.; Strothers, J. B. Can. J. Chem. 1973, 51, 2092; f) Wenkert, E.; Buckwalter, B. L. J. Am. Chem. Soc. 1972, 94, 4367.
- a) Wawzoneck, S. Heterocycl. Compd. 1951, 2, 176; b) Staunton, J. In Comprehensive Organic Chemistry; Sammes, P. G., Ed.; Pergamon: Oxford, 1979, Vol. 4, 646.
- a) Majumdar, K. C.; Khan, A. T.; De, R. N. Synth. Commun. 1988, 18, 1589; b) Majumdar, K. C.; Das, D. P.; Khan, A. T. Synth. Commun. 1988, 18, 2027; c) Majumdar, K. C.; Khan, A. T.; Das, D. P. Synth. Commun. 1989, 19, 917; d) Majumdar, K. C.; De, R. N.; Khan, A. T.; Chattopadhyay, S. K.; Dey, K.; Patra, A. J. Chem. Soc., Chem. Commun. 1988, 777; e) Majumdar, K. C.; De, R. N. J. Chem. Soc., Perkin Trans. 1 1989, 18, 1901; f) Majumdar, K. C.; Choudhury, P. K. Synth. Commun. 1989, 19, 3249.
- a) Hillard, J. B.; Reddy, K. V.; Majumdar, K. C.; Thyagarajan, B. S. Tetrahedron Lett. 1974, 1999; b) Hillard, J. B.; Reddy, K. V.; Majumdar, K. C.; Thyagarajan, B. S. J. Heterocycl. Chem. 1974, 11, 369; c) Thyagarajan, B. S.; Majumdar, K. C. J. Heterocycl. Chem. 1975, 12, 43; d) Majumdar, K. C.; Chattopadhyay, S. K. J. Chem. Soc., Chem. Commun. 1987, 524.
- 5. Majumdar, K. C.; Ghosh, S. K. J. Chem. Soc., Perkin Trans. 1 1994, 2889.
- 6. Majumdar, K. C.; Biswas, P.; Jana, G. H. J. Chem. Res. (S) 1997, 310; (M) 2068-2079.
- 7. Majumdar, K. C.; Biswas, P. Tetrahedron 1998, 54, 11603.
- a) Majumdar, K. C.; Thyagarajan, B. S. J. Chem. Soc., Chem. Commun. 1972, 83; b) Majumdar, K. C.; Thyagarajan, B. S. Int. J. Sulfur Chem. 1972, 2A, 93.
- 9. Libermann, D.; Desnoes, A.; Hengl, L. Compt. Rend. 1951, 232, 2027 (Chem. Abstr. 1952, 52, 1542).
- 10. Compounds 7a-f were not obtained in the pure form. However, their presence was indicated in the mixture with 8a-f from IR and ¹H-NMR spectra of the mixtures. The IR absorption band at 3400 cm⁻¹ indicated the presence of -OH function. The ¹H-NMR of the mixture showed signals for 7a at δ 3.64 (br.s, 1H, D₂O exchangeable), 4.22 (d, J = 10 Hz, 1H) and 4.34 (d, J = 10 Hz, 1H) due to diastereotopic protons of methylene adjacent to chiral centre, 5.86 (s, 1H) and 5.97 (s, 1H) due to protons of exomethylene. Similar ¹H-NMR signals were also observed for other compounds 7b-f in the mixtures. As compounds 7a-f have not been fully characterized the structure 7a-f are tentative.
- 11. Majumdar, K. C.; Thyagarajan, B. S. Int. J. Sulfur Chem. 1972, 2A, 67.
- 12. Makisumi, Y. Japan Kokai 1972, 73 00,597 (cl. 16E622) (Chem. Abstr. 1973, 78, 72097).
- 13. Majumdar, K. C.; Thyagarajan, B. S. Int. J. Sulfur Chem. 1972, 2A, 153.