Communications

Hexapeptide Total Synthesis

Total Synthesis of Microsclerodermin E**

Jidong Zhu and Dawei Ma*

Lithistid sponges are well-known among marine organisms for their ability to produce a diverse array of biologically active metabolites.^[1] From several species of the lithistid sponge *Microscleroderma sp.* and *Theonella sp.*, Faulkner and co-workers have isolated a series of cyclic peptides named microsclerodermins A–I.^[2] Structurally, each of them was

[*] Prof. Dr. D. Ma, J. Zhu
 State Key Laboratory of Bioorganic and Natural Products Chemistry
 Shanghai Institute of Organic Chemistry
 Chinese Academy of Sciences
 354 Fenglin Lu, Shanghai 200032 (China)
 Fax: (+86) 21-6416-6128
 E-mail: madw@pub.sioc.ac.cn

- [**] The authors are grateful to the Chinese Academy of Sciences, the National Natural Science Foundation of China, and the Science and Technology Commission of the Municipality of Shanghai (grant 02 JC14032) for their financial support. We thank Professor T. Shioiri for his encouragement.
- Supporting information for this article is available on the WWW under http://www.angewandte.org or from the author.

shown to display several unique features, including a 23membered cyclic hexapeptide core, featuring a very complex β-amino acid and three other unnatural amino acid residues. Preliminary studies have indicated that all these compounds possess intriguing antifungal activities and some of them show potent antitumor properties,^[2,3] but further evaluation of their biological activities has been hampered by their relative scarcity. The biological activities and the structural complexity exhibited by the microsclerodermins have attracted much attention within the community of synthetic chemists. However, although some synthetic efforts towards these compounds have been reported,^[4] no member of this family has been synthesized yet. Herein we wish to describe our total synthesis of microsclerodermin E. Notable elements of the synthesis are the concise assembly of its β -amino acid fragment, the assembly of the pyrrolidinone fragment with little racemization, and the effective macrocyclization at the Gly-GABOB site.

The retrosynthetic blueprint that guided this new campaign is defined in Figure 1. The macrocyclic core of the target molecule is disconnected into two fragments, the tetrapeptide



 $\textit{Figure 1.}\ Retrosynthetic analysis of microsclerodermin E. <math display="inline">PG = protecting \ group.$

portion and the dipeptide unit. Further disconnections of these two parts reveals that we need to employ Gly and *N*-MeGly as the starting materials and develop some efficient methods for assembling four unusual amino acid units, which include 3-amino-10-(*p*-ethoxyphenyl)-2,4,5-trihydroxydeca-7,9-dienoic acid (AETD), 4-amino-3-hydroxybutanoic acid (GABOB), (*R*)-Trp-2-carboxylic acid, and a pyrrolidinone fragment.

Our approach towards the AETD fragment is shown in Scheme 1 (see scheme legends for abbreviations). Treatment of lithiated methyl phenyl sulfone in THF at -78 °C with oxirane **2** (derived from δ -gluconolactone as shown) in the presence of BF₃·Et₂O^[5] afforded the desired γ -hydroxy



Scheme 1. Reagents and conditions: a) 2,2-dimethoxypropane, acetone, TsOH, 80%; b) NaBH₄/MeOH, 100%; c) TsCl, Py, 85%; d) K₂CO₃, MeOH, 89%; e) PhSO₂CH₂Li, BF₃·Et₂O, -78 °C, 84%; f) 1 N HCl, THF then 2,2-dimethoxypropane, acetone, TsOH, 67%; g) MsCl, DMAP, Et₃N, 97%; h) NaN₃, DMF, 120 °C, 83%; i) Pd/C, H₂ then (CF₃CO)₂O, Py, 62%; j) *n*BuLi, THF, -78 °C then **6**; k) PhCOCl, DMAP, Et₃N; l) Na(Hg), MeOH, 77% for 3 steps; m) PPTS, MeOH, 45 °C, 87%; n) TBSCl, imidazole, 92%; o) MOMCl, *i*Pr₂NEt, 100%; p) TBAF, THF, 100%; q) NaBH₄, EtOH, 100%. DMAP = 4-dimethylaminopyridine, DMF = dimethylformamide, MOM = methoxymethyl, Ms = methanesulfonyl, PPTS = pyridinium *p*-toluenesulfonate, Py = pyridine, TBAF = tetrabutylammonium fluoride, TBS = *tert*-butyldimethylsilyl, Ts = toluenesulfonyl.

sulfone 3. Subsequent exposure of 3 to 1N HCl and regioselective reprotection of the resultant alcohol with 2,2dimethoxypropane produced 4a in 67% yield. This approach relied on the preferential formation of the acetonides with less steric hindrance. Mesylation of the hydroxy function of 4a, followed by azidation of the resultant mesylate 4b furnished azide 5a, which was hydrogenated over Pd/C, and then treated with trifluoroacetic anhydride to provide amide **5b.** Julia reaction^[6] of **5b** with α,β -unsaturated aldehyde **6** afforded the desired diene 7, together with its E/Z isomer in a ratio of 5:1. After the terminal acetonide in 7 was selectively removed with the assistance of PPTS,^[7] the two liberated hydroxy groups were protected selectively with TBSCl and MOMCl, and the TBS ether was then cleaved with TBAF to deliver amide 8a. Removal of the CF₃CO group in 8a by reaction with NaBH₄^[8] led to the free amine **8b**, which was required for the coupling with the GABOB unit.

The GABOB unit **10** was constructed from methyl (R)-3,4-dihydroxybutanoate **9**^[9] (Scheme 2). Selective tosylation^[10] of the primary hydroxy group, followed by azidation of the resultant monotosylate afforded a hydroxy azide, which



Scheme 2. Reagents and conditions: a) TsCl, Py, 60%; b) NaN₃, DMF, 80°C, 75%; c) TBSCl, imidazole, 100%; d) aq. NaOH, MeOH, then HOSu, EDCI, 100%; e) **8b**, EtOAc, reflux, 96%; f) Dess-Martin oxidation then NaClO₂, resorcinol, NaH₂PO₄, 74%; g) HOSu, EDCI, 85%. EDCI = 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride, Su = succinimide.

was protected with TBSCl to give **10**. After **10** was hydrolyzed with NaOH, the resultant acid was converted into the corresponding activated ester,^[11] which when coupled with the amine **8b**, to provide amide **11a** in 96% yield. The hydroxy group in **11a** was oxidated stepwise to the corresponding acid by reaction with the Dess–Martin reagent^[12] and sodium chlorite, followed by esterification with HOSu and EDCI^[13] to give dipeptide **11b** in 63% yield over three steps; this intermediate was ready for connection with the tetrapeptide part.

For the synthesis of the pyrrolidinone part, the starting Daspartic acid derivative **12** was converted into the urethane *N*carboxyanhydride **14** (Scheme 3),^[14] and then treated with the lithium enolate of trimethylsilylethyl (TMSE) acetate to give β -keto ester **15**. This operation is essential for obtaining enantiopure **15** (> 98 % *ee* determined by HPLC) because attempts to use other activated esters prepared with *N*,*N*'carbonyldiimidazole,^[4c] *N*-hydroxysuccinimide, and pentafluorophenol led to partial or full racemization of **15**. After hydrogenolysis of the benzyl group over Pd/C, the resultant acid was converted into its mixed anhydride, which was



Scheme 3. Reagents and conditions: a) Allyl bromide, $KHCO_3$, DMF, 97%; b) (Boc)₂O, DMAP, 100%; c) [RhCl(PPh₃)₃], 90% EtOH, 81%; d) SOCl₂, Py, DMF, 90%; e) LiCH₂CO₂TMSE, THF, -78 °C, 80%; f) Pd/C, H₂, 100%; g) *i*BuOCOCl, NMM; h) aq NH₃; i) MsCl, Et₃N, 81% for 3 steps; j) TBAF, TsOH then C₆F₅OH, EDCl, 73%. Boc = *tert*-butoxycarbonyl, NMM = *N*-methylmorpholine, TMSE = trimethylsilylethyl.

Communications

treated with aqueous ammonia to give a hydroxypyrrolidinone. Subjecting this intermediate to elimination through mesylation provided pyrrolidinone **16** in 81% overall yield. When the TMSE group was removed by treatment with TBAF, the liberated acid was found to be racemized due to the basic conditions directed by TBAF. The racemization could be hampered in the presence of TsOH,^[15] although the best *R/S* ratio was 4:1. The free acid was converted to its PFPactivated ester^[16] **17** by treatment with C₆F₅OH and EDCI in 80% yield.

Construction of the (*R*)-Trp-2-carboxylic acid part commenced with introduction of a cyano group to the indole ring of **18**, which was derived from D-tryptophan according to Danishefsky's protocol^[17] (Scheme 4). The cyano group of **19**



Scheme 4. Reagents and conditions: a) tBuOCl, Et₃N, -78 °C then TMSCN, BF₃·Et₂O, 79%; b) aq KOH, MeOH then Mel, KHCO₃, DMF, 71%; c) Pd(OH)₂, H₂, MeOH, 70%; d) BocN(Me)CH₂CO₂H, EDCl, HOBt, DIEA, 96%; e) aq LiOH, MeOH then NH₂CH₂CO₂TMSE, EDCl, HOBt, DIEA, 88%; f) TFA then **17**, NaHCO₃, DMF, 45 °C; 81%; g) TFA then **11b**, NaHCO₃, MeCN, 80%; h) TBAF, THF; i) Me₃P, THF; j) DPPA, DMF, 40% for 3 steps; k) LiOH, MeOH, THF, then Amberlyst-15, MeOH, H₂O, 61%. DIEA = diisopropylethylamine, DPPA = diphenylphosphoryl azide, HOBt = 1-hydroxybenzotriazole, TFA = trifluoroacetic acid.

was hydrolyzed to the acid function under alkali conditions and then esterified to afford the (R)-Trp-2-carboxylic acid derivative **20**.

With the four unnatural amino acid fragments in hand, we set out on the next step-coupling these units to complete the synthesis of the macrocyclic core. The reaction was initially carried out on compound 20. After catalytic removal of the benzyl groups over Pd(OH)2, the free amine was coupled with Boc-N-MeGly-OH promoted by EDCI-HOBt^[18] to provide a dipeptide (93%). Regioselective hydrolysis of the aliphatic carboxylic ester with LiOH, followed by coupling with H-Gly-OTMSE produced tripeptide 21. The Boc group was removed by treatment with TFA, and without purification the free amine was coupled with the PFP-activated ester 17 to afford tetrapeptide 22 as a inseparable mixture (4:1), which resulted from the partial racemization of 17. Removal of the Boc group in 22 followed by coupling with the dipeptide 11b gave the linear precursor 23 in 80% yield. The TMSE group of 23 was removed with TBAF and TsOH to give the free carboxylic acid. Although attempts to reduce the azide group to the amine failed when 23 was treated with Ph₃P, *n*Bu₃P, and SnCl₂,^[19] less sterically hindered Me₃P^[20] proved to be suitable for this transformation and furnished the reduced product in good yield.

The stage was now set for the crucial macrocyclization. To our delight, although EDCI-HOAt was not effective for this conversion, treatment of the above amino acid with DPPA^[21] for 14 days afforded lactam 24 in 40% yield (three steps from 23), together with its separable isomer (9% yield, resulting from the partial racemization during assembly of the pyrrolidinone fragment). Noteworthy is that much lower yields were observed when the reaction time was shortened to two to three days with either DPPA or HATU^[22] as the coupling reagents. Removal of methyl ester was achieved by treatment with LiOH to give the free acid, and the next task was the removal of the MOM and acetonide group. This operation proved far from trivial, mainly because both the substrate and the product are unstable to strong acidic conditions. After some experimentation, we finally observed that the removal was accomplished with Amberlyst- $15^{[23]}$ to give $\mathbf{1}^{[24]}$ in 61 % yield (two steps). The analytical data of the synthetic compound were identical with those reported,^[2b] thereby confirming the structure of microsclerodermin E proposed by Faulkner and co-workers.

In summary, we have developed a new, efficient strategy for the enantiospecific synthesis of microsclerodermins exemplified by the first total synthesis of microsclerodermin E (1% overall yield for 26 linear steps). The methods expressed here for the synthesizing AETD and the pyrrolidinone parts should be applicable for installation of the other polyhydroxy- β -amino acid residues and pyrrolidinone units in the microsclerodermins. We are currently extending these methods to the total synthesis of microsclerodermins A–D and their analogues for in-depth biological evaluation. Results will be reported in due course.

Received: July 21, 2003 [Z52423]

Keywords: amino acids \cdot Julia reaction \cdot macrocycles \cdot peptides \cdot total synthesis

- C. A. Bewley, D. J. Faulkner, Angew. Chem. 1998, 110, 2280; Angew. Chem. Int. Ed. 1998, 37, 2162.
- [2] a) C. A. Bewley, C. Debitus, D. J. Faulkner, J. Am. Chem. Soc.
 1994, 116, 7631; b) E. W. Schmidt, D. J. Faulkner, Tetrahedron
 1998, 54, 3043; c) A. Qureshi, P. L. Colin, D. J. Faulkner, Tetrahedron 2000, 56, 3679.
- [3] A. E. Wright, S. A. Pomponi, R. E. Longley, R. A. Isbrucker, US 6384187, 2002 [Chem. Abstr. 2002, 136, 319381]
- [4] a) S. Sasaki, Y. Hamada, T. Shioiri, *Tetrahedron Lett.* 1997, *38*, 3013; b) S. Sasaki, Y. Hamada, T. Shioiri, *Tetrahedron Lett.* 1999, *40*, 3187; c) S. Sasaki, Y. Hamada, T. Shioiri, *Synlett* 1999, *4*, 453.
 [5] A. Wither, C. M. Stark, C. M. Shioiri, *Synlett* 1999, *4*, 453.
- [5] S. Marczak, J. Wicha, Synth. Commun. 1990, 20, 1511.
- [6] S. L. Schreiber, H. V. Meyers, J. Am. Chem. Soc. **1988**, 110, 5198.
- [7] R. Van Rijsbergen, R. M. J. O. Anteunis, A. De Bruyn, J. Carbohydr. Chem. 1983, 2, 395.
- [8] Z. H. Kudzin, P. Lyzwa, J. Luczak, G. Andrijewski, Synthesis 1997, 44.
- [9] S. Saito, T. Hasegawa, M. Inaba, R. Nishida, T. Fujii, S. Nomiz, T. Moriwake, *Chem. Lett.* **1984**, 1389.
- [10] F. D. Bellamy, M. Bondoux, P. Dodey, *Tetrahedron Lett.* **1990**, *31*, 7323.
- [11] E. Wunsch, E. Drees, Chem. Ber. 1966, 99, 110.
- [12] D. B. Dess, J. C. Martin, J. Org. Chem. 1983, 48, 4155.
- [13] J. C. Sheehan, P. A. Cruickshank, G. L. Boshart, J. Org. Chem. 1961, 26, 2525.
- [14] M. Paris, J. Fehrentz, A. Heitz, A. Loffet, J. Martinez, *Tetrahedron Lett.* 1996, 37, 8489.
- [15] J. P. Ferezou, M. Julia, Y. Li, L. W. Liu, A. Pancrazi, Bull. Soc. Chim. Fr. 1995, 132, 428.
- [16] U. Schmidt, M. Kroner, H. Griesser, Synthesis 1989, 832.
- [17] J. M. Schkeryantz, J. G. Woo, P. Siliphaivanh, K. M. Depew, S. J. Danishefsky, J. Am. Chem. Soc. 1999, 121, 11969.
- [18] W. König, R. Geiger, Chem. Ber. 1970, 103, 788.
- [19] E. F. V. Scriven, K. Turnbull, Chem. Rev. 1988, 88, 297.
- [20] B. M. Trost, S. R. Pulley, Tetrahedron Lett. 1995, 36, 8737.
- [21] a) D. L. Boger, P. Yohannes, *Tetrahedron Lett.* 1989, *30*, 5061;
 b) T. Sugiura, Y. Hamada, T. Shioiri, *Tetrahedron Lett.* 1987, *28*, 2251;
 c) M. P. Forst, G. P. Concepcion, G. B. Caraan, C. M. Ireland, *J. Org. Chem.* 1992, *57*, 6671.
- [22] L. A. Carpino, A. El-Faham, C. A. Minor, F. Albericio, J. Chem. Soc. Chem. Commun. 1994, 201.
- [23] B. M. Trost, J. D. Chisholm, S. T. Wrobleski, M. Jung, J. Am. Chem. Soc. 2002, 124, 12420.
- $\begin{bmatrix} 24 \end{bmatrix} \begin{bmatrix} a \end{bmatrix}_{D}^{25} = -22.7 \ (c = 0.4, 1:1 \text{ MeOH/0.1N NH}_4\text{HCO}_3 (aq); \text{ lit} \end{bmatrix}_{D}^{[2b]} \\ = & \begin{bmatrix} a \end{bmatrix}_{D}^{25} = -24 \ (c = 0.4, 1:1 \text{ MeOH/0.1N NH}_4\text{HCO}_3 (aq)); \end{bmatrix}^1 \text{H NMR} \\ (300 \text{ MHz}, \begin{bmatrix} D_7 \end{bmatrix} \text{DMF with trace of TFA}): \delta = 11.58 \ (s, 1 \text{ H}), 10.60 \\ (s, 1 \text{ H}), 8.88 \ (d, J = 4.8 \text{ Hz}, 1 \text{ H}), 8.62 \ (d, J = 8.7 \text{ Hz}, 1 \text{ H}), 8.49 \ (t, J = 6.2 \text{ Hz}, 1 \text{ H}), 7.72 \ (d, J = 7.8 \text{ Hz}, 1 \text{ H}), 7.59 \ (br, 1 \text{ H}), 7.54 \ (d, J = 8.1 \text{ Hz}, 1 \text{ H}), 7.40 \ (d, J = 8.7 \text{ Hz}, 2 \text{ H}), 7.35 \ (m, 1 \text{ H}), 7.31 \ (t, J = 7.8 \text{ Hz}, 1 \text{ H}), 7.16 \ (t, J = 7.8 \text{ Hz}, 1 \text{ H}), 6.91 \ (d, J = 8.7 \text{ Hz}, 2 \text{ H}), 6.73 \ (dd, J = 15.9, 10.8 \text{ Hz}, 1 \text{ H}), 6.45 \ (d, J = 15.9 \text{ Hz}, 1 \text{ H}), 6.24 \ (dd, J = 15.0, 10.8 \text{ Hz}, 1 \text{ H}), 5.83 \ (m, 1 \text{ H}), 5.45 \ (s, 1 \text{ H}), 5.42 \ (m, 1 \text{ H}), 4.68 \ (s, 1 \text{ H}), 4.64 \ (d, J = 15.9 \text{ Hz}, 1 \text{ H}), 4.33 \ (m, 1 \text{ H}), 4.27 \ (m, 1 \text{ H}), 4.05 \ (q, J = 5.7 \text{ Hz}, 2 \text{ H}), 3.95 \ (br, 1 \text{ H}), 3.73 \ (m, 1 \text{ H}), 3.68 \ (m, 2 \text{ H}), 3.61 \ (m, 2 \text{ H}), 3.47 \ (d, J = 15.9 \text{ Hz}, 1 \text{ H}), 3.45 \ (m, 2 \text{ H}), 3.07 \ (s, 3 \text{ H}), 2.91 \ (m, 2 \text{ H}), 2.59 \ (dd, J = 18.9, 4.8 \text{ Hz}, 1 \text{ H}), 2.48 \ (d, J = 13.5 \text{ Hz}, 1 \text{ H}), 2.39 \ (m, 2 \text{ H}), 2.21 \ (m, 1 \text{ H}), 1.35 \text{ ppm} \ (t, J = 5.7 \text{ Hz}, 3 \text{ H}); \text{ negative ESI-MS } m/z 929 \ (M-\text{H}^-. \end{array}$