OPEN ACCESS **MOLECULES** ISSN 1420-3049 www.mdpi.com/journal/molecules

Article

# An Efficient Synthesis of 3,4-Dihydropyrimidin-2(1*H*)-Ones and Thiones Catalyzed by a Novel Brønsted Acidic Ionic Liquid under Solvent-Free Conditions

Yonghong Zhang <sup>1,2</sup>, Bin Wang <sup>3</sup>, Xiaomei Zhang <sup>2</sup>, Jianbin Huang <sup>1</sup> and Chenjiang Liu <sup>1,3,\*</sup>

- <sup>1</sup> Key Laboratory of Petroleum and Gas Fine Chemicals of Ministry of Education, School of Chemistry and Chemical Engineering, Xinjiang University, Urumqi 830046, China; E-Mails: zhzhzyh@126.com (Y.Z.); jbhuang@pku.edu.cn (J.H.)
- <sup>2</sup> Chengdu Institute of Organic Chemistry, Chinese Academy of Sciences, Chengdu 610041, China; E-Mail: xmzhang@ cioc.ac.cn
- <sup>3</sup> Physics and Chemistry Detecting Center, Xinjiang University, Urumqi 830046, China; E-Mail: wangbin.yang@163.com
- \* Author to whom correspondence should be addressed; E-Mail: pxylcj@126.com; Tel.: +86-991-858-1211; Fax: +86-991-858-2809.

Academic Editor: Kei Saito

Received: 24 November 2014 / Accepted: 17 February 2015 / Published: 26 February 2015

Abstract: We report here an efficient and green method for Biginelli condensation reaction of aldehydes,  $\beta$ -ketoesters and urea or thiourea catalyzed by Brønsted acidic ionic liquid [Btto][*p*-TSA] under solvent-free conditions. Compared to the classical Biginelli reaction conditions, the present method has the advantages of giving good yields, short reaction times, near room temperature conditions and the avoidance of the use of organic solvents and metal catalyst.

Keywords: [Btto][p-TSA]; Biginelli reaction; dihydropyrimidinones; solvent-free

### 1. Introduction

Over the years, dihydropyrimidinones (DHPMs) and their derivatives have displayed a captivating assortment in natural, synthetic, pharmacological, therapeutic and bioorganic chemistry mainly due to their wide range of biological activities [1–3], and they are being studied because of their activities as

calcium channel blockers, antihypertensive agents, alpha-la-antagonists and neuropeptide Y(NPY) antagonists [4,5]. Moreover, dihydropyrimidinethiones have been suggested to be useful building blocks for synthesis of natural products, such as the batzelladine family of polycyclic marine alkaloids [6,7], of which batzelladine alkaloids have been found to be potent HIV gp-120-CD4 inhibitors [8,9].

The most simple and straightforward procedure for the synthesis of DHPMs was first reported by the Italian chemist Pietro Biginelli in 1893, it involves a three-component one-pot condensation of benzaldehyde, ethyl acetoacetate and urea under strongly acidic conditions [10]. However, this reaction usually requires harsh conditions, long reaction times and affords low yields, particularly when substituted aromatic and aliphatic aldehydes are employed, which impede their applications. To overcome those disadvantages, several protocols for the synthesis of DHPMs have been developed to improve and modify this reaction by means of microwave irradiation [11,12], ultrasound irradiation [13], ionic liquids [14–16], and different types of acidic, base, metal oxide, nanoparticle, enzyme, phase transfer catalysts such as lanthanide triflate [17], H<sub>3</sub>BO<sub>3</sub> [18], VCl<sub>3</sub> [19], Sr(OTf)<sub>2</sub> [20], PPh<sub>3</sub> [21], Indium(III) halides [22], nanomagnetic-supported sulfonic acid [23], Iron(III) tosylate [24], Bis[(L)prolinato-N,O]Zn-water [25], 1-glycyl-3-methyl imidazolium chloride copper(II) Complex [26], KAl(SO<sub>4</sub>)<sub>2</sub>·12H<sub>2</sub>O supported on silica [27], FeCl<sub>3</sub>-supported nanopore silica [28], SiO<sub>2</sub>-CuCl<sub>2</sub> [29], metal oxide-MWCNTs [30–32], Fe<sub>3</sub>O<sub>3</sub> and boehmite nanoparticle [33,34], nanosilica-supported tin(II) chloride [35], graphite [36], trypsin [37], silica sulfuric acid [38], Mn(OAc)<sub>3</sub>·2H<sub>2</sub>O [39], Y(NO<sub>3</sub>)<sub>3</sub>·6H<sub>2</sub>O [40], In(OTf)<sub>3</sub> [41], TaBr<sub>5</sub> [42], Ce(NO<sub>3</sub>)<sub>3</sub>·6H<sub>2</sub>O [43], silica chloride [44], HCOOH [45], ytterbium chloride [46], TBAB [47] and so on. However, in spite of their potential utility, many of these reported one-pot protocols suffer from drawbacks such as the use of expensive reagents, volatile strong acidic conditions and long reaction times. Therefore, to avoid these limitations, the introduction of a milder and more efficient method accompanied with higher yields is needed.

Lately, Neto and coworker investigated and discussed the crucial role of catalyst and solvent effects for the Biginelli reaction [48]. Furthermore, in recent years, ionic liquids (ILs) are receiving a widespread attention as environmentally acceptable reaction medium or catalyst owing to their advantageous properties [49,50]. In particular, the synthesis of task-specific ILs with special functions according to the requirement of a specific reaction has become an attractive field [51,52]. In previous work, we reported Lewis acid catalyzed Biginelli reaction [53–56]. Aiming to developing green chemistry, in this work, we wish to report a simple, facile and efficient methodology for the synthesis of 3,4-dihydropyrimidin-2(1H)-(thio)ones via condensation of aldehyde, ethyl acetoacetate and urea or thiourea and employing the novel Brønsted acidic ionic liquid [Btto][*p*-TSA] (See Experimental Section) as catalyst for the first time (Scheme 1).



Scheme 1. [Btto][*p*-TSA] catalyzed Biginelli reaction.

#### 2. Results and Discussion

To evaluate the effect of the catalyst under different conditions systematically, we carried out the reaction of benzaldehyde, ethyl acetoacetate and urea as a model reaction and the results are presented in Table 1. Initially the effect of amount of [Btto][*p*-TSA] on the reaction was examined (entries 1–7) and 5 mol % of [Btto][*p*-TSA] afforded the best result (entry 5). Then, the influence of the reaction time on the yield was tested (entries 5, 8–10). It was found that higher yield was obtained when the reaction time was 30 min (Table 1, entry 10). The influence of the reaction temperature on the yield was investigated subsequently (entries 10, 11–12). It was found that 90 °C was still the best reaction temperature (Table 1, entry 10). For the sake of much milder condition to be developed, the reaction temperature at 30 °C was examined at last (Table 1, entries 13–15). The [Btto][*p*-TSA] was also successfully utilized in the Biginelli reaction under near room temperature condition. Although reaction time of 15 h (Table 1, entry 15) gave a little better yield than 10 h, we chose 10 h to save energy. Consequently, the best conditions at 30 °C were a 0.05:1:1:1.5 mole ratio of [Btto][*p*-TSA], benzaldehyde, ethyl acetoacetate and urea or thiourea for 10 h under solvent-free conditions.

Entry	Cat. (mol %)	Temp. (°C)	Time	Yield (%) <sup>b</sup>
1	1	90	40 min	69
2	2	90	40 min	82
3	3	90	40 min	86
4	4	90	40 min	80
5	5	90	40 min	94
6	6	90	40 min	81
7	10	90	40 min	91
8	5	90	10 min	87
9	5	90	20 min	94
10	5	90	30 min	96
11	5	80	30 min	89
12	5	100	30 min	95
13	5	30	5 h	63
14	5	30	10 h	81
15	5	30	15 h	82

**Table 1.** Effect of catalyst [Btto][*p*-TSA] under different reaction conditions for condensation of benzaldehyde, ethyl acetoacetate and urea <sup>a</sup>.

<sup>a</sup> Reaction conditions: Benzaldehyde (3 mmoL), ethyl acetoacetate (3 mmoL), urea (4.5 mmoL) and catalyst under solvent-free conditions; <sup>b</sup> Isolated yield.

In order to study the scope of the procedure, a series of DHPMs were synthesized with the optimized conditions. The results are listed in Table 2. In all cases studied, the three-component reaction proceeded smoothly to give the corresponding DHPMs in excellent yields. Most importantly, aromatic aldehydes carrying either electron donating or electron withdrawing substituents reacted very well to give the corresponding DHPMs with high purity in good yields. Notably, this procedure is compatible with a wide range of functional groups such as methoxy, halides, nitro, hydroxy, *etc.* Beside those above, some sensitive groups also showed to be well tolerated by this method. For

instance, furfural and cinnamaldehyde could afford the corresponding products in excellent yields as well. Thiourea has been used with similar success to provide corresponding *S*-dihydropyrimidinones analogues, which are also of interest due to their biological activities (entries 4q–s). The use of methyl acetoacetate as 1,3-dicarbonyl substrate in place of ethyl acetoacetate also gave good to excellent yields, as shown in Table 2 (entries 4t–u).

Entry	R <sub>1</sub>	$\mathbf{R}_2$	v	Yields <sup>b</sup> (%)	Mp (°C) °	
			λ		Found	Found
4a	$C_6H_5$	EtO	0	96	202-204	206 [26]
4b	$4-CH_3O-C_6H_4$	EtO	0	97	203-205	205–207 [26]
4c	C <sub>6</sub> H <sub>5</sub> -CH=CH	EtO	0	98	228-230	230–232 [26]
4d	$4-F-C_6H_4$	EtO	0	92	180-183	182–184 [26]
4e	$3-Br-C_6H_4$	EtO	0	99	183-185	185–186 [41]
4f	4-(CH <sub>3</sub> ) <sub>2</sub> N-C <sub>6</sub> H <sub>4</sub>	EtO	0	95	250-253	253–254 [19]
4g	$3-Cl-C_6H_4$	EtO	0	97	194–196	193–194 [12]
4h	$4-Cl-C_6H_4$	EtO	0	93	207-210	209–212 [26]
4i	$3-O_2N-C_6H_4$	EtO	0	92	225-227	227–228 [27]
4j	3-CH <sub>3</sub> O-4-HO-C <sub>6</sub> H <sub>3</sub>	EtO	0	97	232-233	232–233 [38]
4k	2- HO-C <sub>6</sub> H <sub>4</sub>	EtO	0	88	200-202	199–201 [12]
41	3- HO-C <sub>6</sub> H <sub>4</sub>	EtO	0	98	165-167	167–170 [26]
4m	$4-HO-C_6H_4$	EtO	0	98	224-227	227–228 [27]
4n	3,4-(CH <sub>3</sub> O) <sub>2</sub> -C <sub>6</sub> H <sub>3</sub>	EtO	0	96	173-175	174–176 [27]
4o	2,4-(Cl) <sub>2</sub> -C <sub>6</sub> H <sub>3</sub>	EtO	0	94	250-252	251–252 [12]
4p	2-Furyl	EtO	0	79	205-206	202–204 [12]
4q	$C_6H_5$	EtO	S	98	205-206	207–208 [26]
4r	$4-HO-C_6H_4$	EtO	S	96	200-202	202–203 [26]
4s	4- (CH <sub>3</sub> ) <sub>2</sub> N-C <sub>6</sub> H <sub>4</sub>	EtO	S	89	207-209	209–210 [26]
4t	$C_6H_5$	MeO	0	89	211-213	212–213 [26]
4u	$3-O_2N-C_6H_4$	MeO	0	99	272-275	273–275 [26]

**Table 2.** [Btto][*p*-TSA]-catalyzed one-pot synthesis of 3,4-dihydropyrimidin-2(1*H*)- ones/thiones at 90 °C <sup>a</sup>.

<sup>a</sup> Reaction conditions: Aldehyde (3 mmoL),  $\beta$ -ketoester (3 mmoL), urea or thiourea (4.5 mmoL), [Btto][*p*-TSA] (0.15 mmoL), with solvent-free conditions, stirred at 90 °C for 30 min; <sup>b</sup> Isolated yield; <sup>c</sup> Melting points are uncorrected.

At the same time, in order to further investigate this MCR at room temperature, a series of DHPMs were synthesized by using the new reaction set-up at room temperature. The results are summarized in Table 3. It can be observed that all the aldehydes have reacted with  $\beta$ -ketoester and urea at room temperature smoothly to afford the corresponding DHPMs in good to excellent yields. These much milder reaction conditions might make this useful method be promising in biorthogonal chemistry.

Entry	$\mathbf{R}_{1}$	$\mathbf{R}_2$	X	Yields <sup>b</sup> (%)	Mp (°C) °	
					Found	Reported (Lit.)
4a	$C_6H_5$	EtO	0	77	202-205	206 [26]
4b	$4-CH_3O-C_6H_4$	EtO	0	89	206-208	205–207 [26]
4c	C <sub>6</sub> H <sub>5</sub> -CH=CH	EtO	0	88	230-232	230–232 [26]
4d	4-F-C <sub>6</sub> H <sub>4</sub>	EtO	0	90	180-182	182–184 [26]
4e	$3-Br-C_6H_4$	EtO	0	85	182–185	185–186 [41]
4g	$3-Cl-C_6H_4$	EtO	0	82	190–192	193–194 [12]
4h	$4-Cl-C_6H_4$	EtO	0	85	210-212	209–212 [26]
4i	$3-O_2N-C_6H_4$	EtO	0	93	225-226	227–228 [27]
4i	3-CH <sub>3</sub> O-4-HO-C <sub>6</sub> H <sub>3</sub>	EtO	0	76	230-233	232-233 [38]

**Table 3.** [Btto][p-TSA]-Catalyzed one-pot synthesis of 3,4-dihydropyrimidin-2(1H)-ones/thiones at room temperature <sup>a</sup>.

<sup>a</sup> Reaction conditions: Aldehyde (3 mmoL),  $\beta$ -ketoester (3 mmoL), urea or thiourea (4.5 mmoL), [Btto][*p*-TSA] (0.15 mmoL), with solvent-free condition, stirred at 30 °C for 10 h; <sup>b</sup> Isolated yield; <sup>c</sup> Melting points are uncorrected.

### 3. Experimental Section

All new compounds were characterized by <sup>1</sup>H NMR, <sup>13</sup>C NMR, MS spectra. The <sup>1</sup>H NMR and <sup>13</sup>C NMR spectra were obtained on a Varian Inova-400 spectrometer using CDCl<sub>3</sub>, D<sub>2</sub>O as solvent (shown in details in data part) and TMS as an internal standard. LC-MS analyses have been performed on a HP-1100 LC-MS. Melting points were determined using a Büchi B-540 instrument. All melting points are uncorrected.

### 3.1. General Procedure for the Synthesis of 3,4-Dihydropyrimidine-2(1H)-Ones and Thiones

To a mixture of aldehyde (3 mmoL), ethyl acetoacetate (3 mmoL), urea or thiourea (4.5 mmoL) and [Btto][*p*-TSA] (0.15 mmoL) was heated at 90 °C with no solvent for 30 min or at 30 °C under solvent-free condition for 10 h with magnetic stirring. The completion of the reaction was monitored by TLC. After cooling, the reaction mixture was poured onto crushed ice and stirred for 5 min. The separated solid was filtered under suction, washed with cold water thoroughly and then recrystallized from ethanol to afford the pure product. All products are known compounds, which were characterized by mp, IR and <sup>1</sup>H-NMR spectra. The results are summarized in Tables 2 and 3.

### 3.2. General Procedure for the Synthesis of [Btto][p-TSA]

1-Butyl-1,3-thiazolidine-2-thione (Btto): Under magnetic stirring, amounts of 1,3-thiazolidine-2thione (50 mmoL) and tetrabutylammonium bromide (10 mmoL) were dissolved in 30% aqueous solution of sodium hydroxide (22.5 mL), 1-bromobutane (50 mmoL) was added. Then the mixture was heated at 90 °C for 12 h until two phases formed. The upper organic phase and lower water phase were separated with separating funnel. Later, the organic phase was washed with deionized water. Finally, the remaining deionized water was removed under vacuum at 100 °C for 3 h, giving Btto as red liquid. 1-Butyl-1,3-thiazolidine-2-thione paratoluenesulfate [Btto][p-TSA]: Under magnetic stirring, 1-Butyl-1,3-thiazolidine-2-thione (0.02 mol) and paratoluenesulfonic acid (0.02 mol) were mixed with dichloromethane (2 mL) and heated for 12 h at 90 °C. Then, a light yellow liquid zwitterion was formed and washed repeatedly with ether. After dried in vacuum (100 °C, 0.01 Torr), the IL [Btto][p-TSA] was obtained (Scheme 2).



Scheme 2. Synthesis of [Btto][*p*-TSA].

#### 3.3. Physical and Spectroscopic Data of Products

Compound [Btto][*p*-TSA]: Light yellow liquid. <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>, TMS):  $\delta$ : 0.90 (t, J = 7.2 Hz, 3H, CH<sub>3</sub>), 1.32–1.45 (m, 2H, CH<sub>2</sub>), 1.65–1.72 (m, 2H, CH<sub>2</sub>), 2.36 (s, 3H, CH<sub>3</sub>), 3.33 (t, J = 7.2 Hz, 2H, CH<sub>2</sub>), 3.73 (t, J = 8.8 Hz, 2H, CH<sub>2</sub>), 4.50 (t, J = 8.4 Hz, 2H, CH<sub>2</sub>), 7.18 (t, J = 8.0 Hz, 2H, ArH), 7.76 (t, J = 8.4 Hz, 2H, ArH), 7.98 (m, 1H); <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>, TMS):  $\delta$ : 13.45, 21.32, 21.45, 30.06, 33.05, 35.51, 55.19, 126.09, 128.88, 140.40, 140.91, 192.28; IR (KBr, *v*/cm<sup>-1</sup>): 3441, 2960, 2932, 2872, 1741, 1648, 1205, 1183, 870, 687, 568; ESI-MS: *m*/*z* = 176 [M<sup>+</sup>], *m*/*z* = 171 [M<sup>-</sup>].

#### 4. Conclusions

In conclusion, we have developed a novel Brønsted acidic ionic liquid [Btto][p-TSA] as an efficient catalyst for the synthesis of 3,4-dihydropyrimidin-2-(1H)-ones and thiones analogs by multicomponent Biginelli reaction for the first time. Our method offers several advantages such as mild reaction conditions, short reaction times, being environment-friendly and affording good yields.

#### Acknowledgments

We gratefully acknowledge support from the Natural Science Foundation of Xinjiang Uygur Autonomous Region of China (2012211A015).

### **Author Contributions**

Yonghong Zhang designed and performed research and analyzed the data, wrote the paper as well. Bin Wang performed NMR. Chenjiang Liu, Xiaomei Zhang and Jianbin Huang were the supervisor of the work. All authors read and approved the final manuscript.

### **Conflicts of Interest**

The authors declare no conflict of interest.

## References

- 1. Kappe, C.O. Recent advances in the Biginelli dihydropyrimidine synthesis. New tricks from an old dog. *Acc. Chem. Res.* **2000**, *33*, 879–888.
- 2. Kappe, C.O. Biologically active dihydropyrimidones of the Biginelli-type-a literature survey. *Eur. J. Med. Chem.* **2000**, *35*, 1043–1052.
- Canto, R.F.S.; Bernardi, A.; Battastini, A.M.O.; Russowsky, D.; Eifler-Lim, V.L. Synthesis of Dihydropyrimidin-2-one/thione Library and Cytotoxic Activity against the Human U138-MG and Rat C6 Glioma Cell Lines. J. Braz. Chem. Soc. 2011, 22, 1379–1388.
- Atwal, K.S.; Rovnyak, G.C.; Kimball, S.D.; Floyd, D.M.; Moreland, S.; Swanson, B.N.; Gougoutas, J.Z.; Schwartz, J.; Smillie, K.M.; Malley, M.F. Dihydropyrimidine calcium channel blockers. 2. 3-substituted-4-aryl-1,4-dihydro-6-methyl-5-pyrimidinecarboxylic acid esters as potent mimics of dihydropyridines. *J. Med. Chem.* 1990, *33*, 2629–2635.
- 5. Atwal, K.S.; Rovnyak, G.C.; O'Reilly, B.C.; Schwartz, J. Substituted 1,4-dihydropyrimidines. 3.<sup>1</sup> synthesis of selectively functionalized 2-hetero-1,4-dihydropyrimidines. *J. Org. Chem.* **1989**, *54*, 5898–5907.
- 6. Heys, L.; Moore, C.G.; Murphy, P.J. The guanidine metabolites of *ptilocaulis spiculifer* and related compounds; isolation and synthesis. *Chem. Soc. Rev.* **2000**, *29*, 57–67.
- 7. Berlinck, R.G.S.; Burtoloso, A.C.B.; Kossuga, M.H. The chemistry and biology of organic guanidine derivatives. *Nat. Prod. Rep.* **2008**, *25*, 919–954.
- Patil, A.D.; Kumar, N.V.; Kokke, W.C.; Bean, M.F.; Freyer, A.J.; Brosse, C.D.; Mai, S.; Truneh, A.; Faulkner, D.J.; Carte, B.; *et al.* Novel alkaloids from the Sponge *Batzella* sp.: Inhibitors of HIV gp l20-human CD4 binding. *J. Org. Chem.* 1995, *60*, 1182–1188.
- Snider, B.B.; Chen, J.; Patil, A.D.; Freyer, A.J. Synthesis of the tricyclic portions of batzelladines A, B and D. Revision of the stereoehemistry of batzelladines A and D. *Tetrahedron Lett.* 1996, 37, 6977–6980.
- Biginelli, P. Aldureides of ethylic acetoacetate and ethylic oxaloacetate. *Gazz. Chim. Ital.* 1893, 23, 360–416.
- 11. Banik, B.K.; Reddy, A.T.; Datta, A.; Mukhopadhyay, C. Microwave-induced bismuth nitrate-catalyzed synthesis of dihydropyrimidones via Biginelli condensation under solventless conditions. *Tetrahedron Lett.* **2007**, *48*, 7392–7394.
- 12. Safari, J.; Gandomi-Ravandi, S. Titanium dioxide supported on MWCNTs as an eco-friendly catalyst in the synthesis of 3,4-dihydropyrimidin-2-(1*H*)-ones accelerated under microwave irradiation. *New J. Chem.* **2014**, *38*, 3514–3521.
- 13. Li, J.T.; Han, J.F.; Yang, J.H.; Li, T.S. An efficient synthesis of 3,4-dihydropyrimidin-2-ones catalyzed by NH<sub>2</sub>SO<sub>3</sub>H under ultrasound irradiation. *Ultrason. Sonochem.* **2003**, *10*, 119–122.
- 14. Peng, J.; Deng, Y. Ionic liquids catalyzed Biginelli reaction under solvent-free conditions. *Tetrahedron Lett.* **2001**, *42*, 5917–5919.
- 15. Zhu, A.; Li, Q.; Li, L.; Wang, J. One-pot synthesis of 3,4-dihydro-2(*H*)-pyrimidinones catalyzed by reusable acidic choline-based ionic liquids. *Catal. Lett.* **2013**, *143*, 463–468.

- Rahman, M.; Sarkar, A.; Ghosh, M.; Majee, A.; Hajra, A. Catalytic application of task Specific ionic liquid on the synthesis of benzoquinazolinone derivatives by a multicomponent reaction. *Tetrahedron Lett.* 2014, 55, 235–239.
- 17. Ma, Y.; Qian, C.; Wang, L.; Yang, M. Lanthanide triflate catalyzed Biginelli reaction. One-pot synthesis of dihydropyrimidinones under solvent-free conditions. *J. Org. Chem.* **2000**, *65*, 3864–3868.
- 18. Tu, S.; Fang, F.; Miao, C.; Jiang, H.; Feng, Y.; Shi, D.; Wang, X. One-pot synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones using boric acid as catalyst. *Tetrahedron Lett.* **2003**, *44*, 6153–6155.
- 19. Sabitha, G.; Reddy, G.S. K.K.; Reddy, K.B.; Yadav, J.S. Vanadium(III) chloride catalyzed Biginelli condensation: Solution phase library generation of dihydropyrimidin-(2*H*)-ones. *Tetrahedron Lett.* **2003**, *44*, 6497–6499.
- 20. Su, W.; Li, J.; Zheng, Z.; Shen, Y. One-pot synthesis of dihydropyrimidiones catalyzed by strontium(II) triflate under solvent-free conditions. *Tetrahedron Lett.* **2005**, *46*, 6037–6040.
- 21. Debache, A.; Amimour, M.; Belfaitah, A.; Rhouati, S.; Carboni, B. A one-pot Biginelli synthesis of 3,4-dihydropyrimidin-2-(1*H*)-ones/thiones catalyzed by triphenylphosphine as Lewis base. *Tetrahedron Lett.* **2008**, *49*, 6119–6121.
- 22. Fu, N.Y.; Yuan, Y.F.; Pang, M.L.; Wang, J.T.; Peppe, C. Indium(III) halides-catalyzed preparation of ferrocene-dihydropyrimidinones. *J. Organomet. Chem.* **2003**, *672*, 52–57.
- 23. Kolvari, E.; Koukabi, N.; Armandpour, O. A simple and efficient Synthesis of 3,4-dihydropyrimidin-2-(1*H*)-ones via Biginelli reaction catalyzed by nanomagnetic-supported sulfonic acid. *Tetrahedron* **2014**, *70*, 1383–1386.
- Starcevich, J.T.; Laughlin, T.J.; Mohan, R.S. Iron(III) tosylate catalyzed synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones/thiones via the Biginelli reaction. *Tetrahedron Lett.* 2013, 54, 983–985.
- Siddiqui, Z.N. Bis[(L)prolinato-N,O] Zn-water: A green catalytic system for the synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones via the Biginelli reaction. *Comptes Rendus Chimie* 2013, 16, 183–188.
- 26. Karthikeyan, P.; Aswar, S.A.; Muskawar, P.N.; Bhagat, P.R.; Kumar, S.S. Development and efficient 1-Glycyl-3-methyl imidazolium chloride-copper(II) complex catalyzed highly enantioselective synthesis of 3, 4-dihydropyrimidin-2(1H)-ones. *J. Organomet. Chem.* **2013**, *723*, 154–162.
- 27. Azizian, J.; Mohammadi, A.A.; Karimi, A.R.; Mohammadizadeh, M.R. KAl(SO<sub>4</sub>)<sub>2</sub>·12H<sub>2</sub>O supported on silica gel as a novel heterogeneous system catalyzed Biginelli reaction one-pot synthesis of dihydropyrimidinones under solvent-free conditions. *Appl. Catal. A Gen.* **2006**, *300*, 85–88.
- Ahn, B.J.; Gang, M.S.; Chae, K.; Oh, Y.; Shin, J.; Chang, W. A Microwave-assisted synthesis of 3,4-dihydro-pyrimidin-2-(1*H*)-ones catalyzed by FeCl<sub>3</sub>-supported nanopore silica under solvent-free conditions. *J. Ind. Eng. Chem.* 2008, 14, 401–405.
- Kour, G.; Gupta, M.; Rajnikant, S.P.; Gupta, V.K. SiO<sub>2</sub>-CuCl<sub>2</sub>: An efficient and recyclable heterogeneous catalyst for one-pot synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones. *J. Mol. Catal. A Chem.* 2014, 392, 260–269.
- Safari, J.; Gandomi-Ravandi, S. MnO<sub>2</sub>-MWCNT nanocomposites as efficient catalyst in the synthesis of Biginelli-type compounds under microwave radiation. J. Mol. Catal. A Chem. 2013, 373, 72–77.

- Safari, J.; Gandomi-Ravandi, S. A novel protocol for solvent-free synthesis of 4,6-Diaryl-3,4-Dihydropyrimidine-2(1*H*)-ones catalyzed by metal oxide—MWCNTs nanocomposites. *J. Mol. Struct.* 2014, 1074, 71–78.
- Safari, J.; Gandomi-Ravandi, S. Biginelli reaction on Fe<sub>3</sub>O<sub>4</sub>-MWCNT nanocomposite: Excellent reactivity and facile recyclability of the catalyst combined with ultrasound irradiation. *RSC Adv.* 2013, *3*, 17962–17967.
- Zamani, F.; Izadi, E. Synthesis and characterization of sulfonated-phenylacetic acid coated Fe<sub>3</sub>O<sub>3</sub> nanoparticles as a novel acid magnetic catalyst for Biginelli reaction. *Catal. Commun.* 2013, 42, 104–108.
- 34. Keivanloo, A.; Mirzaee, M.; Bakherad, M.; Soozani, A. Boehmite nanoparticle catalyst for the one-pot multicomponent synthesis of 3,4-dihydropyrimidin-2-(1*H*)-ones and thiones under solvent-free conditions. *Chin. J. Catal.* **2014**, *35*, 362–367.
- 35. Ghomi, J.S.; Teymuri, R.; Ziarati, A. A green synthesis of 3,4-dihydropyrimidine-2(1*H*)-one/thione derivatives using nanosilica-supported Tin(II) chloride as a heterogeneous nanocatalyst. *Monatsh. Chem.* **2013**, *144*, 1865–1870.
- Dhumaskar, K.L.; Meena, S.N.; Ghadi, S.C.; Tilve, S.G. Graphite catalyzed solvent free synthesis of dihydropyrimidin-2(1*H*)-ones/thiones and their antidiabetic activity. *Bioorg. Med. Chem. Lett.* 2014, 24, 2897–2899.
- Xie, Z.-B.; Wang, N.; Wu, W.-X.; Le, Z.-G.; Yu, X.-Q. Trypsin-catalyzed tandem reaction: One-pot synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones by *in situ* formed acetaldehyde. *J. Biotechnol.* 2014, 170, 1–5.
- 38. Salehi, P.; Dabiri, M.; Zolfigol, M.A.; Fard, M.A.B. Silica sulfuric acid: An efficient and reusable catalyst for the one-pot synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones. *Tetrahedron Lett.* **2003**, *44*, 2889–2891.
- 39. Kumar, K.A.; Kasthuraiah, M.; Reddy, C.S.; Reddy, C.D. Mn(OAc)<sub>3</sub>·2H<sub>2</sub>O-mediated three-component, one-pot, condensation reaction: An efficient synthesis of 4-aryl-substituted 3,4-dihydropyrimidin-2-ones. *Tetrahedron Lett.* **2001**, *42*, 7873–7875.
- 40. Nandurkar, N.S.; Bhanushali, M.J.; Bhor, M.D.; Bhanage, B.M. Y(NO<sub>3</sub>)<sub>3</sub>·6H<sub>2</sub>O: A novel and reusable catalyst for one pot synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones under solvent-free conditions. *J. Mol. Catal. A Chem.* **2007**, *271*, 14–17.
- 41. Ghosh, R.; Maiti, S.; Chakraborty, A. In(OTf)<sub>3</sub>-catalysed one-pot synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones. *J. Mol. Catal. A Chem.* **2004**, *217*, 47–50.
- 42. Ahmed, N.; van Lier, J.E. TaBr<sub>5</sub>-catalyzed Biginelli reaction: One-pot synthesis of 3,4-dihydropyrimidin-2-(1*H*)-ones/thiones under solvent-free conditions. *Tetrahedron Lett.* **2007**, 48, 5407–5409.
- 43. Adib, M.; Ghanbary, K.; Mostofi, M.; Ganjali, M.R. Efficient Ce(NO<sub>3</sub>)<sub>3</sub>·6H<sub>2</sub>O-catalyzed solvent-free synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones. *Molecules* **2006**, *11*, 649–654.
- 44. Karade, H.N.; Sathe, M.; Kaushik, M.P. Synthesis of 4-aryl substituted 3,4-dihydropyrimidinones using silica-chloride under solvent free conditions. *Molecules* **2007**, *12*, 1341–1351.
- 45. Cheng, J.; Qi, D.Y. An efficient and solvent-free one-pot synthesis of dihydropyrimidinones under microwave irradiation. *Chin. Chem. Lett.* **2007**, *18*, 647–650.

- Zhang, H.; Zhou, Z.; Yao, Z.; Xu, F.; Shen, Q. Efficient synthesis of pyrimidinone derivatives by ytterbium chloride catalyzed Biginelli-type reaction under solvent-free conditions. *Tetrahedron Lett.* 2009, *50*, 1622–1624.
- 47. Ahmed, B.; Khan, R.A.; Habibullah; Keshari, M. An improved synthesis of Biginelli-type compounds via phase-transfer catalysis. *Tetrahedron Lett.* **2009**, *50*, 2889–2892.
- 48. Alvim, H.G.O.; Lima, T.B.; de Oliveira, A.L.; de Oliveira, H.C.B.; Silva, F.M.; Gozzo, F.C.; Souza, R.Y.; da Silva, W.A.; Neto, B.A.D. Facts, presumptions, and myths on the solvent-free and catalyst-free Biginelli reaction. What is catalysis for? *J. Org. Chem.* **2014**, *79*, 3383–3397.
- 49. Welton, T. Room-temperature ionic liquids. Solvents for synthesis and catalysis. *Chem. Rev.* **1999**, *99*, 2071–2083.
- 50. Pârvulescu, V.I.; Hardacre, C. Catalysis in ionic liquids. Chem. Rev. 2007, 107, 2615-2665.
- Ranu, B.C.; Banerjee, S. Ionic liquid as catalyst and reaction medium. The dramatic influence of a task-specific ionic liquid, [bmIm]OH, in michael addition of active methylene compounds to conjugated ketones, carboxylic esters, and nitriles. *Org. Lett.* 2005, *7*, 3049–3052.
- 52. Qiao, K.; Hagiwara, H.; Yokoyama, C. Acidic ionic liquid modified silica gel as novel solid catalysts for esterification and nitration reactions. *J. Mol. Catal. A Chem.* **2006**, *246*, 65–69.
- 53. Liu, C.; Wang, J.; Li, Y. One-pot synthesis of 3,4-dihydropyrimidin-2(1H)-(thio)ones using strontium(II) nitrate as a catalyst. *J. Mol. Catal. A Chem.* **2006**, *258*, 367–370.
- Zhang, X.; Li, Y.; Liu, C.; Wang, J. An efficient synthesis of 4-substituted pyrazolyl-3,4dihydropyrimidin-2(1*H*)-(thio)ones catalyzed by Mg(ClO<sub>4</sub>)<sub>2</sub> under ultrasound irradiation. *J. Mol. Catal. A Chem.* 2006, 253, 207–211.
- 55. Liu, C.J.; Wang, J.D. Copper(II) sulfamate: An efficient catalyst for the one-pot synthesis of 3,4-dihydropyrimidine-2(1*H*)-ones and thiones. *Molecules* **2009**, *14*, 763–770.
- 56. Liu, C.J.; Wang, J.D. Ultrasound-assisted synthesis of novel 4-(2-phenyl-1,2,3-triazol-4-yl)-3,4dihydropyrimidin-2(1*H*)-(Thio)ones catalyzed by Sm(ClO<sub>4</sub>)<sub>3</sub>. *Molecules* **2010**, *15*, 2087–2095.

Sample Availability: All samples are available from the authors.

 $\bigcirc$  2015 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (http://creativecommons.org/licenses/by/4.0/).