Notes

Benzisoxazolones: Antimicrobial and Antileukemic Activity

W. Wierenga,* B. R. Evans, and G. E. Zurenko

Research Laboratories of Cancer and Infectious Diseases, The Upjohn Company, Kalamazoo, Michigan 49001. Received January 16, 1984

An unusual acid-mediated rearrangement of o-nitrostyrene oxide afforded 1-(hydroxymethyl)-2.1-benzisoxazol-3(1H)-one which exhibited broad-spectrum antimicrobial and cytotoxic activity. A number of analogues were prepared by employing a modified zinc-reduction procedure on o-nitrobenzoate. Several of these analogues exhibited interesting antipseudomonal activity in agar and broth but were ineffective in vivo.

During the course of examining the utility of various photolabile prodrugs, we uncovered an interesting, acidmediated rearrangement of o-nitrostyrene oxide (1) to 1-(hydroxymethyl)-2,1-benzisoxazol-3(1H)-one [2, (Scheme I)]. Routine biological screening revealed Gram-positive and Gram-negative antibacterial activity as well as modest cytotoxic activity against L1210 leukemia cells in suspension. Of particular interest was the finding of antipseudomonas activity. However, in the process of determining minimum inhibitory concentrations against various organisms in broth, we noted variable results that we attributed to instability of 2 in protic media. Therefore, in view of the interesting activity, absence of literature precedent for antimicrobial activity in this structural class, and relative instability, we initiated efforts to prepare and evaluate analogues of this benzisoxazolone.

Chemistry. Benzisoxazol-3(1H)-one (3) was originally prepared by zinc reduction of o-nitrobenzoates.⁸ therefore employed this approach with modified conditions² as an alternate synthesis of 2 as well as to generate analogues. Several N-acyl analogues (4) were prepared from 3 by using standard conditions. Similarly, various O-acyl derivatives (5) were synthesized from the (hydroxymethyl)benzisoxazolone 2 by employing the appro-

priate anhydride, acid chloride, or isocyanate.

In addition we found that analogues of 4 could be secured in a one-pot synthesis from methyl-o-nitrobenzoate in a similar fashion to 2 by substituting methyl isocyanate or methanesulfonyl chloride for formaldehyde (Scheme II). Interestingly, in an attempt to methylate the hydroxy group of 2 we produced only the N-methyl compound (Scheme II) resulting from the presumed silver oxide catalyzed loss of formaldehyde. However, the desired O-methyl was prepared as shown in Scheme II from onitrobenzoate and Zn/CH₂O/CH₃OH, albeit in very poor

Biology. Preliminary antimicrobial analysis of the benzisoxazolones with an agar diffusion assay is tabulated in Table I. As is evident from the table, there is broadspectrum antibacterial activity as well as antifungal activity (Penicillium oxalicum). In addition there is listed in Table I the cytotoxic activity of these analogues against L1210 cells in suspension expressed as inhibitory doses in microgram/milliliter.

The data indicate the following trends in structure-activity relationships: (1) analogues bearing N-(alkylacyl)oxy

CH₂OH

substituents, represented by structure 5, exhibit the best activity, (2) analogues bearing long-chain, lipophilic groups have minimal activity, and (3) simple N-alkyl or N-sulfonyl groups abolish activity. We speculate that activity is dependent on a reactive aminal grouping coupled with, or in addition to, a reactive carbonyl group. This is further supported by the observation of reduced activity in several analogues with alkoxy (i.e., electron-donating) substitutents on the aromatic ring.

Several of the lead candidates were evaluated in a microplate broth dilution assay (Table II). Unfortunately none of the analogues exhibited superior activity over the parent structure, 2. Indeed, several were less effective against some organisms.

In vivo evaluation involved Klebsiella pneumoniae and Pseudomonas aeruginosa infections in mice. Benzisoxazolone 2 was evaluated subcutaneously at a maximum

Voorhees, J. J.; Wierenga, W. U.S. Patent 4302456 (7), 1981. Wierenga, W.; Harrison, A. W.; Evans, B. R.; Chidester, C. J. Org. Chem. 1984, 49, 438.

⁽³⁾ Bamberger, E.; Pyman, F. L.; Ber. 1909, 42, 2297.

Table I. Antimicrobial and Antileukemic Activity of Benzisoxazolones

The second secon	organism ^a									L1210 antileukemic, ^b µg/mL				
R	$\overline{B.s.}$	K.p.	M. l.	E.s.	P.v.	P. c.	P.f.	S.a.	S.s.	M. a.	P.o.	S.p.	ID _{so}	ID_{90}
COCH ₃ (6)	24	20	18	26	23	38	31		20	22	49	21	3.4	8.7
CONHCH, (7)		16			19	24				22			4.9	14
CONH(CH2)4CH2I (11)	inactive								3.7	8.6				
SO ₂ CH ₃ (8)						31							4.3	8.7
CH ₃ (10)	inactive								ND	ND				
CH,OCH, (9)						ina	ctive						ND	ND
CH,OH (3)	22	26	27	25	30	30	35	15	26	26	41	16	3.1	8.0
CH,OCOCH, (12)	24	24	24	26	25	32	32	15	22	21	43	17	5.1	19
$CH_{3}^{\dagger}OCOCH(CH_{3})_{3}$ (13)	17	22	22	17	24	22	33	17	23	21	29		5.3	20
$CH_2^2OCOC(CH_3)_3^2(14)$	18	21	18	17	18	20	30	18	22	20	31		4.2	16
$CH_2^2OCO(\dot{C}H_2)_4^2\dot{C}\dot{H}_2\dot{I}$ (15)	15				15	17	23			16	26		19	43
$CH_{2}^{2}OCO(CH_{2}^{2})_{14}^{7}CH_{3}$ (16)	inactive							ND	ND					
$CH_2^{\dagger}OCOC_6H_4^{\dagger}CH_3(\vec{p})$ (17)	20	21		18	22	22	20		17	17	24		4.6	17
CH ₂ OCOCH ₂ OC ₆ H ₅ (18)	20	22	19	18	21	19	31	15	20	19	24		12	38
CH ₂ OCONHCH ₃ (19)	16	23	33	30	32	39	33		28	20	46		3.5	8.6

a Diameter of zone of inhibition against organism indicated produced by a 13-mm Schleischer & Schuell cotton disk dipped in a 1 mg/mL acetone solution followed by drying and application to agar surface. A standard antibiotic was employed to validate the assays (data ± 3 mm between assays). B.s., Bacillus subtilis; K.p., Klebsiella pneumoniae; M.l., Micrococcus luteus; E.c., Escherichia coli; P.v., Proteus vulgaris; P.a., Pseudomonas aeruginosa; P.f., Pseudomonus fluorescens; S.a., Staphylococcus aureus; S.s., Salmonella schottmuelleri; M.a., Mycobacterium avium; P.o., Penicillium oxalicum; S.p., Saccharomyces pastorianus. b Li, L. H.; Kuentzel, S. L.; Murch, L. L.; Pschigoda, L. M.; Krueger, W. C. Cancer Res. 1979, 39, 4816-4822.

Table II. Antimicrobial Activity for Selected Benzisoxazolone Analogues

	$\mathrm{MIC},^b\mu\mathrm{g/mL}$						
organism	2	12	19	6			
Staphylococcus aureus UC76	62.5	>250	62.5	62.5	_		
Streptococcus faecalis UC694	250	>250	ND^a	250			
Escherichia coli UC45	15.6	125	31.2	31.2			
Klebsiella pneumoniae UC58	31.2	62.5	62.5	62.5			
Pseudomonas aeruginosa UC95	7.8	31.2	15.6	15.6			
Proteus vulgaris UC93	3.9	15.6	15.6	15.6			
Proteus mirabilis UC6671	15.6	62.5	31.2	125			
Shigella flexneri UC143	15.6	62.5	31.2	125			
Salmonella typhi UC215	7.8	62.5	15.6	31.2			
Serratia marcescens UC131	2.0	15.6	3.9	31.2			
Salmonella schottmuelleri UC126	31.2	62.5	31.2	15.6			
Providencia stuartii UC6570	31.2	125	62.5	62.5			

^a Not determined. ^b See Experimental Section.

tolerated dose of 150 mg/kg and determined to be ineffective against K. pneumoniae. In addition benzisox-azolone 19 (R = $\rm CH_2OCONHCH_3$) and 2 were tested ip at 200 mg/kg and exhibited no activity against P. aeruginosa.

Followup in vivo evaluation of the in vitro L1210 activity was performed on these same two compounds against P388 leukemia (ip).⁴ They were administered ip on a Q4DX3

schedule (days 1, 5, 9) posttumor inoculation. No increase in life span was evident up to a maximum tolerated dose of 200 mg/kg for 2 and 400 mg/kg for benzisoxazolone 19 ($R = CH_2OCONHCH_3$).

Experimental Section

 $1\hbox{-}[(\mathbf{Acetyloxy})\mathbf{methyl}]\hbox{-}2,1\hbox{-}\mathbf{benzisoxazol}\hbox{-}3(1\textbf{\textit{H}})\hbox{-}\mathbf{one}\ (12).$ One milliliter of acetic anhydride was cooled under N_2 in an ice bath. To this was added 2 (0.14 g, 0.84 mmol) followed by a small spatula tip of sodium acetate or a drop of pyridine. The reaction mixture was stirred and allowed to warm to room temperature overnight. Five milliliters of ethanol or water was then added and after 10 min the reaction mixture was diluted with 50 mL of ethyl acetate, washed once with water and once with brine, filtered through sodium sulfate, and evaporated to dryness, giving a white solid (0.18 g). This was transferred to two 2000- μ m silica gel plates and developed once with 40% ethyl acetate/hexane. The R_t 0.6 band was isolated as a white solid (0.124 g, 71% yield). An analytical sample was recrystallized from diethyl ether to give colorless crystals (mp 121-122.5 °C): NMR (CDCl₃Me₄Si) 7.9-7.2 ppm (m, 4 H, aromatic H), 5.8 (s, 2 H, CH₂), 1.9 (s, 3 H, methyl); MS, m/e 207.0541 (M⁺). Anal. (C₁₀H₉NO₄) C, H, N.

1-(Hydroxymethyl)-2,1-benzisoxazol-3(1H)-one 2-Methylpropanoate (13). Following the procedure and workup used for 12 on an 0.33-mmol scale, the organic layer was dried over sodium sulfate and concentrated to a colorless oil (0.074 g, 89% yield). An analytical sample was crystallized from diethyl ether (-78 °C) to give a white solid (mp 49.5-50.5 °C): NMR (CDCl₃/Me₄Si) 7.90-7.22 ppm (m, 4 H, aromatic H), 5.81 (s, 1 H, CH₂O), 2.47-2.29 (quintet, 1 H, J = 7.4 Hz, dimethyl CH), 0.91 (6 H, d, J = 7 Hz, dimethyl H); IR (CH₂Cl₂) 1780 cm⁻¹ (s, C=O); MS, m/e 235.0837 (M⁺). Anal. (C₁₂H₁₃NO₄) C, H, N.

2-(Hydroxymethyl)-2,1-benzisoxazol-3(1H)-one 2,2-Dimethylpropanoate (14). Following the procedure and workup used for 12 on an 0.5-mmol scale, the organic layer was then dried over sodium sulfate and concentrated to a yellow oil (0.13 g). This oil was transferred to two 2000- μ m silica gel plates and developed once with 25% ethyl acetate/hexane. The R_f 0.5 band was isolated as a colorless oil (0.078 g, 59% yield). An analytical sample was crystallized from diethyl ether (-78 °C) to give a white solid (mp

⁽⁴⁾ Geran, R. I.; Greenberg, N. H.; MacDonald, M. M.; Schumacher, A. M.; Abbot, B. J. Cancer Chemother. Rep. 1972, 3,

⁽⁵⁾ Lewis, C.; Clapp, H. W. Antibiot. Chemother. 1961, 11, 127.

36–37 °C): NMR (CDCl₃Me₄Si) 7.98–7.23 ppm (m, 4 H, aromatic H), 5.87 (s, 2 H, methylene H), 0.95 (s, 9 H, methyl H); IR (CH₂Cl₂) 1780 cm⁻¹ (s, C=O), 1720 (s, C=O); MS, m/e 249.1008 (M⁺). Anal. (C₁₃H₁₅NO₄) C, H, N; N calcd, 5.62; found, 6.27.

1-(Hydroxymethyl)-2,1-benzisoxazol-3(1H)-one 4-Methylbenzoate (17). Methylene chloride (1 mL), triethylamine (0.094 mL, 6.7 mmol), and 2 (0.053 g, 0.32 mmol) were cooled under N₂ in a dry ice-2-propanol bath. To this mixture was added p-toluoyl chloride (0.043 mL, 0.32 mmol) and the resultant mixture was allowed to slowly warm to near room temperature over a period of 5 h. The mixture was then diluted with 50 mL of ethyl acetate and washed successively with water (30 mL), 1.2 N aqueous HCl (30 mL), water (30 mL), and aqueous sodium carbonate (30 mL), dried over sodium sulfate, and concentrated to a white solid (0.088 g). This was transferred to two 200- μ m silica gel plates and developed once with 35% ethyl acetate/hexane. The R_f 0.6 band was isolated as a colorless oil, which slowly crystallized (0.065 g, 72% yield): NMR (CDCl₃/Me₄Si) 7.97-7.12 ppm (m, 8 H, aromatic H), 6.05 (s, 2 H, methylene H), 2.35 (s, 3 H, methyl H).

1-(Hydroxymethyl)-2,1-benzisoxazol-3(1H)-one Hexadecanoate (16). The reaction was run and worked up as described for 17, substituting palmitoyl chloride (0.34 mmol). The R_f 0.4 band (15% ethyl acetate/hexane) was isolated as a white solid (0.06 g, mp 63–64.5 °C, 44% yield): NMR (CDCl₃/Me₄Si) 8.00–7.2 ppm (m, 4 H, aromatic H), 5.85 (s, 2 H, N-methylene H), 2.33–2.03 (m, 2 H, methylene H α to carbonyl), 1.67–0.87 (m, 29 H, remaining methylene and methyl H); IR (CH₂Cl₂) 1790 cm⁻¹ (s, C=O); MS, m/e 148 [M⁺ – CO₂(CH₂)₁₄CH₃]. Anal. (C₂₄H₃₇NO₄) C, H, N.

1-(Hydroxymethyl)-2,1-benzisoxazol-3(1H)-one Phenoxyacetate (18). The reaction was run and worked up as for 17, substituting phenoxyacetyl chloride (0.33 mmol). The R_f 0.5 band was isolated as a white solid (0.04 g, 40% yield). Recrystallization from diethyl ether/ethyl acetate at -78 °C gave white crystals (mp 101–102.5 °C): NMR (CDCl₃/Me₄Si) 7.97–6.6 ppm (m, 9 H, aromatic H), 5.93 (s, 2 H, N-methylene H), 4.5 (s, 2 H, phenoxy-methylene H); MS, m/e 299.0788 (M⁺). Anal. (C₁₆-H₁₃N₁O₅) C, H, N.

1-(Hydroxymethyl)-2,1-benzisoxazol-3(1H)-one Methylcarbamate (19). Methyl isocyanate (4 mL) and 2 (0.15 g, 0.9 mmol) were cooled under N2 in a dry ice-2-propanol bath, and then triethylamine (0.15 mL 1.1 mmol) was added to the reaction mixture, which was then allowed to warm to near room temperature. The mixture was then diluted with ethyl acetate and shaken with water $(4 \times 30 \text{ mL})$ and brine (30 mL). The organic layer was then dried over sodium sulfate and concentrated to a colorless oil, which slowly crystallized (0.237 g). This was transferred to three 2000-µm silica gel plates and developed once with 50% ethyl acetate/hexane. The R_f 0.4 band was isolated as light brown crystals (0.17 g), which were dissolved in diethyl ether/ethyl acetate, treated with activated charcoal, and filtered. The filtrate was concentrated to dryness, giving colorless crystals (0.16 g, 79% yield). An analytical sample was crystallized from diethyl ether to give colorless crystals (mp 99.5-100 °C): NMR (CDCl₃/Me₄Si) 7.88-7.18 ppm (m, 4 H, aromatic H), 5.78 (s, 2 H, methylene H), 5.4 (m, 1 H, NH), 2.67 (d, J = 4.5 Hz, 3 H, methyl H); MS, m/e 222 (M⁺), 148 (M⁺ – CO₂N(H)CH₃), 135 (M⁺ CH₂O₂CNHCH₃). Anal. (C₁₀H₁₀N₂O₄) C, H, N.

1-(Hydroxymethyl)-2,1-benzisoxazol-3(1H)-one (5-Iodopentyl)carbonate (15). Following the procedure and workup for 19 on an 0.4-mmol scale, the R_f 0.4 band (35% ethyl acetate/hexane) was isolated as an off-white solid (0.09 g, 58% yield). Recrystallization from diethyl ether gave colorless crystals (mp 104-105 °C): NMR (CDCl₃/Me₄Si) 7.97-7.25 ppm (m, 4 H, aromatic H), 5.82 (s, 2 H, ring N-methylene H), 5.0 (s, 1 H, NH), 3.62-2.83 (m, 4 H, methylenes α to NH and I), 2.03-1.00 (m, 6 H, remaining methylene H); MS, m/e 404 (M⁺), 148 [(M⁺ - CO₂ iodopentyl)], 135 [2,1-benzisoxazol-3(1H)-one].

N-Methyl-3-oxo-3,1-benzisoxazole-1(3H)-carboxamide (7). A mixture of zinc (0.17 g, 2.6 mmol), ammonium chloride (0.4 g, 7.5 mmol), and methyl o-nitrobenzoate was stirred vigorously in a mixture of THF and H_2O (5 mL each). After 5 min, methyl isocyanate (0.07 mL, 1.1 mmol) was added to the mixture. At 1.5 and 5 h, another 0.07 mL methyl isocyanate was added (for a total of 0.21 mL added) and then the reaction mixture was stored (without stirring) in a freezer for 72 h. The mixture was then

diluted with ethyl acetate, washed with water (50 mL) and brine (50 mL), dried over Na₂SO₄, and concentrated to give a yellow solid (0.186 g). This was dissolved in diethyl ether, treated with decolorizing carbon, filtered, and concentrated to a white solid (0.152 g), which was transferred to two 2000- μ m silica gel plates and developed once with 35% ethyl acetate/hexane. The R_f 0.5 band was isolated as a white solid (0.104 g, 49% yield, mp 139–140 °C): NMR (acetone- d_6 /Me₄Si) 8.08–7.25 ppm (m, 4 H, aromatic H), 2.97–2.9 (m, 4 H, NH and methyl H); MS, m/e 192.0539 (M⁺).

1-(Methylsulfonyl)-2,1-benzisoxazol-3(1H)-one (8). Triethylamine (0.2 mL, 1.4 mmol), benzisoxazol-3(1H)-one² 3 (0.19 g, 1.4 mmol), 4-(dimethylamino)pyridine (0.02 g, 0.16 mmol), and 5 mL of methylene chloride were cooled with stirring under N_2 in an ice bath. To this cooled mixture was added methanesulfonyl chloride (0.13 mL, 1.7 mmol). After 2 h, 5 mL of water was added to the reaction mixture, which was then diluted with ethyl acetate (60 mL) and shaken with water (30 mL), aqueous NaHCO3, and brine. The organic layer was then dried over sodium sulfate and the solvent evaporated to give a dark oil (0.237 g). This oil was transferred to two silica gel chromatography plates (2000 µm) developed once with 50% ethyl acetate/hexane. The R_t 0.7 band was isolated as brownish crystals (0.17 g). These crystals were dissolved in diethyl ether, treated with decolorizing carbon, and filtered, and the solvent was evaporated to give a light solid (0.083 g, mp 94.5–95.5 °C, 28% yield): NMR (acetone- d_6 /Me₄Si) 8.2–7.55 ppm (m, 4 H, aromatic H), 3.23 (s, 3 H, methyl); MS, m/e 213.0094 (M^+) . Anal. $(C_8H_7NO_4S)$ C, H, N, S.

N-(5-Iodopentyl)-3-oxo-2,1-benzisoxazole-1(3H)-carboxamide (11). Methylene chloride (3 mL) and 3 (0.22 g, 1.6 mmol) were cooled under N₂ in a dry ice-2-propanol bath. To this cooled mixture were added triethylamine (0.25 mL, 1.8 mmol) and 5-iodopentyl isocyanate (0.257 mL, 1.6 mmol). After 3 h the still cold reaction mixture was mixed with water (3 mL) and then diluted wih ethyl acetate (50 mL). The organic layer was then shaken successively with water (4 × 30 mL) and brine (30 mL), dried over sodium sulfate, and concentrated to a white solid (0.568 g). This was recrystallized from diethyl ether to give fluffy, white crystals (mp 109.5-110.5 °C): NMR (CDCl₃/Me₄Si) 7.93-7.22 ppm (m, 4 H, aromatic H), 5.90 (s, 1 H, NH), 3.54-3.11 (m, 4 H, methylene H α to N and I), 2.05-1.3 (m, 6 H, remaining methylene H); MS, m/e 374 (M⁺), 135 [2,1-benzisoxazol-3(1H)-one].

1-Acetyl-2,1-benzisoxazol-3(1H)-one (6). 2,1-Benzisoxazolone (3; 0.043 g, 0.3 mmol) and a small spatula tip of sodium acetate were cooled under nitrogen in an ice bath. To this was added 0.5 mL of acetic anhydride. The stirred mixture was allowed to warm to room temperature overnight and then was evaporated to dryness, giving a brown solid. This was transferred to a 2000- μ m silica gel plate and developed once with 30% ethyl acetate/hexane. The R_f 0.7 band was isolated as a pale brown solid (0.038 g, 67% yield). An analytical sample was recrystallized from diethyl ether to give pale brown crystals (mp 119–120 °C): NMR (CDCl₃/Me₄Si) 8.18–7.21 ppm (m, 4 H aromatic H), 2.47 (s, 3 H methyl H); IR (CH₂Cl₂) 1780 cm⁻¹ (s, ring C=O), 1700 (s, acetyl C=O); MS, m/e 177.0439 (M⁺). Anal. (C₉H₇NO₃) C, H, N.

1-Methyl-2,1-benzisoxazol-3(1H)-one (10). Methyl iodide (0.12 g, 0.84 mmol, 0.05 mL) was added at room temperature to a heterogeneous mixture of silver oxide (0.13 g, 0.57 mmol) and 1-(hydroxymethyl)-2,1-benzisoxazol-3(1H)-one (2; 0.046 g, 0.28 mmol) in DMF. After overnight stirring, the mixture was filtered, diluted with 20 mL of EtOAc, and washed with water (1 × 10 mL), aqueous Na₂CO₃ (2 × 10 mL), and brine (1 × 20 mL), dried (Na₂SO₄), and concentrated to a light brown oil (0.035 g). This oil was transferred to a 2000- μ m silica gel plate and developed once with 30% EtOAc/hexane. The R_f 0.5 band was isolated as a yellow oil (0.023 g, 55% yield): NMR (CDCl₃/Me₄Si): 7.92-7.03 (m, 4 H aromatic H), 3.37 (s, 3 H, methyl H).

1-(Methoxymethyl)-2,1-benzisoxazol-3(1H)-one (9). Zinc dust (0.2 g, 3 mmol) was added to a heterogeneous mixture of ammonium chloride (0.4 g, 7 mmol) and methyl o-nitrobenzoate in 10 mL of methanol. To this mixture were then added Na₂CO₃ (0.06 g, 0.56 mmol) and 37% aqueous formaldehyde (1.1 mL). After 2.5 h of vigorous stirring the run mixture was filtered, diluted with diethyl ether, and shaken with aqueous Na₂CO₃ (2 × 30 mL), water (30 mL), and brine (30 mL), dried over Na₂SO₄, and concentrated in vacuo to an off-white solid (0.09 g). This was

transferred to two 2000-µm silica gel chromatography plates and developed once with 35% EtOAc/hexane. The R_f 0.6 band was isolated (0.003 g): NMR (CDCl₃/Me₄Si) 7.45–7.0 (m, 4 H aromatic H), 5.02 (s, 2 H, methylene), 3.8 (s, 3 H methoxy H); IR (CH₂Cl₂) 1780 cm⁻¹ (C=O); MS, 179.0578 (parent).

Antimicrobial Activity: Minimum Inhibitory Concentration. Minimum inhibitory concentration (MIC) for various bacteria was determined by a microplate broth dilution technique. Serial twofold dilutions of the antibiotics were prepared in 50 μ L of modified brain heart infusion broth medium (reference) in the wells of a microplate. Each well was then inoculated with 50 μ L of standardized cell suspension to yield a final concentration of $\sim 10^5$ viable cells per mililiter of drug-supplemented medium. The microplates were incubated at 37 °C for 20 h, and the MIC was

read as the lowest concentration of drug that inhibited the visible growth of the organism.

Acknowledgment. We express our appreciation to S. L. Kuentzel for the L1210 assay data, T. F. DeKoning and J. P. McGovren for the P388 in vivo evaluation, and C. W. Ford and K. Stern for the in vivo P. aeruginosa and K. pneumoniae data.

Registry No. 1, 39830-70-1; 2, 88057-16-3; 3, 31499-90-8; 6, 33047-12-0; **7**, 23091-67-0; **8**, 90720-08-4; **9**, 90720-09-5; **10**, 90720-10-8; **11**, 90720-11-9; **12**, 90720-12-0; **13**, 90720-13-1; **14**, 90720-14-2; 15, 90720-15-3; 16, 90720-16-4; 17, 90720-17-5; 18, 90720-18-6; 19, 90720-19-7.

Synthesis and Pharmacological Evaluation of Indanpropionic Acids as Uterine Relaxants¹

Donald T. Witiak,* Ahmed M. Hassan, Franziska R. Del Vecchio, Richard J. Brumbaugh, and Ralf G. Rahwan

Divisions of Medicinal Chemistry and Pharmacology, College of Pharmacy, The Ohio State University, Columbus, Ohio 43210. Received November 23, 1983

The PGF_{2\alpha} antagonist 5,6-bis(benzyloxy)-1-oxo-2-propyl-2-indanpropionic acid (1) had previously been shown to provide significant protection against the abortifacient actions of $PGF_{2\alpha}$ in mice. To explore further structural concepts in drug design employed for the development of 1, several mono(benzyloxy) ketones (3-10) and alcohols (11-15) as well as a diacid (22) were prepared. None of these structural modifications resulted in compounds of greater superiority to 1 as uterine relaxants and 22 was void of any antagonistic properties, suggesting that the original rationale requiring one carboxyl group and two benzyloxy functions appropriately placed for maximum $PGF_{2\alpha}$ antagonism in this series was a good assumption. A carbonyl rather than hydroxyl group at position C-1 of the indan is most beneficial for reversible antagonism. Reduction of the ketone to the alcohol is of synthetic interest and discussed in some detail.

Previous reports^{2,3} from these laboratories describe our rationale for the design of keto-DIPA [5,6-bis(benzyloxy)-1-oxo-2-propyl-2-indanpropionic acid; 1] as a PGF_{2 α} receptor antagonist. Noteworthy, the 15α -hydroxyl group of $PGF_{2\alpha}$, which is important for its agonist activity.⁴ is replaced in 1 by a keto function having a juxtaposition to the carboxyl group similar to the juxtaposition of the 15 α -hydroxyl function to the carboxyl group of PGF_{2 α} but about one staggered ethylene moiety short of the distance between these groups in the proposed "active" hairpin conformation⁵ of the prostaglandin. Studies in vitro⁶ confirmed the ability of 1 to block $PGF_{2\alpha}$ -induced contractions of the isolated uterus with an IC₅₀ of 3.8×10^{-5} M. Investigations in vivo demonstrated the significant protective effects of 1 against the abortifacient actions of $\mathrm{PGF}_{2\alpha}$ in mice,³ as well as the absence of teratogenic activity.

To explore further structural requirements for antagonistic activity in vitro, we prepared bis(benzyloxy) alcohol 2, a series of mono(benzyloxy) ketones (3-10) and alcohols (11-15), and diacid 22. Selected compounds were assessed for their pharmacological activity on the isolated rat uterus.

(1) Supported by USPHS Grant HD-14853 from the National Institute of Child Health and Human Development.

Witiak, D. T.; Kakodkar, S. V.; Johnson, T. P.; Baldwin, J. R.; Rahwan, R. G. J. Med. Chem. 1979, 22, 77-81.

- (3) Rahwan, R. G.; Del Vecchio, F. R.; Azzolin, G.; Witiak, D. T. Prostaglandins 1983, 25, 519-530. Anderson, N. Ann. N.Y. Acad. Sci. 1971, 180, 104.
- Langs, D. A.; Erman, M.; DeTitta, G. T. Science 1977, 197,
- Heaslip, R. J.; Rahwan, R. G.; Hassan, A. M. M.; Witiak, D. T. Res. Commun. Chem. Pathol. Pharmacol. 1981, 32, 251-259.
- (7) Del Vecchio, F. R.; Rahwan, R. G. Toxicologist 1984, 4, abstract 332.

Chemistry. Keto acids 3, 4, and 6 were synthesized by using methods similar to those employed in the synthesis of keto acid 5.2,6 Reduction of intermediate ester 9 with ${\rm NaBH_4}$ in MeOH, however, did not afford the desired epimeric indanols 11 but rather two tricyclic compounds 17 (30%) and 18 (50%), which were separated by chromatography on silica gel using CHCl₃/i-PrOH (96:4) as eluting solvent. The indan C-1 proton resonance signals for 17 (δ 5.38) and 18 (δ 4.54) were particularly diagnostic. For lactones, the indan C-1 H resonance signal was consistently found to be downfield at approximately δ 5.4. Also, for 18, the additional two-proton resonance signal multiplets (X) bonded to the C α to oxygen appeared at δ 3.5-3.7. The [13C]carbonyl resonance signal for 17 appeared at 172.4 ppm and the equivalent ¹³C signal for 18 appeared at 63.5 ppm. Such a difference in chemical shift can be attributed to removal of electronegative oxygen. On the other hand, the C-1 indan ¹³C resonance signals for 17 and 18 were identical (70.36 ppm). No OH stretching absorption was observed for 18 in the IR. Interestingly, when 17 was subjected to NaBH₄/MeOH reduction under conditions similar to those employed in the reduction of **9**, a compound of identical R_f (0.34) [silica gel plates (5%) hexane in CHCl₃)] with that of 18 was obtained as well as starting 17 $(R_f 0.16)$. Further work would be necessary to elucidate the pathway of formation of 18 from 17. Thus, 17 may undergo solvolysis to ester 9 serving as intermediate to a diol precursor to 18. Reduction of other esters under similar conditions have previously been reported. 10

House, H. O.; Carlson, R. G.; Muller, H.; Noltes, A. W.; Slater, C. D. J. Am. Chem. Soc. 1962, 84, 2614–2620.

Chinn, L. J.; Brown, E. A.; Mikulec, R. A.; Garland, R. B. J. Org. Chem. 1962, 27, 1733-1741

House, H. O.; Barda, H.; Toothill, R. B.; Noltes, A. W. J. Org. Chem. 1962, 27, 4141-4146.