X-Ray Structure Analyses of *syn*/*anti*-Conformers of *N*-Furfuroyl-, *N*-Benzoyl-, and *N*-Picolinoyl-Substituted (2*R*)-Bornane-10,2-sultam Derivatives

by **Karolina Koszewska**[a]), **Anna Piątek**[a]), **Christian Chapuis***[b])[1]), and **Janusz Jurczak***[a])[b])

[a]) Department of Chemistry, University of Warsaw, Pasteura 1, PL-02-093 Warsaw
[b]) Institute of Organic Chemistry, Polish Academy of Sciences, Kasprzaka 44/52, PL-01-224 Warsaw
(phone: +41 22 780 36 10; fax: +41 22 780 33 34; e-mail: christian.chapuis@firmenich.com;
phone: +48 22 632 05 78; fax +48 22 632 66 81; e-mail: jurczak@icho.edu.pl)

The synthesis and the X-ray structure of the three new *N*-(arylcarbonyl)-substituted derivatives **2a**–**2c** of (2*R*)-bornane-10,2-sultam are presented and discussed. Direct comparison of the solid-state analyses shows that the dipole-directed SO_2/C=O *anti*-/*syn*-conformations may be very sensitive to weak electronic/electrostatic repulsions of the heteroatom lone pairs. The optimum interactions are reached when the lone pair of the β-positioned heteroatom is oriented in the O(3)=C(11)–N(1) plane. Such rare *syn*-conformations may be observed with at least up to 1.8 kcal/mol higher energy as compared to their ground states. Additionally, these *anti*/*syn*-conformations are also very sensitive to external influences such as, for example, the crystal-packing forces.

Introduction. – Due to dipole-moment interactions [1a], *N*-acyl-substituted (2*R*)-bornane-10,2-sultam derivatives are known, in the solid state, to be mostly in the thermodynamically more stable SO_2/C=O *anti*-periplanar conformation. This fact, supported by more than twohundred X-ray-structure analyses has strongly influenced, under nonchelating conditions, the rationalizations on the origin of the diastereoselectivity for this widely used chiral auxiliary [1b]. More than a decade ago, we suggested that the *syn*-periplanar conformation could lead to a more reactive species and thus could eventually participate during the course of the reaction by displacing the *anti*/*syn* equilibrium [2][3]. We were first to report on an X-ray-structure analysis of a nonchelated SO_2/C=O *syn*-periplanar conformer for the *N*-pyruvoyl-substituted (2*R*)-bornane-10,2-sultam [2b][2]). Since this chiral sultam was earlier recognized as a disguised *pseudo*-C_2-symmetric promoter (reminiscent of a 2,5-disubstituted pyrrolidine [4]), it is particularly difficult to define which of the *anti*- or *syn*-conformers is responsible for the observed induction. Indeed, it is only recently, by studying the asymmetric 1,3-dipolar cycloadditions of chiral 2-oxoethanenitrile oxides to symmetric alkenes, that we have been able to demonstrate the higher reactivity of the nonchelated SO_2/C=O *syn*-conformers, and also to present two more examples of these rare *syn*-X-

[1]) Present address: *Firmenich SA*, Corporate R&D Division, P.O. Box 239, CH-1211 Geneva 8.
[2]) The ΔH for *syn*-s-*trans*, *anti*-s-*trans*, *syn*-s-*cis*, *anti*-s-*cis* conformers are 1.5, 0.0, 15.3, and 6.2 kcal/mol, resp. For the first example of a $TiCl_4$ chelate, see [1a].

ray-structure analyses [5][6][3]). This higher reactivity is believed to result from a better electronic delocalization on the sultam moiety through a more planar N-atom, as shown by comparison of its pyramidal height (ΔhN)[4]) between SO_2/C=O *anti*/*syn N*-acyl conformers. This latter ΔhN parameter was earlier shown to be directly correlated with the S−N−C=O dihedral angle, and to reach local and global minima near *ca.* 170° and −10°, respectively [2a]. Most of these exceptional *syn*-examples concern substrates which possess a heteroatom in the β-position, often connected to a sp^2 C(α)-atom. To study the interactions of the β-heteroatom lone pair(s) (lp) with both the SO_2 and C=O moieties, as well as its influence on the *anti*/*syn*-conformations, we decided to prepare some simple conformationally rigid new derivatives possessing these features, as shown in the *Scheme*.

Scheme



2a **1** **2b** X = CH **2c** X = N

a) NaH, toluene, 2-furoyl chloride; 64%. *b*) NaH, toluene, benzoyl chloride; 96%. *c*) NaH, toluene, picolinoyl chloride; 51%.

Results. – We were aware that substituted derivatives, such as (2*R*)-*N*-(phenylglyoxyloyl)bornane-10,2-sultam [2b][5]), adopt a SO_2/C=O *anti*-conformation due to supplementary steric reasons. Consequently, we decided to acylate sultam **1** with 2-furoyl chloride (=furan-2-carbonyl chloride) in toluene, after deprotonation with NaH, to afford the unreported heterocyclic derivative **2a** in 64% yield. We were disappointed to notice that its X-ray-structure analysis exhibits an unanticipated SO_2/C=O *anti*, O=C−C−O *s-cis* disposition (*Fig. 1*). Calculations at the B3LYP/6-31G** level [10] confirmed that this conformer is indeed the most stable as compared to both the *anti*-s-*trans* and *syn*-s-*trans* conformations, although only by a small difference of *ca.* 1.1–1.6 kcal/mol (*Table 1*). This conformation may result from the fact that the furan O lp are out of the N−C=O plane and thus do not efficiently interfere with the *syn*-carbonyl lp. On the other hand, this out-of-plane disposition also disfavors an *anti*-s-*trans* disposition, due to electronic/electrostatic interactions with both S=O substituents[6]).

---

[3]) A search in the past decade of the *CCDC* database (2007), allowed us to uncover two recent supplementary SO_2/C=O *syn*-structures, neither recognized nor discussed as such by their authors [7].

[4]) Defined as the orthogonal distance between the N-atom and the plane including the three N substituents. For alternative approaches to estimate the pyramidality of the N-atom, see [8].

[5]) More recently, this X-ray structure was rediscovered by Chinese authors [9].

[6]) Predictive calculations suggest that (2*R*)-*N*-(oxazole-2-carbonyl)bornane-10,2-sultam might possibly adopt a *syn*-s-*cis* conformation (1.3 kcal/mol, as compared to *syn*-s-*trans* 3.3 kcal/mol, *anti*-s-*cis* 0.0 kcal/mol, and *anti*-s-*trans* 1.5 kcal/mol) in the crystalline state.



Fig. 1. *ORTEP View of (2*R*)*-N-*furoylbornane-10,2-sultam* (**2a**) (arbitrary atom numbering). Ellipsoids are represented at the 50% probability level.

Table 1. *Calculated Dihedral Angles and Energy Differences for Conformers of* **2a**, **2b**, *and* **2c**

	Conformation	S–N–C=O [°]	O=C–C–O/C/N [°]	ΔH [kcal/mol]
2a	*anti*-s-*cis*	127.3	– 20.1	0.0
	anti-s-*trans*	124.8	151.5	1.1
	syn-s-*cis*	– 20.4	– 18.1	5.1
	syn-s-*trans*	– 22.9	166.6	1.6
2b	*anti*	141.1	– 31.1	0.0
	syn	– 16.7	– 47.8	6.5
2c	*anti*-s-*cis*	148.8	– 39.3	1.0
	anti-s-*trans*	141.3	141.7	0.0[a])
	syn-s-*cis*	– 12.0	– 79.8	8.7
	syn-s-*trans*	– 16.9	140.7	1.8

[a]) Corresponds to conformer **2cA**. Conformer **2cB** is 0.1 kcal/mol higher in energy.

The *N*-benzoyl derivative **2b**[7]) was similarly prepared (NaH, toluene, PhCOCl; 96%) to measure its X-ray-structure analysis, which shows a largely favored SO_2/C=O *anti* disposition, as expected and confirmed by calculations (*Fig. 2* and *Table 1*).

We indeed synthesized derivative **2b** for conformational comparison with the also unreported *N*-picolinoyl analogue **2c** (NaH, toluene, picolinoyl chloride (= pyridine-2-carbonyl chloride) [13]; 51%). The X-ray-structure analysis of this heterocyclic analogue **2c** exhibits three conformers in the crystalline cell (*Figs. 3–5*). Two of them, (**A** in *Fig. 3* and **B** in *Fig. 4*) are very similar and express the more stable *anti*-s-*trans* conformer, as confirmed by calculations. The main difference arises from the N(2) lp, which points either above O(1) in structure **2cA**[8]) or in-between O(1) and O(2) in

7) Although erroneously mentioned in reference [11], **2b** was neither prepared nor described in [12], nor elsewhere.

8) Conformer **2cA** is reminiscent of the conformation exhibited by **2b**, as shown by comparison of their O(3)–C(11)–C(12)–C(13) dihedral angles, measured as – 32.4(3) and – 33.08(18)°, resp.



Fig. 2. *ORTEP View of (2*R*)*-N-*benzoylbornane-10,2-sultam* (**2b**) (arbitrary atom numbering). Ellipsoids are represented at the 50% probability level.



Fig. 3. *ORTEP View of (2*R*)*-N-*picolinoylbornane-10,2-sultam* (**2c**) (conformer **A**; arbitrary atom numbering). Ellipsoids are represented at the 50% probability level.

structure **2cB**, while the third one, **2cC** (*Fig. 5*), shows the expected *syn*-s-*trans* conformation, *ca.* 1.8 kcal/mol higher in energy (*Table 1*).

The *anti*-s-*trans* **2a** and *anti*-s-*cis* **2c** conformers were not detected in the solid state, although they are energetically similarly close to their ground states (*ca.* 1.0–1.1 kcal/mol higher in energy, in vacuum, *Table 1*). This shows the importance of supplementary external influences, such as the packing forces in the crystalline state[9]) or the solvent polarity in solution [15] for the control of the *syn*/*anti* and s-*cis*/*trans* ratios with respect to steric, electrostatic, electronic, and dipolar primary parameters.

---

[9]) This specific influence is also expressed by structural comparison of direct crystalline analogues, such as the main (4*S*,5*S*)-stereoisomers obtained after [3 + 2] cycloadditions of the *N*-(2-oxoethanenitrile oxide) of (2*R*)-bornane-10,2-sultam to either *trans*-stilbene or *trans*-4,4′-dimethylstilbene, which surprisingly exhibit *syn*-s-*trans* (*ca.* 1.8 kcal/mol) [6] and *anti*-s-*trans* conformations (0.0 kcal/mol) [14], resp.



Fig. 4. *ORTEP View of (*2R*)*-N-*picolinoylbornane-10,2-sultam* (**2c**) (conformer **B**; arbitrary atom numbering). Ellipsoids are represented at the 50% probability level.



Fig. 5. *ORTEP View of (*2R*)*-N-*picolinoylbornane-10,2-sultam* (**2c**) (conformer **C**; arbitrary atom numbering). Ellipsoids are represented at the 50% probability level.

Discussion. – Examination of the *CCDC* data base of the past decade confirms that the pyramidalization in *N*-acylbornane-10,2-sultam derivatives is generally dependent on the S–N–C=O torsional angle[10]) (*Fig. 6*). This dihedral angle, statistically determined to be *ca.* 153°, ranges from *ca.* 121 to 172° with a Δ*h*N height decreasing from *ca.* 0.39 to 0.11 Å, respectively[11])[12]). A pure *anti*-periplanar conformation is nevertheless difficult to reach due to the strong steric repulsion of the *pseudo*-equatorial C(3)-atom, and the Δ*h*N height seems to reach a minimum of *ca.* 0.11 Å for angles between *ca.* 160–175° [2a].

---

[10]) For the previous decade, see [2a].

[11]) An exception concerns a specific *anti*-clinal case, where a sp^2 C(α)-atom is included in a β-substituted cyclobutene ring, with Δ*h*N = 0.412 Å and S–N–C=O = 144.1° [16] (see *Fig. 6*).

[12]) Supplementary information (Δ*h*N, torsional angles, and references) of the *CCDC* examples used for *Figs. 6* and *7* can be obtained from the main authors.



Fig. 6. *Graph of the dihedral angle S–N–C=O* [°] vs. *the pyramidal height Δ*h*N* [Å] *for* anti-*conformers*

On the other hand, *syn*-periplanarity, where the C=O is bisecting the O=S=O angle, varies from *ca.* −19 to −9° and the Δ*h*N height decreases from 0.133 to 0.066 Å, respectively[12])[13]) (*Fig. 7*).



Fig. 7. *Graph of dihedral angle S–N–C=O* [°] vs. *the pyramidal height Δ*h*N* [Å] *for* syn-*conformers*

The *syn*-conformer **2cC** exhibits a very similar O(3)=C(11)–C(12)–N(2) dihedral angle (128.1(2)°, *Table* 2) when compared to the O(3)=C(13)–C(14)=O(4) torsion angle of the (2*R*)-*N*-pyruvoylbornane-10,2-sultam (121.2(5)° [2b]). Due to the bisecting disposition of the N(2B)-atom with respect to the O=S=O moiety, **2cB** possesses practically symmetrical C(2)–N–S=O(1)/O(2) torsional angles (*Table* 2).

---

[13]) A structure where the C(α)-atom is included in a β-substituted cyclopropyl ring, and which does not include a heteroatom in the β-position, exhibits an exceptional Δ*h*N of 0.124 Å for S–N–C=O = −8.8° [7a] (see *Fig. 7*). Alternatively, the slope could have a positive trend for S–N–C=O dihedral angles between *ca.* either −11 and −5°, or 171 and 176°, due to strong repulsive constraints which result in a greater pyramidalization [2a].

Table 2. *Selected Bond Lengths* [Å] *and Angles* [°] *for* **2a**, **2b**, *and* **2c**

	2a	**2b**	**2cA**	**2cB**	**2cC**
S=O(1)	1.4314(10)	1.4219(9)	1.4279(13)	1.4223(14)	1.4286(13)
S=O(2)	1.4346(9)	1.4320(10)	1.4380(13)	1.4386(13)	1.4358(14)
S–N	1.7116(10)	1.7114(10)	1.7166(15)	1.7159(15)	1.7058(15)
S–C(10)	1.7875(13)	1.7873(13)	1.7907(18)	1.7953(18)	1.788(2)
N–C(2)	1.4872(14)	1.4851(15)	1.483(2)	1.487(2)	1.483(2)
N–C(11)	1.3990(17)	1.4023(16)	1.389(2)	1.401(2)	1.380(2)
C(11)–O(3)	1.2148(16)	1.2166(15)	1.220(2)	1.216(2)	1.220(2)
C(11)–C(12)	1.4737(17)	1.4970(17)	1.492(3)	1.492(3)	1.504(3)
O(1)=S=O(2)	117.27(6)	117.29(6)	118.35(8)	118.51(8)	118.44(8)
C(2)–N–S	111.51(8)	110.33(8)	112.11(11)	111.70(11)	113.25(12)
C(2)–N–C(11)	116.20(10)	115.67(9)	115.38(14)	114.82(15)	128.49(15)
C(11)–N–S	122.00(8)	119.79(8)	123.41(12)	124.30(13)	117.69(13)
C(2)–N–S=O(1)	−119.86(8)	−131.15(9)	−111.76(13)	−114.99(12)	−125.12(13)
C(2)–N–S=O(2)	110.39(8)	99.20(9)	116.69(12)	112.30(12)	102.97(13)
C(3)–C(2)–N–S	140.13(9)	144.86(9)	132.38(14)	137.39(14)	140.22(13)
S–N–C(11)=O(3)	139.00(11)	136.61(11)	152.43(15)	144.57(15)	−11.5(3)
O(3)=C(11)–C(12)–O/C/N	−17.98(19)	139.16(13)	145.24(18)	164.92(18)	128.1(2)
N–C(11)–C(12)–C(13)	−21.4(2)	151.97(12)	149.77(17)	174.26(17)	129.49(19)
ΔhN [Å]	0.284	0.335	0.266	0.269	0.066
Puckering parameter q_2	0.385	0.377	0.255	0.337	0.366
S–N–C(2)–C(1)–C(10) Φ_2	102.70	77.43	117.27	107.85	92.00

The five-membered heterocyclic sultam envelope may be characterized by the *Cremer* and *Pople* puckering parameters q_2 and Φ_2 [17] (*Table* 2)[14]), which support the fact that **2b** and **2cA** possess the most *pseudo*-equatorial and *pseudo*-axial S=O(1) substituent, respectively.

Conclusions. – We synthesized and presented the solid-structure analyses of three new *N*-(arylcarbonyl) derivatives of (2*R*)-bornane-10,2-sultam. Direct comparison of the X-ray-structure analysis of **2b** and **2c** shows that the SO_2/C=O *syn*/*anti*-conformation may be very sensitive to weak electronic/electrostatic repulsions of the heteroatom lone pairs. The optimum interactions are reached when the lp of the β-positioned heteroatom is in the O(3)=C(11)–N(1) plane. Such rare *syn*-conformations may still be observed in the solid state, when being as high in energy as 1.8 kcal/mol as compared to their ground-states[2])[6])[9])[14]). Additionally, these *anti*/*syn*-conformations are also very sensitive to external influences, such as the crystalline packing forces[9]) or the solvent polarity [15].

Financial support from the *Ministry of Science and Higher Education* (Grant PBZ-KBN-126/T09/06) is gratefully acknowledged. The X-ray measurements were recorded in the Crystallographic Unit of the Physical Chemistry Laboratory at the Chemistry Department of the University of Warsaw.

---

[14]) We have also calculated these two parameters for both the *CCDC syn* examples [18]. The β-substituted cyclopropyl derivative shows a $q_2 = 0.341$ and $\Phi_2 = 98.40$ [7a], while the isoxazolidine derivative has $q_2 = 0.318$ and $\Phi_2 = 96.57$ (ΔhN = 0.133 Å, S–N–C=O = −18.6°) [7b]. Their corresponding *anti*-s-*trans* conformers are *ca.* 17.1 and 5.8 kcal/mol, resp., higher in energy.

Experimental Part

X-Ray-Structure Analyses (*Table 3*). All crystal measurements were performed on a *KM4CCD* κ-axis diffractometer with graphite-monochromated MoK_α radiation. The crystal was positioned at 62 mm from the *CCD* camera. Then 1050 frames were measured at 1° intervals with a counting time of 4 s for **2a**, 2111 frames were measured at 0.5° intervals with a counting time of 7 s for **2b**, and 1100 frames were measured at 1.0° intervals with a counting time of 22 s for **2c**. The data were corrected for *Lorentz* and polarization effects. Empirical correction for absorption was applied [19]. Data reduction and analysis were carried out with the *Oxford Diffraction Ltd.* programs [20]. The structure was solved by direct methods [21] and refined by using SHELXL [22]. The refinement was based on F^2 for all reflections, except those with very negative F^2. Weighted *R* factors *wR* and all goodness-of-fit *S* values are based on F^2. Conventional *R* factors are based on *F* with *F* set to zero for negative F^2. The $F_o^2 > 2\sigma(F_o^2)$ criterion was used only for calculating *R* factors and is not relevant to the choice of reflections for the refinement. The *R* factors based on F^2 are about twice as large as those based on *F*. All H-atoms were located geometrically, and their positions and temperature factors were not refined. Scattering factors were taken from Tables 6.1.1.4 and 4.2.4.2 of [23]. The known configurations of the asymmetric centers were confirmed by the *Flack*-parameter refinement [24]. Crystallographic data (excluding structural factors)

Table 3. *Crystal Data and Structure Refinement of Compounds* **2a**, **2b**, *and* **2c**

	2a	**2b**	**2c**
Empirical formula	$C_{15}H_{19}NO_4S$	$C_{17}H_{21}NO_3S$	$C_{16}H_{20}N_2O_3S$
M_r [g/mol]	309.37	319.41	320.40
Temp. [K]	100(2)	110(2)	120(2)
Wavelength [Å]	0.71073	0.71073	0.71073
Crystal system	orthorhombic	monoclinic	monoclinic
Space group	$P2_12_12_1$	$P2_1$	$P2_1$
Unit-cell dimensions			
a [Å]	7.9860(6)	7.9471(3)	13.9959(8)
b [Å]	8.0079(7)	10.1004(4)	10.2183(7)
c [Å]	22.6661(17)	10.1256(4)	16.0408(11)
β [°]	90	107.826(3)	92.025(5)
V [Å^3]	1449.5(2)	773.75(5)	2291.1(3)
Z	4	2	6
D_x [Mg/m^3]	1.418	1.371	1.393
μ [mm^{-1}]	0.239	0.222	0.227
F(000) electrons	656	340	1020
Crystal size [mm]	0.55 × 0.35 × 0.20	0.45 × 0.20 × 0.15	0.35 × 0.20 × 0.15
θ Range [°]	2.70–28.64	2.69–28.61	2.74–27.50
Index ranges	$-10 \le h \le 10$	$-10 \le h \le 10$	$-18 \le h \le 18$
	$-10 \le k \le 10$	$-13 \le k \le 13$	$-13 \le k \le 13$
	$-29 \le l \le 30$	$-13 \le l \le 13$	$-20 \le l \le 20$
Reflections collected, unique	24118, 3585	12691, 3730	39259, 10489
R(int)	0.0219	0.0153	0.0274
Refinement method	Full-matrix least-squares on F^2		
Data, restraints, parameters	3585, 0, 261	3730, 1, 201	10489, 1, 601
Goodness-of-fit on F^2	1.026	1.060	0.929
$R(F)$ ($I > 2\sigma(I)$)	0.0239	0.0237	0.0307
$wR(F^2)$ (all)	0.0614	0.0650	0.0657
Abs. struct. parameter	−0.01(5)	−0.01(4)	0.01(3)
Extinction coefficient	0.0264(17)		
Largest peak and holes [Å^{-3}]	0.263, −0.289	0.258, −0.195	0.750, −0.309

for **2a**, **2b**, and **2c** were deposited as supplementary material with the *Cambridge Crystallographic Data Centre* and allocated the deposition numbers CCDC 667772, 667770, and 667771, resp. These data can be obtained free of charge *via* www.ccdc.ac.uk/data_request/cif.

*(2-Furyl)[(3a*S*,6*R*,7a*R*)-hexahydro-8,8-dimethyl-2,2-dioxido-3*H*-3a,6-methano[2,1]benzisothiazol-1-yl]methanone* (**2a**). To an ice-cold suspension of 60% NaH in mineral oil (70 mg, 1.75 mmol) in dry toluene (3 ml) under Ar, a soln. of (2*R*)-bornane-10,2-sultam (250 mg, 1.16 mmol) in toluene (3 ml) was slowly added. After 1 h, a soln. of 2-furoyl chloride (0.23 ml, 2.33 mmol) in toluene (3 ml) was added dropwise over 30 min. The resulting mixture was stirred overnight at r.t. H_2O was then added to the mixture, and the aq. phase was extracted with AcOEt. The org. phase was dried ($MgSO_4$) and concentrated and the crude material purified by column chromatography (CC) (hexane/AcOEt 9:1): **2a** (64%). M.p. 211–213°. $[\alpha]_D^{20} = -89.5$ ($c = 1.0$, $CHCl_3$). IR: 3147, 3014, 2999, 2966, 2934, 1659, 1469, 1340, 1311, 1303, 1190, 1116, 1115, 776, 757, 558, 486. ^{1}H-NMR (500 MHz, $CDCl_3$): 1.02 (*s*, 3 H); 1.27 (*s*, 3 H); 1.36–1.49 (*m*, 2 H); 1.87–1.94 (*m*, 2 H); 1.95–2.05 (*m*, 2 H); 2.08–2.13 (*m*, 1 H); 3.49 (*d*(*AB*), $J = 13.5$, 1 H); 3.58 (*d*(*AB*), $J = 13.5$, 1 H); 4.25 (*dd*, $J = 4.5$, 7.75, 1 H); 6.53–6.54 (*m*, 1 H); 7.54 (*dd*, $J = 0.5$, 3.5, 1 H); 7.64–7.66 (*m*, 1 H). ^{13}C-NMR (125 MHz, $CDCl_3$): 20.0 (*q*); 21.3 (*q*); 26.4 (*t*); 33.3 (*t*); 38.4 (*t*); 45.2 (*d*); 47.8 (*s*); 48.2 (*s*); 53.8 (*t*); 66.1 (*d*); 112.0 (*d*); 120.4 (*d*); 146.0 (*s*); 147.1 (*d*); 157.5 (*s*). ESI-MS: 332.1 ($[M + Na]^+$), 641.1 ($[2M + Na]^+$). HR-ESI-MS: 332.0935 ($C_{15}H_{19}NNaO_4S^+$; calc. 332.0932).

*[(3a*S*,6*R*,7a*R*)-Hexahydro-8,8-dimethyl-2,2-dioxido-3*H*-3a,6-methano[2,1]benzisothiazol-1-yl]phenylmethanone* (**2b**). As described for **2a**, with 60% NaH in mineral oil (70 mg, 1.75 mmol), (2*R*)-bornane-10,2-sultam (250 mg, 1.16 mmol), and benzoyl chloride (0.27 ml, 2.33 mmol): **2b** (96%). M.p. 148–149°. $[\alpha]_D^{20} = -170.4$ ($c = 1.0$, $CHCl_3$). IR: 3437, 2970, 2939, 2910, 2881, 1673, 1343, 1291, 1167, 1151, 1103, 1055, 728, 695, 556, 524. ^{1}H-NMR (500 MHz, $CDCl_3$): 1.02 (*s*, 3 H); 1.34 (*s*, 3 H); 1.37–1.49 (*m*, 2 H); 1.88–2.00 (*m*, 3 H); 2.05–2.15 (*m*, 2 H); 3.42 (*d*(*AB*), $J = 13.5$, 1 H); 3.52 (*d*(*AB*), $J = 14$, 1 H); 4.19 (*dd*, $J = 4.5$, 7.25, 1 H); 7.42–7.45 (*m*, 2 H); 7.53–7.57 (*m*, 1 H); 7.76 (*m*, 2 H). ^{13}C-NMR (125 MHz, $CDCl_3$): 19.9 (*q*); 21.3 (*q*); 26.5 (*t*); 33.2 (*t*); 38.4 (*t*); 45.1 (*d*); 47.8 (*s*); 48.1 (*s*); 53.6 (*t*); 66.0 (*d*); 128.0 (2*d*); 129.5 (2*d*); 132.7 (*d*); 133.8 (*s*); 170.1 (*s*). ESI-MS: 342.2 ($[M + Na]^+$), 661.3 ($[2M + Na]^+$). HR-ESI-MS: 342.1147 ($C_{17}H_{21}NNaO_3S^+$; calc. 342.1140).

*[(3a*S*,6*R*,7a*R*)-Hexahydro-8,8-dimethyl-2,2-dioxido-3*H*-3a,6-methano[2,1]benzisothiazol-1-yl](pyridin-2-yl)methanone* (**2c**). To picolinic acid (290 mg, 2.36 mmol), thionyl chloride (7 ml) was slowly added, and the mixture was refluxed for 2 h. After cooling, toluene (15 ml) was added, and the soln. was evaporated. The procedure was repeated two more times, to remove all the excess $SOCl_2$. The obtained picolinoyl chloride was used in the next step without further purification.

As described for **2a**, with 60% NaH in mineral oil (70 mg, 1.75 mmol), (2*R*)-bornane-10,2-sultam (250 mg, 1.16 mmol), and picolinoyl chloride [13]: **2c** (51% yield. M.p. = 87–90°. $[\alpha]_D^{20} = -184.3$ (c = 1.0, $CHCl_3$). IR: 2960, 2883, 1675, 1330, 1305, 1170, 1116, 1139, 751, 557, 490. ^{1}H-NMR (500 MHz, $CDCl_3$): 1.02 (*s*, 3 H); 1.32 (*s*, 3 H); 1.37–1.49 (*m*, 2 H); 1.87–2.03 (*m*, 5 H); 3.43 (*d*(*AB*), $J = 13.5$, 1 H); 3.56 (*d*(*AB*), $J = 13.5$, 1 H); 4.39 (*t*, $J = 7$, 1 H); 7.45–7.48 (*m*, 1 H); 7.82–7.87 (*m*, 2 H); 8.72–8.73 (*m*, 1 H). ^{13}C-NMR (125 MHz, $CDCl_3$): 20.0 (*q*); 21.9 (*q*); 26.3 (*t*); 33.6 (*t*); 39.2 (*t*); 45.5 (*d*); 47.7 (*s*); 48.6 (*s*); 53.4 (*t*); 66.7 (*d*); 124.6 (*d*); 126.4 (*d*); 136.8 (*d*); 148.8 (*d*); 151.1 (*s*); 167.0 (*s*). ESI-MS: 343.1 ($[M + Na]^+$), 663.2 ($[2M + Na]^+$). HR-ESI-MS: 343.1079 ($C_{16}H_{20}N_2NaO_3S^+$; calc. 343.1092).

REFERENCES

[1] a) W. Oppolzer, I. Rodriguez, J. Blagg, G. Bernardinelli, *Helv. Chim. Acta* **1989**, *72*, 123; b) W. Oppolzer, C. Chapuis, G. Bernardinelli, *Helv. Chim. Acta* **1984**, *67*, 1397.

[2] a) C. Chapuis, J.-Y de Saint Laumer, M. Marty, *Helv. Chim. Acta* **1997**, *80*, 146; b) T. Bauer, C. Chapuis, J. Kiegiel, J. W. Krajewski, K. Piechota, Z. Urbanczyk-Lipkowska, J. Jurczak, *Helv. Chim. Acta* **1996**, *79*, 1059.

[3] T. Bauer, C. Chapuis, A. Jezewski, J. Kozak, J. Jurczak, *Tetrahedron: Asymmetry* **1996**, *7*, 1391.

[4] B. H. Kim, D. P. Curran, *Tetrahedron* **1993**, *49*, 293.

[5] J. Romanski, J. Juzwik, C. Chapuis, M. Asztemborska, J. Jurczak, *Tetrahedron: Asymmetry* **2007**, *18*, 865.

[6] J. Romanski, J. Juzwik, C. Chapuis, J. Jurczak, *Helv. Chim. Acta* **2007**, *90*, 2116.

[7] a) H. Liu, F. A. Kerdesky, L. A. Black, M. Fitzgerald, R. Henry, T. A. Esbenshade, A. A. Hancock, Y. L. Bennani, *J. Org. Chem*. **2004**, *69*, 192; b) O. Tamura, A. Kanoh, M. Yamashita, H. Ishibashi, *Tetrahedron* **2004**, *60*, 9997.
[8] P. R. Andrews, S. L. A. Munro, M. Sadek, M. G. Wong, *J. Chem. Soc., Perkin Trans. 2* **1988**, 711; S. P. So, T. Y. Luh, *J. Org. Chem*. **1986**, *51*, 1604; J. Kay, M. D. Glick, M. Raban, *J. Am. Chem. Soc*. **1971**, *93*, 5224.
[9] N. A. Kulkarni, S.-G. Wang, L.-C. Lee, H. R. Tsai, U. Venkatesham, K. Chen, *Tetrahedron: Asymmetry* **2006**, *17*, 336.
[10] M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, V. G. Zakrzewski, J. A. Montgomery Jr., R. E. Stratmann, J. C. Burant, S. Dapprich, J. M. Millam, A. D. Daniels, K. N. Kudin, M. C. Strain, O. Farkas, J. Tomasi. V. Barone, M. Cossi, R. Cammi, B. Mennucci, C. Pomelli, C. Adamo, S. Clifford, J. Ochterski, G. A. Petersson, P. Y. Ayala, Q. Cui, K. Morokuma, D. K. Malick, A. D. Rabuck, K. Raghavachari, J. B. Foresman, J. Cioslowski, J. V. Ortiz, A. G. Baboul, B. B. Stefanov, G. Liu, A. Liashenko, P. Piskorz, I. Komaromi, R. Gomperts, R. L. Martin, D. J. Fox, T. Keith, M. A. Al-Laham, C. Y. Peng, A. Nanayakkara, C. Gonzalez, M. Challacombe, P. M. W. Gill, B. Johnson, W. Chen, M. W. Wong, J. L. Andres, C. Gonzalez, M. Head-Gordon, E. S. Replogle, J. A. Pople, Gaussian 98, Revision A.7, *Gaussian, Inc.*, Pittsburgh, PA, 1998; J. A. R. Luft, K. Meleson, K. N. Houk, *Org. Lett*. **2007**, *9*, 555.
[11] R. Mizojiri, H. Urabe, F. Sato, *J. Org. Chem*. **2000**, *65*, 6217.
[12] W. Oppolzer, C. Darcel, P. Rochet, S. Rosset, J. de Brabander, *Helv. Chim. Acta* **1997**, *80*, 1319; W. Oppolzer, J. P. Barras, *Helv. Chim. Acta* **1987**, *70*, 1666.
[13] M. Alessi, A. L. Larkin, K. A. Ogilvie, L. A. Green, S. Lai, S. Lopez, V. Snieckus, *J. Org. Chem*. **2007**, *72*, 1588; J. H. Liao, C. T. Chen, J. M. Fang, *Org. Lett*. **2002**, *4*, 561.
[14] J. Romanski, C. Chapuis, J. Jurczak, private communication, to *CCDC*, 2007, deposition number CCDC 667773.
[15] C. Chapuis, A. Kucharska, P. Rzepecki, J. Jurczak, *Helv. Chim. Acta* **1998**, *81*, 2314; A. Piatek, C. Chapuis, J. Jurczak, *J. Phys. Org. Chem*. **2003**, *16*, 700.
[16] A. J. Lough, K. Villeneuve, W. Tam, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2004**, *60*, 1566.
[17] D. Cremer, J. A. Pople, *J. Am. Chem. Soc*. **1975**, *97*, 1354.
[18] www.hyper.com/support/download/Macros/macros_index.html.
[19] CrysAlis RED, Version 1.171.28cycle2 beta (release 25-10-2005 CrysAlis171 .NET), *Oxford Diffraction Ltd.*
[20] CrysAlis CCD, Version 1.171.28cycle2 beta, Oxford Diffraction Ltd.; CrysAlis RED, Version 1.171.28cycle2 beta, *Oxford Diffraction Ltd.*
[21] G. M. Sheldrick, *Acta Crystallogr., Sect. A* **1990**, *46*, 467.
[22] G. M. Sheldrick, SHELXL93, University of Göttingen, Germany, 1993.
[23] 'International Tables for Crystallography', Vol. C, Ed. A. J. C. Wilson, Kluwer Academic, Dordrecht, 1992.
[24] H. D. Flack, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1983**, *39*, 876; H. D. Flack, G. Bernardinelli, *Acta Crystallogr., Sect. A: Found. Crystallogr.* **1999**, *55*, 908; H. D. Flack, G. Bernardinelli, *J. Appl. Crystallogr.* **2000**, *33*, 1143.

Received March 13, 2008