with values of 91 and 9%, respectively, obtained for the "chair" and "boat" conformations of cyclohexane-1,4-dione by LeFèvre and LeFèvre (see above) in the same solvent. The relatively smaller contribution of the boat structure of cyclohexane-1,4-dione may be attributed, at least in part, to dipole repulsions between the two carbonyl groups, which in this case are proximate in space. On the basis of the above arguments any appreciable concentration of the high energy "2-boat" structure V ($\sigma = 148^{\circ}$, $\mu = 1.70$ D) would appear to be excluded.

Similar consideration of the conformations of androstane-3,17-dione indicates that the ring A

"boat" structure (III) in this case ($\varphi = 105^{\circ}$) should possess a dipole moment of 3.58 D. The presence of 10-15% of this form will hence be much less effective in weighting the average dipole mo-ment than is the corresponding "boat" structure IV of etiocholane-3,17-dione. This conclusion is in accord with the experimental findings.

Acknowledgment.—The authors are grateful to Prof. Robert H. Cole for assistance and advice. H. R. N. is indebted to the Corporation of Brown University for a Faculty Summer Research Grant which made possible a portion of this study.

PROVIDENCE, R. I. HOUSTON, TEXAS

[CONTRIBUTION FROM THE CHEMICAL LABORATORY OF HARVARD UNIVERSITY]

Permanganate Oxidation of Ergosterol

BY MARY FIESER, Adolfo Quilico,¹ Alex Nickon,² William E. Rosen, E. James Tarlton and LOUIS F. FIESER

RECEIVED APRIL 18, 1953

A product reported by Reindel in 1928 to be formed in high yield by oxidation of ergosterol in methylcyclohexane with aqueous permanganate has been separated into an O_8 - and an O_6 -component. The O_8 -product has been identified as $\Delta^{7,14,22}$. ergostatriene- 3β , 5α , 6α -triol (II); it forms a diacetate, a maleic acid adduct, and on reduction it affords $\Delta^{8(14)}$ -ergostene- 3β , 5α , 6α -triol (III), identical with the product of hydrogenation of $\Delta^{7,22}$ -ergostadiene- 3β , 5α , 6α -triol (VII). Further evidence that the triol VII has a β -content of hydrogenation of $\Delta^{7,22}$ -ergostadiene- 3β , 5α , 6α -triol (VII). Further evidence that the triol VII has a β -content of hydrogenation of $\Delta^{7,22}$ -ergostadiene- 3β , 5α , 6α -triol (VII). Further evidence that the triol VII has a β -content of hydrogenation of $\Delta^{7,22}$ -ergostadiene- 3β , 5α , 6α -triol (VII). dence that the triol VII has a $\delta \alpha$ -oriented hydroxyl group was obtained by comparison of the triol with the $\delta \beta$ -epimer VI, resulting with VII on reduction of the δ -ketone V: epimer VII forms an acetonide, whereas VI does not. The O₈-oxidation product has not yet been identified.

When Reindel initiated a program of independent research at Munich, Windaus turned over to him the problem of investigating the then little studied ergosterol.³ Shortly afterwards, the sterol rose to a position of key interest with the discovery by Windaus, Hess and Pohl at Göttingen⁴ and by Rosenheim and Webster in England⁵ that on irradiation it acquires high antirachitic potency, but Windaus only authorized work at Göttingen on the structure of ergosterol at the urgent insistence of members of his vitamin D research group.⁶ In Reindel's third paper on ergosterol,⁷ he reported experiments conducted with A. Frölich that resulted in isolation in good yield of a crystalline, neutral product of oxidation. The nature of the product was not established, but the results were communicated with the idea that "they might later be of use in elucidation of the structure of ergosterol." This hope was not realized, and a quarter of a century has gone by with no further reference in the literature to the oxidation product.

We were intrigued with the novel method of oxidation used and the high yield of crystalline product. Reindel and Frölich⁷ added aqueous permanganate solution to a hot solution of ergosterol in methylcyclohexane, shook the mixture for 12 hours, and proc-

(2) National Institutes of Health Predoctoral Fellow, 1950-1952.
(3) F. Reindel, E. Walter and H. Rauch, Ann., 452, 34 (1927),

(7) F. Reindel, Ann., 466, 181 (1928).

essed the resulting three-phase system by a briefly described procedure that is not clear to us. They reported isolation of a small amount of an unidentified lower fatty acid derived from fission of the side-chain double bond and of a crystalline neutral product for which they suggested the formulas $C_{25}H_{40-42}O_4$, on the basis of the formula $C_{27}H_{42}O_1$ at the time attributed to ergosterol (now $C_{23}H_{44}O$); the analytical data also fit the formulas $C_{28}H_{46-48}O_4$. Several ester derivatives were prepared and analyzed and hydrogenation was studied, but some of the results appeared anomalous and no definite conclusions were reached.

After considerable experimentation (A.Q.), a reproducible procedure was worked out for oxidation of ergosterol in 4-g. lots in hot methylcyclohexane with a hot aqueous solution of three oxygen equivalents of permanganate (Reindel and Frölich used six equivalents); when less oxidizing agent was used, starting material was found in the reaction mixture. The precipitated manganese dioxide was reduced with sulfur dioxide, the methylcyclohexane was eliminated by steam distillation and evaporation, and the reaction product was obtained in a crystalline filterable form by digestion with methanol. Under the best conditions found, crystalline, ergosterol-free product corresponding approximately to that of Reindel and Frölich was regularly obtained in 80% yield by weight. This material, however, was found to be unhomogeneous, and by fractional crystallization it was separated into a main O3-component and a secondary O5-component, of composition and properties indicated in Table I. The analyses and optical rotations indicate that the oxidation affords a mixture of about

⁽¹⁾ On leave of absence from the Politecnico di Milano.

footnote 1. See also F. Reindel and E. Walter, ibid., 460, 212 (1928). (4) A. Windaus and A. F. Hess, Nachr. Ges. Wiss., Göttingen, 175 (1926); R. Pohl, ibid., 185 (1926).

⁽⁵⁾ O. Rosenheim and T. A. Webster, Biochem. J., 21, 389 (1927).

⁽⁶⁾ Incident related by Dr. Werner Bergmann.

7 parts of the dextrorotatory substance $C_{28}H_{44}O_3$ and 3 parts of the levorotatory product $C_{28}H_{46}O_5$.

TABLE I

PRODUCTS	OF	Permanganate	-			
		Hydroxy o	Hydroxy compound		Acetyl derivative	

	Com- position	М.р., °С.	αD Chf	M.p., °C.	aD Chf
Reindel-Frölich					
product	C28H44-48O4	199-201	-24.4	148-150	-5.5
Main component	C28H44O1	223-224	+24.9	183-184	+34
Secondary com-					
ponent	C28H46O5	177-179	-50.0	167-168	-17

That two of the three oxygen atoms of the main oxidation product are present as secondary alcoholic groups was established by formation of a diacetate, from which the original material was regenerated by either alkaline hydrolysis or cleavage with lithium aluminum hydride. Reindel and Frölich had prepared a di-p-nitrobenzoate that on saponification yielded a substance different from their starting material and regarded by them as an anhydro derivative; actually their derivative corresponds in melting point and analysis to the di-pnitrobenzoate prepared from the pure O₃-product, and hence separation from the contaminating derivative of the Os-product evidently had been effected in the course of the purification. We also found that purification of the O₃-component is best accomplished through a derivative, such as the diacetate. Reindel and Frölich also isolated a product of hydrogenation that they thought was an anhydro derivative but this also corresponds to the product of hydrogenation of the pure O₃-component.

Reindel and Frölich observed that the total oxidation product is inert to carbonyl reagents, and this is true also of both pure components. The third oxygen function of the O₃-product was identified as a tertiary or hindered hydroxyl group from the infrared spectrum of the diacetate. The free triol shows strong absorption in the ultraviolet characteristic of a diene system, with a maximum at 245 $m\mu$, E 12,000–13,500.

The oxidation product is thus an ergostatrienetriol, and evidence to be presented indicates the specific structure and configuration shown in formula II. The 3,6-diacetate, on prolonged contact with platinum catalyst and hydrogen, absorbed only two moles of gas and gave a product corresponding in constants to a diacetate obtained by Windaus and Lüttringhaus⁸ by hydrogenation of the diacetate of a substance known at the time as as ergostadienetriol-II, which on present evidence can be assigned the formula VII. Direct comparison of samples prepared from II and from VII established their identity. Heilbron, Morrison and Simpson⁹ showed that the ergostenetriol diacetate of Windaus and Lüttringhaus can be transformed by the action of hydrogen chloride into a substance identified as the Δ^{14} -isomer because it is hydrogenergostane- 3β , 5α , 6α -triol 3,6-diacetate able to (VIII), and these transformations were confirmed in the present work. The British investigators assumed that the product of hydrogenation of VII is the $\Delta^{\delta(14)}$ -isomer III, but a double bond initially

Indeed Bladen, et al.,¹⁰ report an instance where the usual isomerization of a Δ^7 - to a $\Delta^{8(14)}$ -stenol is retarded when the 5 α -hydrogen atom is replaced by a 5 α -hydroxyl group. However, evidence that the hydrogenation product actually is the $\Delta^{8(14)}$ -isomer III is afforded by the observation of Achtermann¹¹ that the diacetate can be distilled in high vacuum without change, whereas on similar treatment the diacetate of the allylic ergostadienetriol-II (VII) loses water and acetic acid and affords dehydroergosteryl acetate.

at the 7,8-position could also migrate to the 14,15-

position under the influence of hydrogen chloride.

Conversion of the O₃-product to $\Delta^{8(14)}$ -ergostenetriol does not reveal the location of the original diene system, since the same substance could arise, by 1,2- or 1,4-addition with or without bond migration, from any of the possible systems: D-type $\Delta^{7,9(11)-}$, B₁-type ($\Delta^{8,14}$), or B₈-type ($\Delta^{7,14}$). In absorption characteristics, the substance conforms most nearly to the B₃-type, although the extinction coefficient is somewhat higher than that of simple B₃-dienes. Isolation of a maleic anhydride adduct affords convincing evidence in support of the B₃formulation II, since the reaction is specific to homoannular and B₃-type dienes and since the wave length of ultraviolet absorption (245 m μ) clearly shows that the diene is not homoannular. A supporting observation is that the triol diacetate is stable to hydrogen chloride at 0°, conditions under which D-, B_1 - and B_2 -dienes are isomerized to B_3 -dienes.¹² The dextrorotation may appear anomalous, since B3-dienes usually are strongly levorotatory, but the presence in II of a new center of asymmetry at C_6 adjacent to one of the diene systems vitiates comparison; possibly the hydroxyl group at C₆ also affects the extinction coefficient.

The O₃-product of oxidation clearly corresponds in the orientation of the three hydroxyl groups to ergostadienetriol-II, and the only point of uncertainty in respect to this compound is the configuration at C₆. Triol-II was first prepared by Windaus and Lüttringhaus⁸ by the action of perbenzoic acid on ergosterol, followed by saponification of the resulting triol 6-monobenzoate. Peroxide hydroxylation of monoenes normally affords trans-glycols,13 and the product of hydroxylation of cholesterol is the 3β , 5α , 6β -triol. However, the same triol-II results from ergosterol by oxidation with lead tetraacetate and hydrolysis,14 or by oxidation with osmium tetroxide.¹⁵ The strong indication that the product of osmium tetroxide hydroxylation is a *cis*-5,6-glycol was substantiated by the observation of Criegee, Marchand and Wannowius¹⁵ that triol-II reacts with osmium tetroxide to form a cyclic ester. The evidence falls short of conclusive proof only in that no comparison was made of the behavior of the C₆-epimer of triol-II. Thus certain trans-gly-

(10) P. Bladen, D. B. Clayton, G. W. Greenhalgh, H. B. Henbest, E. R. H. Jones, B. J. Lovell, G. Silverstone, G. W. Wood and G. F. Woods, *ibid.*, 4883 (1952).

(11) Th. Achtermann, Z. physiol. Chem., 217, 281 (1933).


(12) D. H. R. Barton and T. Brunn, J. Chem. Soc., 2728 (1951).


(13) D. Swern, Chem. Revs., 45, 1 (1949).

(14) A. Windaus and U. Riemann, Z. physiol. Chem., 274, 206 (1942).

(8) A. Windaus and A. Lüttringhaus, Ann., 481, 119 (1930).
(9) I. M. Heilbron, A. L. Morrison and J. C. B. Simpson, J. Chem. Soc., 302 (1933).

(15) R. Criegee, B. Marchand and H. Wannowius, Ann., 550, 114 (1942).





cols have been observed to form acetonides, if less readily than the *cis*-epimers.¹⁶ Independently of Alt and Barton,¹⁷ we found that the C₆-epimer of ergostadienetriol-II can be obtained by lithium aluminum hydride reduction of $\Delta^{7,22}$ -ergostadiene- 3β ,- 5α -diol-6-one 3-acetate¹⁸ (V). The structure of the product (VI) was established by dichromate oxidation to $\Delta^{7,22}$ -ergostadiene-3,6-dione.¹⁸ The two C₆-epimeric triols were then heated gently in acetone containing a trace of hydrochloric acid. Since the long-known triol-II formed an acetonide while the epimer was recovered unchanged, the former substance is definitely the $3\beta,5\alpha,6\alpha$ -triol VII and the epimer is VI. In less highly substituted compounds a 5α - but not a 5β -hydroxyl group can be acylated¹⁹ by the action of acetyl chloride in di-

(16) W. R. Christianson, C. J. Gogler and C. B. Purnes, Can. J. Research, 29, 911 (1951).

(17) G. W. Alt and D. H. R. Barton, Chemistry and Industry, 45, 1103 (1952).

(18) A. Burawoy, J. Chem. Soc., 409 (1937).

H₂C

CH₃

(19) Pi, A. Piattner, Th. Petrzilka and W. Lang, Helv. Chim. Acta, 27, 513 (1044).

methylaniline. The test was negative in the case of the O_8 -triol 3,6-diacetate, but the failure to react may well be due to hindrance by the adjacent *cis* acetoxyl group at C_6 .

That oxidation of ergosterol with neutral permanganate results in part in *cis* hydroxylation of the 5,6-double bond corresponds to the observation of Windaus²⁰ that oxidation of cholesterol with alkaline permanganate in a benzene-water system affords as the sole neutral product (4-5% yield) cholestane-3 β ,5 α ,6 α -triol. Oxidation of cholesterol with permanganate in acetic acid leads to cholestane-3,6-dione-5 α -ol²¹ and cholesterol α , β -oxide.²² In analogy with recent inferences regarding the oxidation of Δ^7 -stenols with selenium dioxide, chromic acid and perbenzoic acid,²³ it seems likely that the B₈-diene system of the O₈-product results from allylic hydroxylation. Burawoy¹⁸ demon-

- (20) A. Windaus, Ber., 40, 257 (1907).
- (21) R. Marker and E. Rohrmann, THIS JOURNAL, 62, 516 (1940).
- (22) M. Bhrenstein and M. T. Decker, J. Org. Chem., 5, 544 (1940).
- (23) L. F. Fieser and G. Ourisson, THIS JOURNAL, in press.

strated that ergosteryl acetate on oxidation with chromic acid affords $\Delta^{7,22}$ -ergostadiene- 3β , 5α -diol-6-one 3-acetate (V). We repeated the oxidation but employed sodium dichromate in benzene-acetic acid and isolated, in addition to V, a substance identified as $\Delta^{7,22}$ -ergostadiene- $3\beta,5\alpha,6\alpha$ -triol 3,6diacetate (VII-diacetate). Possibly the latter product arises by acetolysis of an intermediate oxide,^{22,24} in analogy to the formation of the 6-benzoate of the triol VII on perbenzoic acid oxidation of ergosterol.

The structure of the O5-oxidation product is under investigation. The empirical formula suggests that the substance is formed from the O₃-triol by addition of two hydroxyl groups to the diene system. The O₅-product is transparent to ultraviolet light, shows no infrared carbonyl absorption, and forms an anhydro derivative diacetate.

Experimental

Permanganate Oxidation of Ergosterol (A.Q.).-Four grams of ergosterol was dissolved in 100 cc. of methylcyclo-hexane at the boiling point, and 75-80 cc. of 4% aqueous potassium permanganate, preheated to 90-100° was added at once to the hot solution of the sterol. The flask was stoppered and shaken vigorously, with frequent interruption for removal of the stopper for release of pressure. The formation of manganese dioxide was soon evident, and the initially thick mass soon changed to a thin suspension of brown powder suspended between the aqueous and hydrocarbon phases. The permanganate was all consumed in 8-10 min., and at this stage the reaction mixture was combined with those of two other similarly conducted oxidations. Sulfur dioxide was bubbled through the mixture to reduce the manganese dioxide, and the resulting suspension of white solid was transferred to a separatory funnel and shaken gently with successive portions of water to extract inorganic salts; vigorous shaking is to be avoided since emulsions re-sult. The milky organic layer consisting in a suspension of the sparingly soluble oxidation products was then steamdistilled for separation and recovery of solvent and to eliminate volatile fragments derived from the side chain. The distillation was stopped when foaming became excessive, and the mixture was then transferred to a large porcelain dish and evaporated on the steam-bath to a thick gelatinous On addition of 250 cc. of methanol and digestion at curd. the boiling point for a few minutes, the gelatinous product was converted (without appreciably going into solution) into crystalline, readily filterable material. After cooling, After cooling, this was collected and washed with methanol; yield of light tan material, 10-12 g. (m.p. indefinite).

 $\Delta^{7,14,22}$ -Ergostatriene-3 β , 5α , 6α -triol, II (A.Q.).—This triol was obtained crystalline only as a hemihydrate; attempted crystallizations from anhydrous solvents were unsuccessful. Thus 10 g. of the crude oxidation product on crystallization from benzene saturated with water gave 5.2 g. of yellowtinged material that on one recrystallization from moist methanol gave shiny plates of the triol, m.p. 212-214°. Three further crystallizations from methanol raised the melting point to the constant value 223-224° (the mother liquors were saved and processed for recovery of the Osproduct as described below); $\alpha D + 24.9^{\circ}$ Chf (c 1.47), +27.5° Di (c 1.49); $\lambda^{\text{EtOH}} 245 \text{ m} \mu$ (6,800), $\lambda^{\text{Chf}} 2.82-2.92 \mu$ (minute peak at 6.21μ).

Anal. Calcd. for C₂₈H₄₄O₈.¹/₂H₂O (437.64): C, 76.87; H, 10.36; H₂O, 2.05. Found: C, 76.74; H, 10.53; H₂O, 2.13.

The low value of the extinction coefficient suggests that this material still contained a trace of the O_6 -product. The triol dissolves in concentrated sulfuric acid with a redbrown coloration.

The diacetate of II was prepared by letting a solution of 2.4 g. of the triol in 18 cc. of pyridine and 12 cc. of acetic anhydride stand overnight at room temperature and adding 200 cc. of water. The product initially separated in a pasty form but after several hours became brittle and crystalline

(84) L. F. Fieser, ibid., in press.

and could be collected by filtration (yield 2.6 g.). One crystallization from 95% ethanol afforded large prisms, m.p. 180-181°; repeated recrystallization gave material of constant m.p. 183-184°, α_D +34.0° Chf (*c* 1.55), +35.3° Di (*c* 1.42), λ^{Chf} 246-247 mμ (13,200), λ^{Ether} 244 mμ (13,400), λ^{Chf} 2.8-2.9, 5.83, 8.03 μ.

Anal. Caled. for C₃₂H₄₈O₅ (510.70): C, 74.96; H, 9.44. Found: C, 74.76; H, 9.59.

The pure diacetate can be obtained more readily by acetylation of the crude oxidation product and crystallization from 95% ethanol; II-diacetate is very sparingly soluble in cold ethanol and crystallizes nearly completely, whereas acetylated companion substances remain in solution. Thus three crystallizations afforded 3.5 g. of pure II-diace-tate, m.p. 183°, from 6 g. of crude oxidation product. Treatment of the diacetate (200 mg.) in chloroform solu-

tion at 0° with hydrogen chloride for 10 min. (E.J.T.), a procedure shown¹² to effect isomerization of ergosteryl acetate to the B₃-acetate, resulted in some changes in optical constants but did not afford an evidently different substance. The solution, which had turned deep purple, was neutralized with ice-cold bicarbonate solution and the product was extracted with ether and crystallized from methanol. The orange-tinged product (120 mg.) melted at 184–185° (no depression on admixture with II-diacetate), $\alpha D + 49°$ Chf, $\lambda^{EtOH} 244 m\mu (16,400)$

Saponification of II-diacetate (2.5 g.) by refluxing it for 1 hr. with 10% methanolic potassium hydroxide and acidification with dilute hydrochloric acid gave a precipitate (2.2)g.) that after three crystallizations from moist methanol afforded pure $\Delta^{7,14,22}$ -ergostatriene- 3β , 5α , 6α -triol (II), as shiny colorless leaflets, m.p. 222–224°, α D +20.7° Chf, +24.6° Di, λ^{EtOH} 245 m μ (13,500).

Anal. Calcd. for $C_{23}H_{44}O_{8}^{-1}/_{2}H_{2}O$ (437.64): C, 76.87; H, 10.36. Found: C, 76.85; H, 10.30.

Cleavage of the diacetate with lithium aluminum hydride gave less pure triol in about 50% yield: m.p. 231–232°, αD +29.5° Di, λ^{EtOH} 245 m μ (7,300). The mother liquors afforded a levorotatory by-product.

Isolation of the O_{δ} -Oxidation Product (A.Q.).—Four grams of the crude product from the oxidation of ergosterol was dissolved in 700 cc. of boiling anhydrous benzene and the clear solution let stand overnight. Beautiful thin needles separated and on recrystallization from methanol afforded 0.8 g. of nearly pure O_b-product, m.p. 175-179° dec. The benzene mother liquor can be processed as described above for recovery of the O_8 -product. Further purification of the secondary product was effected by crystallization from methanol, benzene and finally methanolbenzene, from which the substance separated as a mat of thin, white needles, m.p. 177-179° dec., $\alpha D - 50.0°$ Chf (c 1.25), -45.5° Di (c 1.43), λ^{Chf} 2.95, 6.22 (minute) μ .

Anal. Calcd. for $C_{28}H_{46}O_5$ (462.65): C, 72.69; H, 10.02. Found: C, 73.03; H, 10.50.

The sample showed low intensity absorption at 245 m_µ (E 740), and hence was not completely pure.

A substance that appears to be an anhydro derivative diacetate was obtained from the methanol mother liquors remaining from crystallization of the O3-oxidation product II. The residue was acetylated with pyridine-acetic anhydride at room temperature and the acetate mixture crystallized from 95% ethanol. The sparingly soluble II-diacetate separated and was collected. On spontaneous evaporation of the filtrate the anhydro diacetate separated as snow-white needles slightly contaminated with oily material. Four recrystallizations from 80% ethanol afforded material that appeared to be homogeneous: m.p. 167–168°, $\alpha D = 10.2^{\circ}$ Chf (c 1.57), -17.4° Di (c 1.58); λ^{Chf} 2.82, 5.81, 8.0 μ ; no absorption between 220 and 330 m μ .

Anal. Calcd. for $C_{82}H_{48}O_{6}^{-1}/_{2}H_{2}O$ (537.71): C, 71.47; H, 9.19; sapon. equiv., 269. Found: C, 71.25, 71.58; H, 9.62, 9.17; sapon. equiv., 237.

Maleic Anhydride Adduct of $\Delta^{7,14,22}$ -Ergostatriene-3 β ,5 α ,- 6α -triol (E.J.T.).—The procedure was that of Barton and Bruun.¹² A solution of 200 mg. of II-diacetate and 80 and Britun.²¹ A solution of 200 mg. of 11-diacetate and 80 mg. of freshly distilled maleic anhydride in dry benzene was refuxed for 90 min., cooled, and diluted with petroleum ether, when 60 mg. of adduct separated. Crystallization from acetone-ligroin gave silky needles, m.p. 280-281° dec., $\alpha D -30.3^{\circ}$ Chf, λ^{Chf} 2.9, 5.46, 5.67, 5.81, 8.0 μ . Anal. Calcd. for C₁₀H₆₀O₆ (610.76): C, 70.79; H, 8.25. Found: C, 70.91; H, 8.28.

 $\Delta^{7,14,22}$ -Ergostatriene-3 β , 5α , 6α -triol Di-*p*-nitrobenzoate (E.J.T.).—A mixture of 150 mg. of II, 300 mg. of *p*-nitrobenzoyl chloride and 3 cc. of pyridine was heated on the steam-bath for 3 hr., cooled, diluted with water and extracted with ether. The solution, washed free of pyridine and acid and dried, gave on evaporation an oily product that was purified by chromatography. Fractions eluted by 1:1 petroleum ether-benzene and by benzene were combined and on crystallization from chloroform-ethanol afforded di-*p*-nitrobenzoate, m.p. 193-194°, αD +98° Chf. Reindel⁷ obtained material of the same composition, m.p. 197°.

Anal. Caled. for C₄₂H₄₀O₄N₂ (726.84): C, 69.40; H, 6.93; N, 3.86. Found: C, 69.67; H, 7.15; N, 3.78.

 $\Delta^{8(14)}$ -Ergostene- $3\beta,5\alpha,6\alpha$ -triol 3,6-Diacetate; III-Diacetate (A.N.).—A solution of 200 mg. of $\Delta^{7,14,22}$ -ergostatriene- $3\beta,5\alpha,6\alpha$ -triol (II) diacetate in 15 cc. of acetic acid was added to a suspension prepared by reduction of 7.5 mg. of platinum oxide in 15 cc. of acetic acid, and hydrogenation was conducted at room temperature at a slight positive pressure. Two moles of hydrogen was consumed in 30–45 min., and no further reaction was observed on: continuing the shaking for 3 hr. The filtered solution was evaporated to dryness in vacuum; crystallization of the residue from methanol gave 156 mg. (78%) of tiny prisms, m.p. 172– 173.5°. On further crystallization the substance was obtained as long, thin needles, m.p. 174.5–177.5°, $\alpha D - 18.5°$ Di (c 1.54), λ^{Chi} 2.8–2.9, 5.82, 7.99, 12.0 (weak) μ ; unsaturated to tetranitromethane.

Anal. Calcd. for C₃₂H_{M2}O₅ (516.74): C, 74.37; H, 10.14. Found: C, 74.37; H, 10.31.

The substance did not depress the m.p. of a sample of III (m.p. $173.5-174.5^{\circ}$, $\alpha D - 14^{\circ}$ Di) prepared according to Windaus and Lüttringhaus⁸ (172-173°, $\alpha D - 9.8^{\circ}$ Chf), and the infrared spectra were identical.

 $\Delta^{\$(14)}$ -Ergostene-3 β ,5 α ,6 α -triol, III (A.N.).—Hydrogenation of free triol II under the same conditions gave, in 78% yield, a product that crystallized from aqueous ethanol in glistening plates, m.p. 244-245°, $\alpha D - 7°$ Chf (c 1.07).

Anal. Caled. for C₂₈H₄₈O₅-1/2H₂O (441.67): C, 76.14; H, 11.18. Found: C, 75.93; H, 11.10.

The triol is too sparingly soluble in chloroform to permit test for unsaturation with tetranitromethane in the usual way. Acetylation gave material identical with the 3,6diacetate described above. A comparison sample of the triol was prepared by hydrogenation of $\Delta^{7,22}$ -ergostadiene- $3\beta,5\alpha,6\alpha$ -triol with platinum oxide in acetic acid according to Windaus and Lüttringhaus,⁸ who report that the substance crystallizes as the hemihydrate, m.p. 234°, αn -4.6° Py. Our sample melted at 232-235° and a mixture with the above triol showed no depression in m.p.

-4.0° Py. Our sample melted at 222-235° and a mixture with the above triol showed no depression in m.p. Δ¹⁴-**Ergostene-3**β,5α,6α-triol 3,6-Diacetate, IV (A.N).— Treatment of $\Delta^{8(14)}$ -ergostene-3β,5α,6α-triol 3,6-diacetate with hydrogen chloride by the low-temperature procedure of Barton and Brooks²⁶ afforded in 70% yield, a substance corresponding to that of Heilbron, Morrison and Simpson⁹ (m.p. 209-210°) of the following constants: m.p. 207-210°, αD +17.5° Di (c 1.24), λ^{Cbt} 2.83, 2.95, 5.80, 7.99, 11.90 (weak) μ; unsaturated to tetranitromethane. Hydrogenation afforded ergostane-3β,5α,6α triol 3,6-diacetate (VIII), which on crystallization from ethanol-water melted at 184-187° (reported⁹ 191°).

Dichromate Oxidation of Ergosteryl Acetate (W.E.R.).— A solution of 9 g. of sodium dichromate dihydrate in 20 cc. of acetic acid was added at room temperature to a solution of 30 g. of ergosteryl acetate (m.p. 174.5–175.5°, $\alpha D - 90°$ Chf) in 200 cc. of benzene diluted with 200 cc. of acetic acid. After 24 hr. the mixture was diluted with water, the benzene removed by steam distillation, and the precipitated solid was collected, washed with water and with bicarbonate solution, dried in vacuum, powdered, and dried further; yield 22 g. Ten grams of this material was chromatographed on 300 g. of acid-washed alumina with the following results. Benzene eluted 2.2 g. of ergosteryl acetate, which on crystallization from dioxane-methanol formed white plates, m.p. and mixed m.p. 174–175°. Benzene-ether (9:1) eluted a total of 2.0 g. of material that on three crystallizations from methanol afforded pure $\Delta^{7,32}$ -ergostadiene-3 $\beta,5_{\alpha},6\alpha$ -triol 3,6-diacetate (VII-diacetate) as white cubes, m.p. 180.5-181°, $\alpha D + 42°$ Chf (c 1.39), no ultraviolet absorption; no depression in m.p. on admixture with an authentic sample.

(25) D. H. R. Barton and C. J. W. Brooks, J. Chem. Soc., 257 (1951).

Anal. Caled. for C₁₂H₅₀O₅ (514.72): C, 74.67; H, 9.79. Found: C, 74.70; H, 10.05.

Saponification, effected by heating the diacetate with Claisen alkali for 10 min., gave a solid (m.p. 241-242°) that crystallized from ethyl acetate in needles, m.p. 244°, $\alpha p + 27^{\circ}$ Py ($\alpha 2.23$); selenium dioxide test (25°) negative. The constants correspond to those reported^{6,11} for $\Delta^{7,22}$. ergostadiene-3 β ,5 α ,6 α -triol (VII) (m.p. 239-242°, αD 26-29° Py; diacetate m.p. 182°, αD +41° Chf).

Anal. Calcd. for C₂₈H₄₆O₃ (430.65): C, 78.09; H, 10.77. Found: C, 78.26; H, 10.80.

Benzene-ether (1:1) then eluted 2.8 g. of $\Delta^{7,22}$ -ergostadiene- $\beta\beta$,5a-diol-6-one 3-acetate (V), which after two crystallizations from ethyl acetate (Norit) was obtained as thick white plates, m.p. 267.5-269°, $\alpha D \pm 0^{\circ}$ Chf (c 0.59), 3.2° Di (c 0.94), λ^{EtOH} 248 m μ (12,900); Burawoy¹⁸: m.p. 264°, $\alpha D - 5^{\circ}$ Chf, λ^{EtOH} 251.5 m μ (13,570).

Anal. Calcd. for C₁₀H₄₆O₄ (470.67): C, 76.55; H, 9.85. Found: C, 76.72; H, 9.93.

Further elution with chloroform yielded 0.7 g. of a yellow semisolid that on repeated crystallization from acetone gave a small amount of colorless microcrystals, m.p. 221-223°, αD +11° Chf, λ^{EtOH} 245-250 m μ (3,000); found: C, 75.38; H, 10.28. Elution with methanol gave 1.5 g. of a brown oil that afforded a few mg. of needles, m.p. 125-126.5°, found: C, 70.88; H, 9.83.

 $\Delta^{1,22}$. Ergostadiene-3 β , 5α -diol-6-one 3,5-Diacetate (W. E.R.).—This derivative was obtained in low yield by reaction of the 3-monoacetate either with ketene in chloroform containing a trace of sulfuric acid or with acetic anhydrideboron fluoride etherate. Crystallized from either acetone or methanol, it formed colorless needles, m.p. 208-210°, αD +36° Chf (c 2.47).

Anal. Calcd. for C₃₂H₄₈O₅ (512.70): C, 74.96; H, 9.44. Found: C, 74.81; H, 9.40.

 $\Delta^{7,22}$ -Ergostadiene-3 β , 5α , 6α -triol 5,6-Acetonide (W.E.R.). —A solution of 108 mg. of the triol in 17 cc. of hot acetone was treated with two drops of 36% hydrochloric acid, boiled for two minutes, and let stand overnight. The solution was then neutralized with solid sodium carbonate and the solvent evaporated in a stream of air. The solid residue was digested with benzene and the suspension poured onto a column of alumina. Elution with benzene and benzeneether removed 60 mg. of acetonide, which crystallized from chloroform-methanol as microcrystals, m.p. 179–180.5°, $\alpha D - 46^{\circ}$ Chf (c 1.09).

Anal. Caled. for C₃₁H₅₀O₃ (470.71): C, 79.10; H, 10.71. Found: C, 78.79; H, 10.72.

 $\Delta^{7,22}$ -Ergostadiene-3 $\beta, 5\alpha, 6\beta$ -triol 3,6-Diacetate, VI-Diacetate (W.E.R.).- $\Delta^{7,22}$ -Ergostadiene-3 $\beta, 5\alpha$ -diol-6-one 3-acetate, V (1.5 g.), was added to a suspension of 2.5 g. of lithium aluminum hydride in 125 cc. of redistilled tetrahydrofturan and the mixture was refluxed for 4 hr., cooled, decomposed with the required amount of aqueous sodium sulfate. The product was extracted from the granular lithium aluminate by several extractions with dioxane-ether and the dried solution was evaporated to a volume of 80 cc., treated with 80 cc. of acetic anhydride and 15 cc. of pyridine, heated on the steam-bath for one-half hour, and let stand overnight. Addition of water precipitated 1.3 g. of solid, m.p. 158-162°. Two crystallizations from methanol (Norit) gave colorless needles, m.p. 170-171°, αD -146° Chf (c 1.15), -150° Py (c 1.15); constants reported¹⁷: m.p. 168-170°, αD -149° Chf.

Anal. Calcd. for C₁₂H₅₀O₅ (514.72): C, 74.67; H, 9.79. Found: C, 74.77; H, 9.90.

When the crude reduction product was processed as such rather than after acetylation, repeated crystallization gave a small amount of material, m.p. 244°, that appeared to be the $3\beta_5 \sigma_8 \delta \alpha$ -triol, the minor product of reduction. The major product is thus best isolated as the diacetate. $\Delta^{7,22}$ -Ergostadiene-3 $\beta_5 \sigma_8 \delta \beta$ -triol, VI (W.E.R.).—The above diacetate was heated with methanol-Claisen alkali

 $\Delta^{7,22}$ -Ergostadiene-3 β , 5α , 6β -triol, VI (W.E.R.).—The above diacetate was heated with methanol-Claisen alkali for 45 min. and the solution cooled and diluted with water. The solid precipitate crystallized from ethyl acetate in small white needles, m.p. 214-216°, $\alpha D - 82°$ Py (*c* 0.94); reported¹⁹ 253-256°, $\alpha D - 84°$ Py.

Anal. Calcd. for C₃₅H₄₀O₃ (430.65): C, 78.09; H, 10.77. Found: C, 78.37; H, 10.53.

Under the conditions employed for conversion of the 6α-

epimer into the acetonide, the $3\beta_{,5\alpha,6\beta}$ -triol was recovered unchanged. Oxidation of the $3\beta_{,5\alpha,6\beta}$ -triol with sodium dichromate in acetic acid gave, after chromatography and in 27% yield, $\Delta^{7,22}$ -ergostadiene-3,6-dione-5 α -01,⁹ identical with a sample prepared by oxidation of the $3\beta_{,5\alpha,6\alpha}$ -triol; m.p. 254-255° dec., αD +46° Chf (c 0.5), λ^{EOH} 249 m μ (11,750).

Anal. Caled. for C₂₈H₄₂O₃ (426.62): C, 78.82; H, 9.92. Found: C, 78.65; H, 10.24.

Perbenzoic Acid Oxidation of Ergosteryl Acetate (W.E.R.).—An ice-cold chloroform solution of 7.2 g. of perbenzoic acid (1 equiv.) was added during 45 min. to an ice-cold solution of 22 g. of ergosteryl acetate in 500 cc. of chloroform. The solution was let stand at 0-5° for 20 hr. and then washed with aqueous carbonate solution, dried and evaporated below 60° in vacuum to a light yellow solid. The relative intensity of ultraviolet absorption at 231 m μ

(benzoate) and at 324 mµ ($\Delta^{5,7,9(11)}$ -triene) indicated the presence of about 2 parts of $\Delta^{7,22}$ -ergostadiene-3 β , 5_α , 6_α -triol 3-acetate 6-benzoate to 1 part of dehydroergosteryl acetate, and these two products were separated by chromatography. Dehydroergosteryl acetate (less soluble in acetone-methanol), was identified by analysis, comparison with an authentic sample, and its physical constants: m.p. 144.5–145.5°, αD +184° Chf (c 2.02), λ^{EvOH} 311, 324, 340 mµ (9,600; 10,800; 6,670). $\Delta^{7,22}$ -Ergostadiene-3 β , 5α , -6α -triol 3-acetate 6-benzoate, m.p. 190–191° from acetone-methanol (lit.[§] 186–187°), on hydrolysis with Claisen alkali gave the triol, which crystallized from ethyl acetate as white, rectangular prisms, m.p. 243.5–244.5°, αD +30° Py (c 0.97); lit.[§] m.p. 241–242°, αD +29° Py. The 3,6-diacetate melted at 180–181°, αD +42° Chf (c 1.23), +10° Py (c 1.34); lit.¹¹ m.p. 181–182°, αD +41° Chf.

CAMBRIDGE, MASSACHUSETTS

[CONTRIBUTION FROM THE DEPARTMENT OF CHEMISTRY, MONTANA STATE UNIVERSITY]

Synthetic Estrogens. II.¹ Derivatives of 2-Phenylphenanthrene and 1-Ethyl-2-benzylnaphthalene


BY RICHARD E. JUDAY

Received March 9, 1953

Derivatives of 2-phenylphenanthrene have been made using the method of DuFeu, McQuillan and Robinson starting with 6-methoxy- α -tetralone and anisylacetone. The derivatives of 1-ethyl-2-benzylnaphthalene were prepared by alkylating 6-methoxy- α -tetralone followed by reaction with ethylmagnesium bromide. Three of the four compounds tested showed activity at the 1 mg. level.

In connection with work on derivatives of 1phenylphenanthrene,¹ it was desired to compare their biological activity with corresponding 2-substituted isomers and with compounds in which ring C had been opened.

The reaction between 6-methoxy- α -tetralone and 1-dimethylamino-2-(p-methoxyphenyl)-3butanone methiodide using the method of DuFeu, McQuillan and Robinson² was not successful. The modification of Shunk and Wilds³ using the 2-hydroxymethylene derivative of 6-methoxy- α -tetralone was successful, giving a yield of 46% of product, m.p. 187–188.5°. This compound had an ultraviolet absorption spectrum closely resembling that of the 1-substituted isomer¹ with a maximum at 330 m μ , indicating that it was the expected 2-(p-methoxyphenyl)-3-keto-7-methoxy-1,2,3,9,10,-10a-hexahydrophenanthrene (I). Reduction of I using the modification of the Wolff-Kishner tech-




nique previously outlined¹ produced a mixture, which was separated with some difficulty by fractional crystallization and chromatographing on alumina, into II, m.p. 148–151°, and III, m.p. 121– 123.5°. Consideration of the ultraviolet absorption

(1) R. E. Juday, Paper I, THIS JOURNAL, 75, 3008 (1953).


(2) E. C. DuFeu, F. J. McQuillan and R. Robinson, J. Chem. Soc., 53 (1937).

(3) C. H. Shunk and A. L. Wilds, THIS JOURNAL, 71, 3946 (1949).



spectra indicated that II, with a maximum at 272.5 m μ has the double bond in the endo position, while in III, with a maximum at 264.5 m μ , the double bond is located in the exo position.^{1.4}

Catalytic hydrogenation of a mixture of II and III produced a single isomer of IV, m.p. 91.5–93°, in good yield. Cleavage of the methoxyl groups of IV with hydrobromic acid produced V, m.p. 194– 196°.



Since only the one isomer was obtained from the reduction of II and III, the most likely B:C configuration of IV is *cis*, because reduction of the endo double bond should give rise to that configuration exclusively. If the results found by Linstead and

(4) J. Heer and K. Miescher, Helv. Chim. Acta, 31, 219 (1948).