

## **MATERIAL SAFETY DATA SHEET**

Revision Date : 2017-01-01

1. IDENTIFICATION OF THE SUBSTANCE/TREPARATION AND THE COMPANY/UNDERTAKING

Elastase

Product name:

Supplier:

BINBO BIOLOGICAL CO.,LTD FENGCHENG ONE ROAD Xi'an China +86-13488214511

Tel:

## 2.COMPOSITION/INFORMATION ON INGREDIENTS

Components	ACGIH Exposure Limits:	OSHA Exposure Limits:
Elastase	None	None

#### **3.HAZARDS IDENTIFICATION**

EMERGENCY OVERVIEW: May cause skin irritation and/or dermatitis

Principle routes of exposure:	Skin	
Inhalation:	May cause irritation of respiratory tract	
Ingestion:	May be harmful if swallowed	
Skin contact:	May cause allergic skin reaction	
Eye contact:	Avoid contact with eyes	

Statements of hazard MAY CAUSE ALLERGIC SKIN REACTION.

**Statements of Spill of Leak Label** Eliminate all ignition sources. Absorb and/or contain spill with inert materials (e.g., sand, vermiculite). Then place in appropriate container. For large spills, use water spray to disperse vapors, flush spill area. Prevent runoff from entering waterways or sewers.

## 4. FIRST AID MEASURES

# **BINBO** 滨渤生物科技有限公司 Binbo Biological Co., Ltd

General advice:	In the case of accident or if you fell unwell, seek medical advice immediately (show the label where possible). Move to fresh air, call a physician immediately.
Inhalation: Skin contact:	Rinse immediately with plenty of water and seek medical advice Do not induce vomiting without medical advice. In the case of contact with eyes, rinse immediately with
Ingestion:	plenty of water and seek medical advice.
Eye contact:	No information available
Protection of first – aiders:	
Medical conditions aggravated by exposure:	None known

## **5.FIRE-FIGHTING MEASURES**

Suitable extinguishing media: Specific hazards: Special protective equipment for firefighters:	Use dry chemical, CO2, water spray or "alcohol" foam Burning produces irritant fumes.
Flash point:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Autoignition temperature: NFPA rating	Not determined
NFPA Health: NFPA Flammability: NFPA Reactivity:	1 1 0

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions: Methods for cleaning up: Use personal protective equipment. Prevent product from entering drains. Sweep up and shovel into suitable containers for disposal

## 7. HANDLING AND STORAGE



#### Storage:

Room temperature **Handling:** 

Safe handling advice: Incompatible products: Use only in area provided with appropriate exhaust ventilation.

Wear personal protective equipment. Oxidising and spontaneously flammable products

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures:	Ensure adequate ventilation.	
Respiratory protection:	Breathing apparatus only if aerosol or dust is formed.	
Skin and body protection:	Usual safety precautions while handling the product will	
	provide adequate protection against this potential effect.	
	Safety glasses with side-shields	
Eye protection:	PVC or other plastic material gloves	
Hand protection:	Handle in accordance with good industrial hygiene and	
Hygiene measures:	safety practice.	

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Melting point/range: No Data available a	
Boiling point/range:	No Data available at this time.
Density:	No data available
Vapor pressure:	No data available
Evaporation rate:	No data available
Vapor density:	No data available
Solubility (in water):	No data available
Flash point:	Not determined
Autoignition temperature:	Not determined

#### **10. STABILITY AND REACTIVITY**

Stability: Stable under recommended storage conditions.

Polymerization: None under normal processing.

**Hazardous decomposition products:** Thermal decomposition can lead to release of irritating gases and vapours such as carbon oxides.



## Materials to avoid: Strong oxidising agents.

Conditions to avoid: Exposure to air or moisture over prolonged periods.

## **11. TOXICOLOGICAL INFORMATION**

## **Product information**

Acute toxicity


Components	RTECS Number:	Selected LD50s and LC50s
Elastase	Not Available	Not Determined

Chronic toxicity:	Chronic exposure may cause nausea and vomiting,
	higher exposure causes unconsciousness.
Local effects:	Symptoms of overexposure may be headache,
	dizziness, tiredness, nausea and vomiting.
Specific effects:	May include moderate to severe erythema (redness)
	and moderate edema (raised skin), nausea, vomiting,
	headache.
Primary irritation:	No data is available on the product itself.
Carcingenic effects:	No data is available on the product itself.
Mutagenic effects:	No data is available on the product itself.
Reproductive toxicity:	No data is available on the product itself.

## **12. ECOLOGICAL INFORMATION**

Mobility:	No data available
Bioaccumulation:	No data available
Ecotoxicity effects:	No data available
Aquatic toxicity:	May cause long-term adverse effects in the aquatic
	environment.

Components	U.S. DOT –Appendix B – Marine Pollutants	U.S. DOT –Appendix B – Severe Marine Pollutants	United Kingdom – The red List:
Elastase	Not Listed	Not Listed	Not Listed
Components	Germany VCI (WGK)	World Health Organization	Ecotoxicity – Fish Species



		(WHO) – Drinking Water	Data
Elastase	Not Listed	Not Listed	Not Listed
Components	Ecotoxicity – Freshwater	Ecotoxicity – Microtox	Ecotoxicity – Water Flea
	Algae Data	Data	Data
Elastase	Not Listed	Not Listed	Not Listed
Components	EPA – ATSDR Priority List	EPA – HPV Challenge	California – Priority Toxic
		Program Chemical List	Pollutants
Elastase	Not Listed	Not Listed	Not Listed

## **13. DISPOSAL CONSIDERATIONS**

Waste from residues/unused products:	Waste disposal must be in accordance with
	appropriate Federal, State and local regulations. This
	product, if unaltered by use, may be disposed of
	treatment at a permitted facility or as advised by your
	local hazardous waste regulatory authority. Residue
	from fires extinguished with this material may be
	hazardous.
Contaminated packaging:	Do not re-use empty containers.
14. TRANSPORT INFFORMATION	

14. TRANSPORT INFFORMATION					
UN/Id No:		Not regulated			
DOT Proper ship	ping name:	Not Regulated			
TGD(Canada) WHMIS haz	ard class:	Non - controlled			
IMDG/IMO IMDG – Hazard Classifications		Not Applicable			
Components	Components U.S. DOT – Appendix A Table 1 – Reportable Quantities				

Components	U.S. DOT –Appendix A Table 1 – Reportable Quantities
Elastase	Not Listed



Components	U.S. DOT –Appendix B – Marine Pollutants	U.S. DOT –Appendix B – Severe Marine		
		Pollutants		
Elastase	Not Listed	Not Listed		

## IMO – labels:

## **15. REGULATORY INFOTMATION**

## International Inventories

Components	Inventory – United States TSCA – Sect.8(b)	Canada DSL Inventory List -
Elastase	Not Listed	Not Listed

## U.S. regulations:

Components	California proposition 65 -	Massachusetts Right to Know List:	New Jersey Right to Know List:	Right to Know
Flootooo				List:
Elastase	NA	Not Listed	Not listed	Not listed

Components	Florida substance		Rhode Island Right	Illinois – Toxic Air	Connecticut -
	List:		to Know List:	Contaminants	Hazardous Air
Elastase	Not Listed		Not Listed	Not listed	Not listed

Components	SSARA	313	CERCLA/SARA	-	NTP:	IARC:
	Emission		Section	302		
	reporting/Toxic		Extremely Haz			
	Release	of				
	Chemicals					
Elastase			Not Listed		Not listed	Not listed

## **16. OTHER INFORMATION**

## Prepared by: Health & Safety

**Disclaimer:** The information and recommendations contained herein are based upon tests believed to be reliable. However, KONO does not guarantee the accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOOD, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage maybe required. KONO assumes



no responsibility for results obtained or for incidental or consequential damages, including lost profits arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

End of safety data sheet