

# MSDS of Squalane

## 2,6,10,15,19,23-hexamethyltetracosane 111-01-3 MSDS

<b>Name:</b>	Squalane 99% Material Safety Data Sheet
<b>Synonym:</b>	2,6,10,15,19,23-Hexamethyltetracosan
<b>CAS:</b>	111-01-3

**Section 1 - Chemical Product** MSDS Name:Squalane 99% Material Safety Data Sheet

Synonym:2,6,10,15,19,23-Hexamethyltetracosan



## Section 2 - COMPOSITION, INFORMATION ON INGREDIENTS

CAS#	Chemical Name	content	EINEC
111-01-3	Squalane	99	203-82

Hazard Symbols: None Listed.

Risk Phrases: None Listed.



## Section 3 - HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

The toxicological properties of this material have not been fully investigated.

Potential Health Effects

Eye:

May cause eye irritation. The toxicological properties of this material have not been fully investigated.

Skin:

May cause skin irritation. The toxicological properties of this material have not been fully investigated.

Ingestion:

May cause gastrointestinal irritation with nausea, vomiting and diarrhea. The toxicological properties of this substance have not been fully investigated.

Inhalation:

May cause respiratory tract irritation. The toxicological properties of this substance have not been fully investigated.

# MSDS of Squalane

Chronic:

No information found.



## Section 4 - FIRST AID MEASURES

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

**Skin:**

Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

**Ingestion:**

If victim is conscious and alert, give 2-4 cupfuls of milk or water.

Never give anything by mouth to an unconscious person. Get medical aid immediately.

**Inhalation:**

Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician:



## Section 5 - FIRE FIGHTING MEASURES

**General Information:**

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Extinguishing Media:**

Use agent most appropriate to extinguish fire. Use water spray, dry chemical, carbon dioxide, or appropriate foam.



## Section 6 - ACCIDENTAL RELEASE MEASURES

**General Information:** Use proper personal protective equipment as indicated in Section 8.

**Spills/Leaks:**

# MSDS of Squalane

Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Sweep up or absorb material, then place into a suitable clean, dry, closed container for disposal. Provide ventilation.

## Section 7 - HANDLING and STORAGE

### Handling:

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation.

### Storage:

Store in a cool, dry place. Keep container closed when not in use.

Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

### Engineering Controls:

Use adequate ventilation to keep airborne concentrations low.

Exposure Limits CAS# 111-01-3: Personal Protective Equipment Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

### Skin:

Wear appropriate protective gloves to prevent skin exposure.

### Clothing:

Wear appropriate protective clothing to prevent skin exposure.

### Respirators:

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

# MSDS of Squalane

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid  
Color: clear almost colorless  
Odor: None reported.  
pH: Not available.  
Vapor Pressure: Not available.  
Viscosity: 34 cP 20.00 deg C  
Boiling Point: 176 deg C @ .05mmHg  
Freezing/Melting Point: -38 deg C  
Autoignition Temperature: Not available.  
Flash Point: 217 deg C ( 422.60 deg F)  
Explosion Limits, lower: N/A  
Explosion Limits, upper: N/A  
Decomposition Temperature:  
Solubility in water: slightly soluble in methanol, ethanol an  
Specific Gravity/Density: .8070g/cm3  
Molecular Formula: C30H62  
Molecular Weight: 422.82

## Section 10 - STABILITY AND REACTIVITY

Chemical Stability:  
Stable under normal temperatures and pressures.  
Conditions to Avoid:  
Incompatible materials, strong oxidants.  
Incompatibilities with Other Materials:  
Oxidizing agents.  
Hazardous Decomposition Products:  
Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide.  
Hazardous Polymerization: Has not been reported.

## Section 11 - TOXICOLOGICAL INFORMATION

RTECS#:  
CAS# 111-01-3: XB6070000 LD50/LC50:  
CAS# 111-01-3: Draize test, rabbit, skin: 100 mg/24H Mild.  
Carcinogenicity:

# MSDS of Squalane

Squalane - Not listed by ACGIH, IARC, or NTP.

Other:

See actual entry in RTECS for complete information.



## Section 12 - ECOLOGICAL INFORMATION



## Section 13 - DISPOSAL CONSIDERATIONS

Dispose of in a manner consistent with federal, state, and local regulations.



## Section 14 - TRANSPORT INFORMATION

IATA

Not regulated as a hazardous material.

IMO

Not regulated as a hazardous material.

RID/ADR

Not regulated as a hazardous material.



## Section 15 - REGULATORY INFORMATION

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: Not available.

Risk Phrases:

Safety Phrases:

S 24/25 Avoid contact with skin and eyes.

S 28A After contact with skin, wash immediately with

# MSDS of Squalane

plenty of water.

S 37 Wear suitable gloves.

S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

WGK (Water Danger/Protection)

CAS# 111-01-3: 1

Canada

CAS# 111-01-3 is listed on Canada's DSL List.

CAS# 111-01-3 is not listed on Canada's Ingredient Disclosure List.

US FEDERAL

TSCA

CAS# 111-01-3 is listed on the TSCA inventory.



## SECTION 16 - ADDITIONAL INFORMATION

N/A

---