SAFETY DATA SHEET

1. PRODUCT

1.1 Product identifiers

Name: Hydrofluoric acid CAS-No.: 7664-39-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Synthesis of substances

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300

Acute toxicity, Inhalation (Category 2), H330

Acute toxicity, Dermal (Category 1), H310

Skin corrosion (Category 1A), H314

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Precautionary statement(s)	P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P262 Do not get in eyes, on skin, or on clothing. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P284 Wear respiratory protection. P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P362 Take off contaminated clothing and wash before reuse. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Formula: HF

Molecular weight: 20.01 g/mol

Hazardous components

Component		Classification	
Hydrofluoric a	acid		
CAS-No.	7664-39-3		>= 30 -< 50 %
EC-No.	231-634-8	H300 + H310 + H330, H314, H318	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.2 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Hydrofluoric acid	7664-39-3	TWA	0.500000 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Upper Respirate	ory Tract irritation	ı	
			i Biological Expo	n Eye irritation Skin irritation Fluorosis Substances for sure Index or Indices (see BEI® section) Danger of	
		C 2.000000 ppr	n USA. ACGIH T	hreshold Limit Values (TLV)	
Sic		Upper Respiratory Tract irritation Lower Respiratory Tract irritation Eye irritation Skin irritation Fluorosis Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption			
		TWA 3.000000 ppm USA. Occupational Exposure Limits (OSHA) -Table Z-2			
		Z37.28-1969	C		
C.		TWA	2.500000 USA. Occupational Exposure Limits (OSHA) -Tabl Z-1 Limits for Air Contaminants		
		TWA 2.500000 USA. Occupational Exposure Limits (OSHA) -Table mg/m3 Z-1 Limits for Air Contaminants			
		CAS number varies with compound			

Component	CAS-No.	Value	Control parameters	Basis		
,510		TWA	3.000000 ppm 2.500000 mg/m3	USA. NIOSH Recommended Exposure Limits		
ALC: IT		С	6.000000 ppm 5.000000 mg/m3	USA. NIOSH Recommended Exposure Limits		
		15 minute ceilir	ng value			
		See Table Z-2	C			
		TWA	0.5 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		irritation Fluoro	Jpper Respiratory Tract irritation Lower Respiratory Tract irritation Eye irritation Skin rritation Fluorosis Substances for which there is a Biological Exposure Index or ndices (see BEI® section) Danger of cutaneous absorption			
		С	C 2 ppm USA. ACGIH Threshold Limit Values (TLV)			
		irritation Fluoro	pper Respiratory Tract irritation Lower Respiratory Tract irritation Eye irritation Skin ritation Fluorosis Substances for which there is a Biological Exposure Index or addices (see BEI® section) Danger of cutaneous absorption			
		See Table Z-2				
ے د		PEL	0.4 ppm 0.33 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
		Skin				
		STEL	1 ppm 0.83 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
		Skin				

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis		
Hydrofluoric acid	7664-39-3	Fluoride	3.0000 mg/g	Urine	ACGIH -Biological Exposure Indices (BEI)		
	Remarks	Prior to shift (1	6 hours after e	xposure ceases	s)		
		Fluoride	10.0000 mg/g	Urine	ACGIH -Biological Exposure Indices (BEI)		
		End of shift (A	End of shift (As soon as possible after exposure ceases)				
		Fluoride	3.0000 mg/g	Urine	ACGIH -Biological Exposure Indices (BEI)		
		Prior to shift (16 hours after exposure ceases)					
		Fluoride	10.0000 mg/g	Urine	ACGIH -Biological Exposure Indices (BEI)		
		End of shift (A	s soon as poss	ible after expos	ure ceases)		
25		Fluoride	2 mg/l	Urine	ACGIH -Biological Exposure Indices (BEI)		
		Prior to shift (16 hours after exposure ceases)		5)			
		Fluoride	3 mg/l	Urine	ACGIH -Biological Exposure Indices (BEI)		
End of shift (As soon as possible after exposure ceases)			ure ceases)				

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Evo/foco	Tightly fitting safety goggles. Faceshield (8-inch minimum), Use equipment for eye protection tested and
Eye/lace	Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and
1 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Inrotection	approved under appropriate government standards such as NIOSH (LIS) or FN 166(FLI)

Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Chloroprene Minimum layer thickness: 0.6 mm Break through time: > 480 min Material tested:Camapren® (KCL 722 / Aldrich Z677493, Size M) Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 180 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmen tal exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Form: liquid
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.15 g/cm3 at 25 °C (77 °F)
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen fluoride

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity -single exposure

No data available

Specific target organ toxicity -repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., Material can cause severe burns and blistering which may not be immediately painful or visible. The full extent of tissue damage may not exhibit itself for 12-24 hours after exposure., necrosis of the skin

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Hydrofluoric acid)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1790 Class: 8 (6.1) Packing group: II

Proper shipping name: Hydrofluoric acid

Reportable Quantity (RQ): 250 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1790 Class: 8 (6.1) Packing group: II EMS-No: F-A, S-B

Proper shipping name: HYDROFLUORIC ACID

IATA

UN number: 1790 Class: 8 (6.1) Packing group: II

Proper shipping name: Hydrofluoric acid

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Component	CAS-No.	Revision Date
Hydrofluoric acid	7664-39-3	1993-04-24

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Component	CAS-No.	Revision Date
Hydrofluoric acid	7664-39-3	1993-04-24

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Component	CAS-No.	Revision Date
Hydrofluoric acid	7664-39-3	1993-04-24

Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Water	7732-18-5	
Hydrofluoric acid	7664-39-3	1993-04-24

New Jersey Right To Know Components

Component	CAS-No.	Revision Date
Water	7732-18-5	
Hydrofluoric acid	7664-39-3	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage

H300 Fatal if swallowed.

H300 + H310 +H330 Fatal if swallowed, in contact with skin or if inhaled

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

Skin Corr. Skin corrosion

HMIS Rating

Health hazard: 4

Chronic Health Hazard: *

Flammability: 0

Physical Hazard 0

NFPA Rating

Health hazard: 4

Fire Hazard: 0

Reactivity Hazard: 0