SAFETY DATA SHEET

1. PRODUCT

1.1 Product identifiers

Name: Gold(III) chloride solution

CAS-No.: 16903-35-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Synthesis of substances

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Skin sensitisation (Category 1), H317

Acute aquatic toxicity (Category 2), H401

Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	P234 Keep only in original container. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P391 Collect spillage. P405 Store locked up. P406 Store in corrosive resistant stainless steel container with a resistant inner liner. P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Synonyms: Auric chloride dihydrate

Gold trichloride dihydrate

Formula: HAuCl₄

Hazardous components

Component		Classification	Concentration
Tetrachloro	auric acid		
CAS-No.	16903-35-8	Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; Aquatic Acute	>= 30 -< 50 %
EC-No.	240-948-4	2; Aquatic Chronic 2; H314, H317, H411	
Hydrochlor	ic acid		
CAS-No.	7647-01-0	Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; STOT SE 3;	>= 5 -< 10 %
EC-No.	231-595-7	H290, H314, H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.2 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis		
Hydrochloric acid	7647-01-0	C	2.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Upper Respiratory Tract irritation				
		Not classifiable	assifiable as a human carcinogen			
		C 5.000000 pp	00000 ppm 7.000000 mg/m3 USA. NIOSH Recommended Exposure Limits			
		Often used in a	ed in an aqueous solution.			
		С	5.000000 ppm 7.000000 Z-1 Limits for Air Contaminants mg/m3			
A3007		The value in m zone air sampl	lue in mg/m3 is approximate. Ceiling limit is to be determined from breathing- r samples.			
		С	2 ppm USA. ACGIH Threshold Limit Values (TLV)			
		Upper Respira	tory Tract irritation	Not classifiable as a human carcinogen		
		С	5 ppm 7 uSA. NIOSH Recommended Exposure Limits mg/m3			
		Often used in a	ten used in an aqueous solution.			
	C 5 ppm 7 USA. Occupational Exposure Limits (OSH/mg/m3 Z-1 Limits for Air Contaminants			USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants		

Component	CAS-No.		Control parameters	Basis
250		The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone air samples.		
		С	5 ppm 7 mg/m3	USA. OSHA -TABLE Z-1 Limits for Air Contaminants -1910.1000

Hazardous components without workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection	Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmen tal exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

e e e e e e e e e e e e e e e e e e e
e e le
e e e
e e
е
e
е
e
e 🛴
e
e
e
e
e
e
e
e
e

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Hydrochloric acid)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity -single exposure

No data available

Specific target organ toxicity -repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: MD5425000

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3264 Class: 8 Packing group: II

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Tetrachloroauric acid, Hydrochloric acid)

Reportable Quantity (RQ):
Poison Inhalation Hazard: No

IMDG

UN number: 3264 Class: 8 Packing group: II EMS-No: F-A, S-B

Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Tetrachloroauric acid, Hydrochloric acid)

IATA

UN number: 3264 Class: 8 Packing group: II

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Tetrachloroauric acid, Hydrochloric acid)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Component	CAS-No.	Revision Date	ı
Component	CAS-NO.	Revision Date	1

Hydrochloric acid 7647-01-0 1993-04-24
--

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

Component	CAS-No.	Revision Date
Hydrochloric acid	7647-01-0	1993-04-24

Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Water	7732-18-5	
Tetrachloroauric acid	16903-35-8	
Hydrochloric acid	7647-01-0	1993-04-24

New Jersey Right To Know Components

Component	CAS-No.	Revision Date
Water	7732-18-5	
Tetrachloroauric acid	16903-35-8	
Hydrochloric acid	7647-01-0	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity

Aquatic Chronic Chronic aquatic toxicity

Eye Dam. Serious eye damage

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Met. Corr. Corrosive to metals

Skin Corr. Skin corrosion

Skin Sens. Skin sensitisation

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 3

Chronic Health Hazard:

Flammability: 0

Physical Hazard 0

NFPA Rating

Health hazard: 3

Fire Hazard: 0