

Certificate of Analysis

<i>Product</i>	<i>Isopropyl Palmitate</i>	<i>Batch Number</i>	<i>20220721007</i>
<i>CAS No.</i>	<i>142-91-6</i>	<i>Packing</i>	<i>200kg/drum</i>
<i>M.F.</i>	<i>C19H38O2</i>	<i>MFG Date</i>	<i>July.21, 2022</i>
<i>M.W.</i>	<i>298.5038</i>	<i>Analysis Date</i>	<i>July.21, 2022</i>
<i>N.W.</i>	<i>2,000.00kg</i>	<i>Retest Date</i>	<i>July.20, 2024</i>
<i>G.W.</i>	<i>2,180.00kg</i>		

<u>Sr. No.</u>	<u>Items</u>	<u>Specification</u>	<u>Results</u>
01	Appearance	Colorless transparent Oily liquid	Confirms
02	Assay, %	≥98.00	98.90
03	Color, APHA	≤30	20
04	Refractive index (20 °C)	1.4350~1.4390	1.4390
05	Acid value (mgKOH/g)	≤0.50	0.10

Prepared by Dong Mei

Checked by Wang Tianyi

Approved by Liu Wu

Conclusion The Quality of the above said is in conformity with **Enterprise Standard**
 Storage Stored in dry and ventilation place, far from heat and water.
 COA Issuer Quality Control Team-Technology Department

