1. PRODUCT

1.1 Product identifiers

Name: 2-Imidazolidone

CAS-No.: 120-93-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 3), H402

Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram		
Signal word	Warning	
Hazard statement(s)	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects.	
Precautionary statement(s)	 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER or doctor/ physician if you feel unwell. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant. 	

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous components

Component	Classification	Concentration
2-Imidazolidone-(ethylene-d4)		
	Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; Aquatic Acute 3; Aquatic Chronic 3; H315, H319, H335, H412	-

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General auvice	Gene	eral ad	dvice
----------------	------	---------	-------

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

In case of eye contact

Wash off with soap and plenty of water. Consult a physician.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.2 Indication of any immediate medical attention and special treatment needed

no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

no data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate

ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.Normal measures for preventive fire protection.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of

workday.

Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

protection	For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator.For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Form: crystalline Colour: light yellow
Odour	no data available
Odour Threshold	no data available
рН	no data available
Melting point/freezing point	Melting point/range: 129 - 132 °C (264 - 270 °F) - lit.
Initial boiling point and boiling range	no data available
Flash point	no data available
Evaporation rate	no data available
Flammability (solid, gas)	no data available
Upper/lower flammability or explosive limits	no data available
Vapour pressure	no data available
Vapour density	no data available
Relative density	no data available
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
Viscosity	no data available
Explosive properties	no data available
Oxidizing properties	no data available

9.2 Other safety information

no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Inhalation: no data available Dermait: no data available D50 Intraperitoneal - mouse - 500 mg/kg Skin corrosion/irritation no data available Serious eye damage/eye irritation no data available Gern cell mutagenicity no data available Carcinogenicity Carcinogenicity Carcinogenicity Carcinogenicity Carcinogenic by RTECS criteria. BlockTumors. Tumorigenic:Carcinogenic by RTECS criteria. BlockTumors. Tumorigenic:Carcinogenic by RTECS criteria. BlockTumors. Carcinogenic of this product present at levels greater than or equal to 0.1% is identified as a carcinogen of this product present at levels greater than or equal to 0.1% is identified as a carcinogenic of this product present at levels greater than or equal to 0.1% is identified as a carcinogenic of this product present at levels greater than or equal to 0.1% is identified as a carcinogenic of this product present at levels greater than or equal to 0.1% is identified as a carcinogenic of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by VTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by VTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by VTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by VTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by VTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by VSHA. Reproductive toxicity - rat - Intraperitoneal Effects on Fortility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females). Details available Specific target organ toxicity -repeated exposure	Acute toxicity	
no data available Serious eye damage/eye irritation no data available Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity Carcinogenicity Carcinogenicity Carcinogenicity - mouse - Subcutaneous Tumorigenic: Carcinogenic by RTECS criteria. Blood: Tumors. Tumorigenic: Carcinogenic by RTECS criteria. Blood: Tumors. TARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by JARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by JARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity no data available Reproductive toxicity - rat - Intraperitoneal Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females). no data available Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity -repeated exposure no data available Aspiration hazard no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	Dermal: no data available	g/kg
Serious eye damage/eye irritation no data available Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity Carcinogenicity Carcinogenicity - mouse - Subcutaneous Turnorigenic-Carcinogenic by RTECS criteria. Blood: Turnors. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity no data available Reproductive toxicity no data available Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity -repeated exposure no data available <	Skin corrosion/irritation	
no data available Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity Carcinogenicy Carcinogen	no data available	
Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity Carcinogenicity - mouse - Subcutaneous Tumorigenic:Carcinogenic by RTECS criteria. Blood:Tumors. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NDE: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NDE: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity Reproductive toxicity - rat - Intraperitoneal Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females). no data available Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target	Serious eye damage/eye irritatio	on second se
no data available Germ cell mutagenicity no data available Carcinogenicity Carcinogenicity Carcinogenic by RECS criteria. Blood:Tumors. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity no data available Reproductive toxicity no data available Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity -repeated exposure no data available Aspiration hazard no data available RECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	no data available	
Germ cell mutagenicity no data available Carcinogenicity Carcinogenicity - mouse - Subcutaneous Tumorigenic:Carcinogenic by RTECS criteria. Blood:Tumors. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity no data available Reproductive toxicity - rat - Intraperitoneal Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females). no data available Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity -repeated exposure no data available Aspiration hazard no data available	Respiratory or skin sensitisation	n
no data available Carcinogenicity Carcinogenic	no data available	5
Carcinogenicity Carcinogenicity - mouse - Subcutaneous Tumorigenic:Carcinogenic by RTECS criteria. Blood:Tumors. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity no data available Reproductive toxicity - rat - Intraperitoneal Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females). no data available Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity -repeated exposure no data available Aspiration hazard no data available Aspiration hazard no data available Aspiration hazard no data available Aspiration bazard no data avai	Germ cell mutagenicity	
Carcinogenicity - mouse - Subcutaneous Tumorigenic: Carcinogenic by RTECS criteria. Blood: Tumors. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity no data available Reproductive toxicity - rat - Intraperitoneal Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females). no data available Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity -repeated exposure no data available Aspiration hazard no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	no data available	
Carcinogenicity - mouse - Subcutaneous Tumorigenic: Carcinogenic by RTECS criteria. Blood: Tumors. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity no data available Reproductive toxicity - rat - Intraperitoneal Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females). no data available Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity -repeated exposure no data available Aspiration hazard no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	Carcinogenicity	
no data available Reproductive toxicity - rat - Intraperitoneal Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females). no data available Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity -repeated exposure no data available Aspiration hazard no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	Tumorigenic:Carcinogenic by RTECS IARC: No component of this product p probable, possible or confirmed huma ACGIH: No component of this product carcinogen or potential carcinogen by NTP: No component of this product pr known or anticipated carcinogen by N OSHA: No component of this product	criteria. Blood:Tumors. present at levels greater than or equal to 0.1% is identified as a carcinogen by IARC. present at levels greater than or equal to 0.1% is identified as a ACGIH. resent at levels greater than or equal to 0.1% is identified as a TP. present at levels greater than or equal to 0.1% is identified as a
Reproductive toxicity - rat - Intraperitoneal Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females). no data available Specific target organ toxicity -single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity -repeated exposure no data available Aspiration hazard no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	Reproductive toxicity	6.V
Inhalation - May cause respiratory irritation. Specific target organ toxicity -repeated exposure no data available Aspiration hazard no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	no data available Reproductive toxicity - rat - Intraperito Effects on Fertility: Male fertility index females). no data available	neal (e.g., # males impregnating females per # males exposed to fertile nonpregnant
Specific target organ toxicity -repeated exposure no data available Aspiration hazard no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	Specific target organ toxicity -si	ingle exposure
no data available Aspiration hazard no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	Inhalation - May cause respiratory irrit	ation.
Aspiration hazard no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	Specific target organ toxicity -re	epeated exposure
no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	no data available	
no data available Additional Information RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	Aspiration hazard	
RTECS: NJ0570000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly		
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly	Additional Information	
	RTECS: NJ0570000 To the best of our knowledge, the che investigated.	mical, physical, and toxicological properties have not been thoroughly

12. ECOLOGICAL INFORMATION

12.1 Toxicity

2. ECOLOGICAL INFORMATION			
12.1 Toxicity			
Toxicity to fish	LC50 - Poecilia reticulata (guppy) - 13,000 mg/l - 96 h		
Toxicity to daphnia and other aquatic invertebrates	LC50 - Daphnia magna (Water flea) - 5,600 mg/l - 48 h		
Toxicity to algae	Growth inhibition EC50 - Chlorella pyrenoidosa - 16 mg/l - 96 h		
Toxicity to bacteria	No data available		

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

no data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	
Offer surplus and non-recyclable solutions to a licensed dispos disposal service to dispose of this material.	al company. Contact a licensed professional waste
Contaminated packaging	
Dispose of as unused product.	

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the

threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
2-Imidazolidone-(ethylene-d4)	62740-68-5	

New Jersey Right To Know Components

Component	CAS-No.	Revision Date
2-Imidazolidone-(ethylene-d4)	62740-68-5	

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity

Aquatic Chronic Chronic aquatic toxicity

Eye Irrit. Eye irritation

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H402 Harmful to aquatic life.

HMIS Rating

Health hazard: 2 Chronic Health Hazard:

Flammability: 0

Physical Hazard 0

NFPA Rating

Health hazard: 2

Fire Hazard: 0

Reactivity Hazard: 0