ChemicalBook

Chemical Safety Data Sheet MSDS / SDS

Barite

Revision Date:2022-08-11 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Barite

CBnumber : CB8881195
CAS : 13462-86-7
EINECS Number : 236-664-5

Synonyms : 13462-86-7,Barite

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

Classification of the substance or mixture

Not classified.

Label elements

Pictogram(s)

Signal word No signal word

Hazard statement(s)

none

Precautionary statement(s)

Prevention

none

Response

none

Storage

none

Disposal

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name : Barite

Synonyms : 13462-86-7,Barite

CAS : 13462-86-7

EC number : 236-664-5

MF : BaO4S

MW : 233.39

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Fresh air. rest.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth.

Most important symptoms and effects, both acute and delayed

Exposure Routes: inhalation, skin and/or eye contact Symptoms: Irritation eyes, nose, upper respiratory system; benign pneumoconiosis (baritosis) Target Organs: Eyes, respiratory system (NIOSH, 2016)

Indication of any immediate medical attention and special treatment needed

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature.

Obtain medical attention. Barium and Related Compounds

SECTION 5: Firefighting measures

Extinguishing media

Use dry chemical, carbon dioxide, water spray, or alcohol foam extinguishers ... If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated waters. Notify local health and fire officials and pollution control agencies. From a secure, explosion-proof location, use water spray to cool exposed containers. If cooling streams are ineffective (venting sound increases in volume and pitch, tank discolors or shows any signs of deforming), withdraw immediately to a secure position ... The only respirators recommended for fire fighting are self-contained breathing apparatuses that have full facepieces and are operated in a pressure-demand or other positive-pressure mode.

Specific Hazards Arising from the Chemical

Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. For electric vehicles or equipment, ERG Guide 147 (lithium ion batteries) or ERG Guide 138 (sodium batteries) should also be consulted. (ERG, 2016)

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Personal protection: particulate filter respirator adapted to the airborne concentration of the substance.

Methods and materials for containment and cleaning up

Spill handling: evacuate and restrict persons not wearing protective equipment from area of spill or leak until cleanup is complete. Remove all ignition sources. Collect powdered material in the most convenient and safe manner and deposit in sealed containers. Ventilate area of spill or lead after clean-up is complete. It may be necessary to contain and dispose of this chemical as a hazardous waste. If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated waters. Contact your Department of Environmental Protection or your regional office of the federal EPA for specific recommendations.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store at 25 deg C (77 deg F); excursions permitted to 15 to 30 deg C (59 to 86 deg F)

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

Component	Barite (Ba(SO4))	
CAS No.	13462-86-7	
Recommended Exposure Limit: 10 Hour Time-Weighted Average: 10 mg/cu m, total particulate.		
	Recommended Exposure Limit: 10 Hour Time-Weighted average: 5 mg/cu m, respirable fraction.	

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

Individual protection measures

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	Barium sulfate is a white or yellowish odorless powder or small crystals. Mp: 1580°C (with
	decomposition). Density: 4.25 -4.5 g cm-3. Insoluble in water, dilute acids, alcohol. Soluble in hot
	concentrated sulfuric acid. Used as a weighting mud in oil-drilling, in paints, paper coatings, linoleum,
	textiles, rubber. Administered internally ("barium cocktail") as a radio-opaque diagnostic aid.
Colour	Fine, heavy powder or polymorphous crystals
Odour	Odorless
Melting point/freezing point	1580°C
Boiling point or initial boiling point and	330°C at 760 mmHg
boiling range	
Flammability	Noncombustible Solid
Lower and upper explosion	no data available
limit/flammability limit	

Flash point	no data available
Auto-ignition temperature	no data available
Decomposition temperature	1600°C
pH	5% suspension in water is neutral to litmus paper
Kinematic viscosity	no data available
Solubility	0.0002 % at 64° F (NIOSH, 2016)
Partition coefficient n-octanol/water	no data available
Vapour pressure	0 mm Hg (approx) (NIOSH, 2016)
Density and/or relative density	4.25 to 4.5 (NIOSH, 2016)
Relative vapour density	no data available
Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

Reacts violently with aluminium powder.

Chemical stability

no data available

Possibility of hazardous reactions

Not combustible.BARIUM SULFATE is non-combustible and non-toxic. Emits toxic sulfur oxides when heated to decomposition. Can act as an oxidizing agent, but usually does not. Reacts with reducing agents such as potassium, phosphorus or aluminum (heating with aluminum can cause an explosion).

Conditions to avoid

no data available

Incompatible materials

Phosphorus, aluminum [Aluminum in the presence of heat can cause an explosion.]

Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /sulfur oxides/.

SECTION 11: Toxicological information

Acute toxicity

• Oral: LD50 Rat oral approx 307,000 mg/kg bw

• Inhalation: no data available

• Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

- Toxicity to fish: no data available
- Toxicity to daphnia and other aquatic invertebrates: EC50; Species: Daphnia magna (Water Flea); Conditions: freshwater, static, 11.5-14.5 deg C, pH 7.2-7.8, dissolved oxygen 5.2-6.5 mg/L; Concentration: 52820 ug/L (43200-68140 ug/L) for 24 hr; Effect: intoxicaiton, immobilization
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: no data available IMDG: no data available IATA: no data available

UN Proper Shipping Name

ADR/RID: no data available IMDG: no data available IATA: no data available

Transport hazard class(es)

ADR/RID: no data available IMDG: no data available IATA: no data available

Packing group, if applicable

ADR/RID: no data available IMDG: no data available IATA: no data available

Environmental hazards

ADR/RID: No IMDG: No IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Not Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

PICCS

Not Listed.

Vietnam National Chemical Inventory

Listed.

IECSC

Listed.

Korea Existing Chemicals List (KECL)

Listed

SECTION 16: Other information

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/

- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index? pageID=0&request_locale=en
- CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- $\bullet \ \ ChemlDplus, we bsite: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp$
- ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- ECHA European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.