### Chemical Safety Data Sheet MSDS / SDS

### Triethylene glycol

Revision Date: 2023-03-18 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : Triethylene glycol
CBnumber : CB1698903

CAS : 112-27-6

EINECS Number : 203-953-2

Synonyms : Triethylene Glycol,TEG

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

### **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

### **SECTION 2: Hazards identification**

### GHS Label elements, including precautionary statements

Signal word Warning

### Precautionary statements

P264 Wash hands thoroughly after handling. P264 Wash skin thouroughly after handling.

### Hazard statements

H320 Causes eye irritation

### SECTION 3: Composition/information on ingredients

### **Substance**

Product name : Triethylene glycol
Synonyms : Triethylene Glycol,TEG

CAS : 112-27-6

EC number : 203-953-2
MF : C6H14O4
MW : 150.17

### SECTION 4: First aid measures

### Description of first aid measures

### If inhaled

After inhalation: fresh air.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

### **Extinguishing media**

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

### Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

### **Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **NFPA 704**



| 1             | / |  |
|---------------|---|--|
| HEALTH        | 1 | Exposure would cause irritation with only minor residual injury (e.g. acetone, sodium bromate, potassium chloride)   |
| FIRE          | 1 | Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia) |
| REACT         | 0 | Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)   |
| SPEC.<br>HAZ. |   |  |

### SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb?). Dispose of properly. Clean up affected area.

### Reference to other sections

For disposal see section 13.

### SECTION 7: Handling and storage

### Precautions for safe handling

For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. hygroscopic

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

### control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### **Exposure controls**

### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

### SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

| Appearance      | Form: clear, viscous liquid Color: colorless   |  |
|-----------------|--|--|
| Odour           | odorless   |  |
| Odour Threshold | Not applicable d) pH 6,5 - 7,5 at 100 g/l at 20 °C Melting point/freezing point Initial boiling point and  |  |
|                 | boiling range Melting point/range: -7 °C - lit. 125 - 127 °C at 0,1 hPa - lit. Flash point 166 °C - closed |  |

|   | cup Evaporation rate No data available Flammability (solid, gas) Upper/lower flammability or                               |
|---|--|
|   | explosive limits No data available Upper explosion limit: 9,2 %(V) Lower explosion limit: 0,9 %(V)                         |
|   | Vapour pressure< 0,1 hPa at 24,7 °C Vapour density 5,18 - (Air = 1.0) Relative density No data                             |
|   | available Water solubility 1.000 g/l at 20 $^{\circ}\text{C}$ - completely miscible Partition coefficient: n-octanol/water |
|   | Autoignition temperature Decomposition temperature log Pow1,98 at 25 °C - Bioaccumulation is                               |
|   | not expected., (Lit.) 347 °C >200 °C - Viscosity Viscosity, kinematic: No data available Viscosity,                        |
|   | dynamic: 47,8 mPa.s at 20 °C Explosive properties During processing, dust may form explosive                               |
|   | mixture in air. Oxidizing properties No data available   |
| Melting point/freezing point            | Melting point/range: -7 °C - lit.  |
| Initial boiling point and boiling range | 125 - 127 °C at 0,1 hPa - lit.   |
| Flash point                             | 166 °C - closed cup  |
| Evaporation rate                        | 165 °C   |
| Flammability (solid, gas)               | No data available  |
| Upper/lower flammability or explosive   | Upper explosion limit: 9,2 %(V) Lower explosion limit: 0,9 %(V)  |
| limits                                  |  |
| Vapour pressure                         | < 0,1 hPa at 24,7 °C   |
| Vapour density                          | 5,18 - (Air = 1.0)   |
| Relative density                        | 5.2 (vs air)   |
| Water solubility                        | 1.000 g/l at 20 °C - completely miscible   |
| Partition coefficient: n-octanol/water  | log Pow: -1,98 at 25 °C - Bioaccumulation is not expected., (Lit.)   |
| Autoignition temperature                | 347 °C   |
| Decomposition temperature               | >200 °C -  |
| Viscosity                               | Viscosity, kinematic: No data available Viscosity, dynamic: 47,8 mPa.s at 20 °C  |
| Explosive properties                    | During processing, dust may form explosive mixture in air.   |
| Oxidizing properties                    | No data available  |
| λmax                                    | λ: 260 nm Amax: 0.06   |
|   | λ: 280 nm Amax: 0.03   |

### Other safety information

Relative vapor density

5,18 - (Air = 1.0)

## SECTION 10: Stability and reactivity

### Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Exothermic reaction with: Bases

Strong acids hydrogen peroxide Oxidizing agents Oxygen

Violent reactions possible with:

Isocyanates permanganates Peroxides halogen oxides persulfates

### Conditions to avoid

Strong heating.

### Incompatible materials

Zinc

### Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - > 2.000 mg/kg (ATC METHODE)

Inhalation: Respiratory disorderSymptoms: slight mucosal irritations, Cough

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (Draize Test)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h (Draize Test)

Eyes - Rabbit

Result: Mild eye irritation

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline

471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473

Result: negative

Carcinogenicity

No data available

#### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

### **Toxicity**

LD50 in mice, rats (g/kg): 21, 15-22 orally; 7.3-9.5, 11.7 i.v. (Stenger)

### **SECTION 12: Ecological information**

### **Toxicity**

#### Toxicity to fish

static test LC50 - Lepomis macrochirus (Bluegill sunfish) - > 10.000 mg/l - 96 h

Remarks: (ECHA)

### Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 10.000 mg/l - 48 h

(DIN 38412)

### Toxicity to bacteria

static test EC10 - activated sludge - > 1.995 mg/l - 30 min Remarks: (ECHA)

### Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 25 - 92 % - Readily biodegradable. (OECD Test Guideline 301C)

Theoretical oxygen demand

1.600 mg/g Remarks: (Lit.)

Ratio BOD/ThBOD 1,4 - 32 %

Remarks: (Lit.)

### Bioaccumulative potential

No bioaccumulation is to be expected (log Pow <= 4).

### Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### Waste treatment methods

### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14: Transport information**

#### **UN** number

ADR/RID: - IMDG: - IATA: -

### **UN proper shipping name**

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

### Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

### **Packaging group**

ADR/RID: - IMDG: - IATA: -

### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### Special precautions for user

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

### SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

### Measures for Environmental Management of New Chemical Substances

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

EC Inventory:Listed.

### SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

### Other Information

Health effects of exposure to the substance have been investigated, but none has been found.

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.