

# SAFETY DATA SHEET

## 1. PRODUCT

### 1.1 Product identifiers

Name: 5-Chloro-2-nitrobenzaldehyde

CAS-No.: 6628-86-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290

Acute toxicity, Oral (Category 4), H302

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Skin sensitisation (Category 1), H317


Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H290 May be corrosive to metals. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)	<p>P234 Keep only in original container.</p> <p>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</p> <p>P264 Wash skin thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/ eye protection/ face protection.</p> <p>P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.</p> <p>P302 + P352 IF ON SKIN: Wash with plenty of soap and water.</p> <p>P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.</p> <p>P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.</p> <p>P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P362 Take off contaminated clothing and wash before reuse.</p> <p>P390 Absorb spillage to prevent material damage.</p> <p>P391 Collect spillage.</p> <p>P403 + P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p> <p>P406 Store in corrosive resistant stainless steel container with a resistant inner liner.</p> <p>P501 Dispose of contents/ container to an approved waste disposal plant.</p>
----------------------------	---

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Mixtures

Formula:  $C_7H_4ClNO_3$   
Molecular weight: 185.56 g/mol

#### Hazardous components

Component	Classification	Concentration
<b>5-chloro-2-nitrobenzaldehyde</b>		
CAS-No. 6628-86-0 EC-No. 229-614-9	Skin Irrit. 2; Eye Irrit. 2A; Skin Sens. 1; STOT SE 3; H315, H317, H319, H335	>= 90 -<= 100 %
<b>3-Chloro-4-nitrobenzaldehyde</b>		
CAS-No. 57507-34-3	Skin Sens. 1; Aquatic Acute 3; Aquatic Chronic 3; H317, H412	>= 10 -< 20 %
<b>5-Chloro-2-nitrobenzoic acid</b>		
CAS-No. 2516-95-2 EC-No. 219-738-1	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H302, H315, H318, H335, H410	>= 5 -< 10 %
<b>Sulfuric acid</b>		
CAS-No. 7664-93-9 EC-No. 231-639-5	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314	>= 1 -< 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

<b>General advice</b>
Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
<b>If inhaled</b>
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>In case of skin contact</b>
Wash off with soap and plenty of water. Consult a physician.
<b>In case of eye contact</b>

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

**If swallowed**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

---

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

---

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

---

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Sulfuric acid	7664-93-9	TWA	0.2 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1 mg/m <sup>3</sup>	USA. OSHA -TABLE Z-1 Limits for Air Contaminants -1910.1000
		TWA	1 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants

Hazardous components without workplace control parameters

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

Eye/face protection	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmental exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Appearance	Form: powder Colour: light red
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point/range: 65 - 69 °C (149 - 156 °F) - lit.
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available

Relative density	No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	log Pow: 2.077
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

## 9.2 Other safety information

No data available

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong bases

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

<b>Acute toxicity</b>
No data available Dermal: No data available No data available
<b>Skin corrosion/irritation</b>
No data available
<b>Serious eye damage/eye irritation</b>
No data available
<b>Respiratory or skin sensitisation</b>
No data available
<b>Germ cell mutagenicity</b>
No data available
<b>Carcinogenicity</b>

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
<b>Reproductive toxicity</b>
No data available No data available
<b>Specific target organ toxicity -single exposure</b>
No data available
<b>Specific target organ toxicity -repeated exposure</b>
No data available
<b>Aspiration hazard</b>
No data available
<b>Additional Information</b>
RTECS: Not available Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence (Sulfuric acid)

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

<b>Product</b>
Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.
<b>Contaminated packaging</b>
Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### DOT (US)

Not dangerous goods

## IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (5-Chloro-2-nitrobenzaldehyde)

Marine pollutant:yes

## IATA

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (5-Chloro-2-nitrobenzaldehyde)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

---

## 15. REGULATORY INFORMATION

### SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Component	CAS-No.	Revision Date
Sulfuric acid	7664-93-9	2007-07-01

### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Component	CAS-No.	Revision Date
Sulfuric acid	7664-93-9	2007-07-01

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

Component	CAS-No.	Revision Date
Sulfuric acid	7664-93-9	2007-07-01

### Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
5-Chloro-2-nitrobenzaldehyde	6628-86-0	
3-Chloro-4-nitrobenzaldehyde	57507-34-3	
5-Chloro-2-nitrobenzoic acid	2516-95-2	
Sulfuric acid	7664-93-9	2007-07-01

### New Jersey Right To Know Components

Component	CAS-No.	Revision Date
5-Chloro-2-nitrobenzaldehyde	6628-86-0	
3-Chloro-4-nitrobenzaldehyde	57507-34-3	
5-Chloro-2-nitrobenzoic acid	2516-95-2	
Sulfuric acid	7664-93-9	2007-07-01

### California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Component	CAS-No.	Revision Date
Sulfuric acid	7664-93-9	2007-09-28

---

## 16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity

Aquatic Chronic Chronic aquatic toxicity

Eye Dam. Serious eye damage

Eye Irrit. Eye irritation

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Met. Corr. Corrosive to metals

Skin Corr. Skin corrosion

Skin Irrit. Skin irritation

Skin Sens. Skin sensitisation

STOT SE Specific target organ toxicity - single exposure

### **HMIS Rating**

Health hazard: 3

Chronic Health Hazard: \*

Flammability: 0

Physical Hazard 2

### **NFPA Rating**

Health hazard: 3

Fire Hazard: 0

Reactivity Hazard: 0

---