

SAFETY DATA SHEET (SDS)

Product Name: Lithium bis(trimethylsilyl)amide solution in THF
Date Prepared: Feb 23,2023

SDS number: HS/SSJAJL001-2023
Version: A/0

Section 1 - Product and Company Identification

Product name	Lithium bis(trimethylsilyl)amide solution in THF
Applicant name	Lanzhou Hong Sheng Fine Chemical Co., LTD
Application address	Room 820, strategic emerging industry hatching base, Qinchuan Garden, Lanzhou new district, Lanzhou City, Gansu Province
Applicant post code	---
Applicant fax	---
Applicant emergency number	+86-13194871973
Applicant email	37048462@qq.com
Manufacturer name	Lanzhou Hong Sheng Fine Chemical Co., LTD
Manufacturer address	Room 820, strategic emerging industry hatching base, Qinchuan Garden, Lanzhou new district, Lanzhou City, Gansu Province
Manufacturer post code	---
Manufacturer fax	---
Manufacturer emergency number	+86-13194871973
Recommended and restricted USES	Used for aldol condensation

Section 2 –Hazards Identification

Hazard class and label elements of the substance according to GHS(the ninth revised edition):

GHS hazard class

Physical hazard	Flammable liquids	Category 2
Health hazard	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Carcinogenicity	Category 2
	Specific target organ toxicity, single exposure; Respiratory tract irritation	Category 3

Pictogram



Signal

Danger

Hazard statements

H225 Highly flammable liquid and vapour
H314 Causes severe skin burns and eye damage
H335 May cause respiratory irritation
H351 Suspected of causing cancer

Prevention

P203 Obtain, read and follow all safety instructions before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.

SAFETY DATA SHEET (SDS)

Product Name: Lithium bis(trimethylsilyl)amide solution in THF

Date Prepared: Feb 23, 2023

Response	P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
	P242 Use non-sparking tools.
	P243 Take action to prevent static discharges.
	P260 Do not breathe mists.
	P264+P265 Wash hands thoroughly after handling. Do not touch eyes
	P271 Use only outdoors or in a well-ventilated area.
	P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
	P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305 + P354 + P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P316 Get emergency medical help immediately.
	P363 Wash contaminated clothing before reuse.
	P370 + P378 In case of fire: Use dry powder and sand to extinguish fire. Do not use water or foam to extinguish fires
Storage	P403 + P235+ P233 Store in a well-ventilated place. Keep cool. Keep container tightly closed.
	P405 Store locked up.
Disposal	P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

Section 3 – Composition/Information on Ingredients

Component	Concentration (%)	CAS No.	EC No.
Tetrahydrofuran	Trade secret	109-99-9	203-726-8
1,1,1,3,3,3,-hexamethyldisilazane			
lithium salt	Trade secret	4039-32-1	223-725-6

Section 4 – First Aid Measures

After skin contact	Remove contaminated clothing and shoes immediately. Rinse with soap and plenty of water. Consult a doctor.
After eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a doctor.
After ingestion	Never feed an unconscious person anything from his or her mouth. Gargle with water. Consult a doctor.
After inhalation	If inhaled, move the patient to fresh air. Consult a doctor.

Section 5 – Fire Fighting Measures

Hazardous products of combustion	Carbon oxide, ammonia oxide, lithium oxide, silicon dioxide, explosive peroxide.
Extinguishing method	Use dry powder and sand to extinguish fire. Do not use water or foam to extinguish fires
Special protective equipment	Put on full body protective clothing and self-contained breathing apparatus to fight the fire.

SAFETY DATA SHEET (SDS)

Product Name: Lithium bis(trimethylsilyl)amide solution in THF

Date Prepared: Feb 23, 2023

Section 6 – Accidental Release Measure

Personal protective measures	Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental protective measures	Take measures to prevent further leakage or overflow under safe conditions. Don't let the product go down the drain.
Methods for taking in and cleaning up	Collect, enclose and extract the leakage, and use liquid absorbing materials to absorb the spill into a suitable closed container for disposal as hazardous waste.

Section 7 – Handling and Storage

Safe handling	Operate under a fume hood. Avoid contact with skin and eyes. Avoid inhaling steam or fog droplets. Keep away from fire. Fireworks are strictly prohibited. Take measures to prevent static buildup. Avoid contact with water.
Storage	Store in a cool place. Keep the container airtight, protect it with nitrogen, and store it in a dry, ventilated place. Open containers must be carefully resealed and held upright to prevent leakage. Keep away from heat sources, sparks, open flames, and hot surfaces.

Section 8 – Exposure Controls/Personal Protection

Engineering Controls	Operate in accordance with good industrial hygiene and safety practices. Wash hands before breaks and at the end of work. Use only in chemical exhaust hood. Ensure adequate ventilation, especially in closed areas. Make sure the eyewash and shower are close to the workplace. Where possible, engineering control measures such as process isolation or closure, the introduction of process or equipment changes to minimize the possibility of release or contact, and the adoption of properly designed ventilation systems shall be used to control hazardous material sources.
Respiratory protection	Wear a gas mask, or respiratory protective device.
Hand Protection	Handle with gloves. Gloves must be inspected prior to use and remove. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Eye protection	Wear chemical safety goggles.
Skin and body protection	Complete suit protecting against chemicals. Flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Section 9 – Physical and Chemical Properties

Physical state: Transparent liquid	Color: Yellow
Odor: Pungent smell	pH value: No data available
Melting point/freezing point(°C): No data available	Initial boiling point and boiling range(°C): No data available
Flash point(°C)(closed cup): No data available	Flammability: Flammable
Upper explosive limit%(V/V): No data available	Lower explosive limit%(V/V): No data available

SAFETY DATA SHEET (SDS)

Product Name: Lithium bis(trimethylsilyl)amide solution in THF

Date Prepared: Feb 23, 2023

Vapor pressure (hPa): No data available

Vapor density (g/mL): No data available

Relative density(/): No data available

Solubility: No data available

Octanol / water partition coefficient: No data available

Kinematic viscosity (mm²/s): No data available

Auto-ignition temperature(°C): No data available

Decomposition temperature(°C): No data available

Particle characteristics: No data available

Section 10 – Stability and Reactivity

Reactive	No data available.
Chemical stability	Stable under recommended storage conditions..
Possibility of hazardous reactions	Reacts violently with water.
Avoid conditions	Heat, flame and spark, heating, moisture.
Incompatible materials	Rubber, various plastics, tin, acid, oxygen, oxidant, alcohol, water.
Hazardous decomposition products	Carbon oxide, ammonia oxide, lithium oxide, silicon dioxide, explosive peroxide.

Section 11 – Toxicological Information

Acute toxicity: No data available.

Skin corrosion/irritation: Causes severe skin burns.

Serious eye damage/eye irritation: Causes serious eye damage

Respiratory or skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity: Suspected of causing cancer.

Reproductive toxicity: No data available.

Specific target organ toxicity – single exposure: May cause respiratory irritation.

Specific target organ toxicity – repeated exposure: No data available.

Aspiration hazard: No data available.

Section 12 – Ecological Information

Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

Mobility in soil: No data available.

Other adverse effects: No data available.

Section 13 – Disposal Considerations

Property of waste: No data available.

Methods of disposal: National and local regulations should be consulted before disposal. Contact with a qualified waste disposal agency for disposal.

Precautions of disposal: Contact professional waste disposal department to deal with waste.

Section 14 - Transport Information

UN number: 2924

UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.

(Contains Tetrahydrofuran and 1,1,1,3,3,3,-hexamethyldisilazane lithium salt)

SAFETY DATA SHEET (SDS)

Product Name: Lithium bis(trimethylsilyl)amide solution in THF

Date Prepared: Feb 23, 2023

Transportation primary hazard class: 3

Transportation secondary hazard class: 8

Packing group: II

Hazard labeling:



Marine Pollutants (Yes/No): Yes (《List of hazardous Marine pollution goods》)

Special precautions relating to transport or means of transport: The packing should be complete and the loading should be safe. During transportation, the container shall not leak, collapse, fall or be damaged. Transport vehicles and vessels must be thoroughly cleaned and disinfected, otherwise other articles may not be carried.

Section 15 - Regulatory Information

Regulatory Information: the following laws, regulations and standards provide for the safe use, storage, transport, handling, classification and labelling of chemicals:

List of chemicals	Is in the directory
List of hazardous chemicals under key supervision	-
List of highly toxic substances (2003 edition)	-
List of explosive-prone hazardous chemicals (2017 edition)	-
List of hazardous chemicals (2015 edition)	-
Classification and catalogue of Precursor Chemicals	-

Standard Series for classification and labelling of chemicals (GB 30000.2-2013-GB30000.29-2013)

Regulations on the Safety Administration of Dangerous Chemicals (order of the State Council No. 591)

Section 16 - Additional Information

Prepared Date: Feb 23, 2023

References: The SDS is prepared in accordance with 《Chemical Safety Technical Instructions the Contents and Sequence》(GB/T16483-2008) and 《Guidance for Preparing Chemical Safety Technical Instructions》(GB_T 17519-2013). The GHS classification of chemicals in the SDS is based on the chemical classification and label specification series standard (GB 30000.2-2013 ~ GB30000.29-2013).

Disclaimer: The chemical registration center of the Ministry of Emergency Management has provided all the relevant information in this SDS, but we can not guarantee its absolute completeness and accuracy. This SDS only provides safety precautions for those who are properly trained to use the product. To obtain the individual users of this SDS, under special conditions of use, must make an independent judgment of the applicability of this SDS. Under special circumstances, the chemical registry shall not be liable for any injury caused by the use of this SDS.