# **SAFETY DATA SHEET**

## 1. PRODUCT

## 1.1 Product identifiers

Name: Platinum(IV) chloride

CAS-No.: 13454-96-1

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Synthesis of substances

### 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Skin sensitisation (Category 1), H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H301 Toxic if swallowed. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
Precautionary statement(s)	P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Synonyms: Platinum tetrachloride

Formula: Cl₄Pt

Molecular weight: 336.89 g/mol CAS-No.: 13454-96-1 EC-No.: 236-645-1

### **Hazardous components**

Component	Classification	Concentration
Platinum(IV) chloride		
	Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; H301, H314, H317	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

No data available

## **6. ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Platinum(IV) chloride	13454-96-1	TWA	0.002000 mg/m3	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants
		TWA	0.002000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Remarks Upper Respiratory Tract irritation Asthma varies			n Asthma varies	
750		TWA	0.002000 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.002 mg/m3	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants
		TWA	0.002 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
(3)	Upper Respiratory Tract irritation Asthma varies			n Asthma varies
		TWA	0.002 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	0.002 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

### 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

Eye/face protection	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.  Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmen tal exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance	Form: powder Colour: dark brown
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point/range: 370 °C (698 °F) - dec.
Initial boiling point and boiling range	No data available
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	4.303 g/cm3 at 25 °C (77 °F)
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

# 9.2 Other safety information

No data available

## 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 276 mg/kg Inhalation: No data available Dermal: No data available No data available

## Skin corrosion/irritation

Skin - Rabbit

## Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

## Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

No data available No data available

## Specific target organ toxicity -single exposure

No data available

## Specific target organ toxicity -repeated exposure

No data available

## **Aspiration hazard**

No data available

## **Additional Information**

RTECS: Not available

spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

# DOT (US)

UN number: 2923 Class: 8 (6.1) Packing group: III

Proper shipping name: Corrosive solids, toxic, n.o.s. (Platinum(IV) chloride)

Reportable Quantity (RQ):
Poison Inhalation Hazard: No

#### **IMDG**

UN number: 2923 Class: 8 (6.1) Packing group: III EMS-No: F-A, S-B

Proper shipping name: CORROSIVE SOLID, TOXIC, N.O.S. (Platinum(IV) chloride)

#### IATA

UN number: 2923 Class: 8 (6.1) Packing group: III

Proper shipping name: Corrosive solid, toxic, n.o.s. (Platinum(IV) chloride)

# 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De

Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Acute Health Hazard

## **Massachusetts Right To Know Components**

Component	CAS-No.	Revision Date
Platinum(IV) chloride	13454-96-1	1993-04-24

## **Pennsylvania Right To Know Components**

Component	CAS-No.	Revision Date
Platinum(IV) chloride	13454-96-1	1993-04-24

## **New Jersey Right To Know Components**

Component	CAS-No.	Revision Date
Platinum(IV) chloride	13454-96-1	1993-04-24

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

Skin Corr. Skin corrosion

## **HMIS Rating**

Health hazard: 3

Chronic Health Hazard:

Flammability: 0

Physical Hazard 0

## **NFPA Rating**

Health hazard: 3

Fire Hazard: 0

Reactivity Hazard: 0