

Novel Potent (Dihydro)benzofuranyl Piperazines as Human Histamine Receptor Ligands – Functional Characterization and Modeling Studies on H<sub>3</sub> and H<sub>4</sub> Receptors

Michelle F. Corrêa, André B. Silva, Dóra J. Kiss, Gustavo A. B. Fernandes, Jhonatan C. Maraschin, Lucas T. Parreiras-e-Silva, Marina T. Varela, Sarah C. Simões, Michel Bouvier, György M. Keserű, Claudio M. Costa-Neto, João Paulo S. Fernandes

PII: S0968-0896(20)30754-9  
DOI: <https://doi.org/10.1016/j.bmc.2020.115924>  
Reference: BMC 115924

To appear in: *Bioorganic & Medicinal Chemistry*

Received Date: 5 November 2020  
Revised Date: 28 November 2020  
Accepted Date: 1 December 2020

Please cite this article as: M.F. Corrêa, A.B. Silva, D.J. Kiss, G. A. B. Fernandes, J.C. Maraschin, L.T. Parreiras-e-Silva, M.T. Varela, S.C. Simões, M. Bouvier, G.M. Keserű, C.M. Costa-Neto, J. Paulo S. Fernandes, Novel Potent (Dihydro)benzofuranyl Piperazines as Human Histamine Receptor Ligands – Functional Characterization and Modeling Studies on H<sub>3</sub> and H<sub>4</sub> Receptors, *Bioorganic & Medicinal Chemistry* (2020), doi: <https://doi.org/10.1016/j.bmc.2020.115924>

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.















































