

Journal Pre-proof

Does targeting Arg98 of FimH lead to high affinity antagonists?

Tihomir Tomašič, Said Rabbani, Roman P. Jakob, Andreas Reisner, Žiga Jakopin, Timm Maier, Beat Ernst, Marko Anderluh



PII: S0223-5234(20)31065-5

DOI: <https://doi.org/10.1016/j.ejmech.2020.113093>

Reference: EJMECH 113093

To appear in: *European Journal of Medicinal Chemistry*

Received Date: 28 September 2020

Revised Date: 20 November 2020

Accepted Date: 6 December 2020

Please cite this article as: T. Tomašič, S. Rabbani, R.P. Jakob, A. Reisner, Ž. Jakopin, T. Maier, B. Ernst, M. Anderluh, Does targeting Arg98 of FimH lead to high affinity antagonists?, *European Journal of Medicinal Chemistry*, <https://doi.org/10.1016/j.ejmech.2020.113093>.

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2020 Published by Elsevier Masson SAS.

