


Removal of methylene blue and rose bengal dyes from aqueous solutions using 1-naphthylammonium tetrachloroferrate (III)

Ahmed Abdi Hassan, Muhammad Sajid, Abdulkadir Tanimu, Ismail Abdulazeez, Khalid Alhooshani



PII: S0167-7322(20)37208-1

DOI: <https://doi.org/10.1016/j.molliq.2020.114966>

Reference: MOLLIQ 114966

To appear in: *Journal of Molecular Liquids*

Received date: 29 August 2020

Revised date: 19 November 2020

Accepted date: 3 December 2020

Please cite this article as: A.A. Hassan, M. Sajid, A. Tanimu, et al., Removal of methylene blue and rose bengal dyes from aqueous solutions using 1-naphthylammonium tetrachloroferrate (III), *Journal of Molecular Liquids* (2020), <https://doi.org/10.1016/j.molliq.2020.114966>

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





































































































