

Photocleavable Initiator Nucleotide Substrates for an Aldolase Ribozyme

*Stefan Fusz, Seergazhi G. Srivatsan, Damian Ackermann, and Michael Famulok**



LIMES Institute, Program Unit Chemical Biology and Medicinal Chemistry, c/o Kekulé Institut für
Organische Chemie und Biochemie, Universität Bonn, Gerhard-Domagk-Str. 1, 53121 Bonn, Germany

Supporting Information



Contents

Compound 1 – ^1H -, ^{13}C -, and ^{31}P -NMR spectra.....	S2-4
Compound 2 – ^1H -, and ^{13}C -NMR spectra.....	S5-6
Compound 4 – ^1H -, and ^{13}C -NMR spectra.....	S7-8
Compound 6 – ^1H -NMR spectrum.....	S9
Compound 8 – ^1H -, and ^{13}C -NMR spectra.....	S10-11
Compound 10 – ^1H -, and ^{13}C -NMR spectra.....	S12-13
Compound 11 – ^1H -, and ^{31}P -NMR spectra	S14-15
Compound 15 – ^1H -, and ^{13}C -NMR spectra	S16-17



¹H-NMR compound 1






¹³C-NMR compound **1**





^{31}P -NMR compound **1**








¹H-NMR compound 2





¹³C-NMR compound **2**





^1H -NMR compound **4**





^{13}C -NMR compound **4**





¹H-NMR compound **6**





^1H -NMR compound **8**





^{13}C -NMR compound **8**





¹H-NMR compound **10**





¹³C-NMR compound **10**





^1H -NMR compound **11**



^{31}P -NMR compound **11**



¹H-NMR compound **15**



^{13}C -NMR compound **15**