

Supporting Information
for DOI: 10.1055/s-0029-1216835
© Georg Thieme Verlag KG Stuttgart · New York 2009

Supporting Information

Rhodium Carbenoid Induced [1,2]-Migration in L-Lyxo-configured α -Diazo- β -keto ester: Synthesis of a New Griseolic Acid Analogue

Namdeo N. Bhujbal, K. S. Ajish Kumar, and Dilip D. Dhavale*

Department of Chemistry, Garware Research Centre, University of Pune, Pune-411007

INDIA

ddd@chem.unipune.ernet.in


Table of contents

Page(s)

Copies of ^1H and ^{13}C NMR spectra of

Compounds 3a, 3b, 3c, 4, 5, 6, 8, 9, 10, 11, 1e.

01 – 23






Figure 2: ^{13}C NMR (75 MHz, CDCl_3) spectrum of compound 3a




Figure 3: ^1H NMR (300 MHz, CDCl_3) spectrum of compound 3b





Figure 4: ^{13}C NMR (75 MHz, CDCl_3) spectrum of compound 3b




Figure 5: ^1H NMR (300 MHz, CDCl_3) spectrum of compound 3c





Figure 6: ¹³C NMR (75 MHz, CDCl₃) spectrum of compound 3c








Figure 8: ^{13}C NMR (75 MHz, CDCl_3) spectrum of compound 4






Figure 10: ^{13}C NMR (75 MHz, CDCl_3) spectrum of compound 5




Figure 11: ^1H NMR (300 MHz, CDCl_3) spectrum of compound 6




Figure 12: ^{13}C NMR (75 MHz, CDCl_3) spectrum of compound 6





Figure 13: ^1H NMR (300 MHz, CDCl_3) spectrum of compound 8






Figure 15: ^1H NMR (300 MHz, CDCl_3) spectrum of compound 9






Figure 16: ^{13}C NMR (75 MHz, CDCl_3) spectrum of compound 9







Figure 18: ^{13}C NMR (75 MHz, D_2O) spectrum of compound 10




Figure 20: ^{13}C NMR (75 MHz, CDCl_3) spectrum of compound 11




Figure 21: ^1H NMR (300 MHz, CDCl_3) spectrum of compound 1e




Figure 22: ^{13}C NMR (75 MHz, D_2O) spectrum of compound 1e