# Chemical Safety Data Sheet MSDS / SDS

# Sodium bromide

Revision Date:2024-07-27 Revision Number:1

# SECTION 1: Identification of the substance/mixture

#### **Product identifier**

Product name : Sodium bromide

CBnumber : CB3181001

CAS : 7647-15-6

EINECS Number : 231-599-9

Synonyms : Sodium bromide, NaBr

# SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

#### Hazard statements

H303 May be harmfulif swallowed

# SECTION 3: Composition/information on ingredients

#### **Substance**

Product name : Sodium bromide

Synonyms : Sodium bromide,NaBr

CAS : 7647-15-6
EC number : 231-599-9
MF : NaBr
MW : 102.89

1

## SECTION 4: First aid measures

### Description of first aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## **Extinguishing media**

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Hydrogen bromide gas Sodium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.


#### Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

## **Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **NFPA 704**



HEALTH	1	Exposure would cause irritation with only minor residual injury (e.g. <u>acetone</u> , sodium bromate, potassium chloride)
FIRE	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia)
REACT	1	Normally stable, but can become unstable at elevated temperatures and pressures (e.g. <u>propene</u> )
SPEC. HAZ.		

# SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## **Environmental precautions**

Do not let product enter drains.

## Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

## Precautions for safe handling

For precautions see section 2.2.

## Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Dry.

Hygroscopic.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

#### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

# SECTION 9: Physical and chemical properties

#### Information on basic physicochemical properties

Odour	Appearance	colorless crystalline
Odoli	Odour	odorless

Odour Threshold	No data available d) pH 5,74 at 430 g/l at 22,5 °C Melting point/freezing point Initial boiling point and
	boiling range Melting point/freezing point: 747 °C at ca.1.013 hPa 1.390 °C at ca.1.013 hPa Flash
	point Not applicable Evaporation rate No data available Flammability (solid, gas) Upper/lower
	flammability or explosive limits No data available No data available Vapour pressure 1 hPa at 806 $^{\circ}\text{C}$
	Vapour density No data available Relative density No data available Water solubility 946 g/l at 25 $^{\circ}\text{C}$
	- soluble Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature
	No data available No data available >750 °C - Viscosity Viscosity, kinematic: 2550 mm2/s - OPPTS
	830.7100 Viscosity, dynamic: No data available Explosive properties No data available Oxidizing
	properties No data available
Melting point/freezing point	Melting point/freezing point: 747 °C at ca.1.013 hPa
Initial boiling point and boiling range	1.390 °C at ca.1.013 hPa
Flash point	Not applicable
Evaporation rate	1390°C
Flammability (solid, gas)	No data available
Flammability (solid, gas)  Upper/lower flammability or explosive	No data available  No data available
Upper/lower flammability or explosive	
Upper/lower flammability or explosive limits	No data available
Upper/lower flammability or explosive limits  Vapour pressure	No data available  1 hPa at 806 °C
Upper/lower flammability or explosive limits Vapour pressure Vapour density	No data available  1 hPa at 806 °C  1 mm Hg ( 806 °C)
Upper/lower flammability or explosive limits  Vapour pressure  Vapour density  Relative density	No data available  1 hPa at 806 °C  1 mm Hg ( 806 °C)  No data available
Upper/lower flammability or explosive limits  Vapour pressure  Vapour density  Relative density  Water solubility	No data available  1 hPa at 806 °C  1 mm Hg ( 806 °C)  No data available  946 g/l at 25 °C - soluble
Upper/lower flammability or explosive limits  Vapour pressure  Vapour density  Relative density  Water solubility  Partition coefficient: n-octanol/water	No data available  1 hPa at 806 °C  1 mm Hg ( 806 °C)  No data available  946 g/l at 25 °C - soluble  H <sub>2</sub> O: 1 M at 20 °C, clear, colorless
Upper/lower flammability or explosive limits  Vapour pressure  Vapour density  Relative density  Water solubility  Partition coefficient: n-octanol/water  Autoignition temperature	No data available  1 hPa at 806 °C  1 mm Hg ( 806 °C)  No data available  946 g/l at 25 °C - soluble  H <sub>2</sub> O: 1 M at 20 °C, clear, colorless  No data available
Upper/lower flammability or explosive limits  Vapour pressure  Vapour density  Relative density  Water solubility  Partition coefficient: n-octanol/water  Autoignition temperature  Decomposition temperature	No data available  1 hPa at 806 °C  1 mm Hg ( 806 °C)  No data available  946 g/l at 25 °C - soluble  H <sub>2</sub> O: 1 M at 20 °C, clear, colorless  No data available  >750 °C -
Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density Water solubility Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Viscosity	No data available  1 hPa at 806 °C  1 mm Hg ( 806 °C)  No data available  946 g/l at 25 °C - soluble  H <sub>2</sub> O: 1 M at 20 °C, clear, colorless  No data available  >750 °C -  Viscosity, kinematic: 2550 mm2/s - OPPTS 830.7100 Viscosity, dynamic: No data available

## Other safety information

Solubility in other solvents

Toluene 0,01 g/l at 22  $^{\circ}\text{C}$ 

# SECTION 10: Stability and reactivity

## Reactivity

No data available

## **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

λ: 280 nm Amax: 0.01

# Possibility of hazardous reactions

Risk of explosion with:

Alkali metals

halogen-halogen compounds

Generates dangerous gases or fumes in contact with: Strong acids

Release of:

hydrogen bromide

#### Conditions to avoid

Avoid moisture. Heat. no information available

## Incompatible materials

No data available

### Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 4.200 mg/kg

(OECD Test Guideline 401) LD50 Oral - Rat - 3.500 mg/kg

LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

No data available

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (US-EPA)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitization

Does not cause skin sensitization. (OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473

Result: negative

Test Type: unscheduled DNA synthesis assay

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 482

Result: negative

Test Type: Micronucleus test Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474 Result: negative

Remarks: The value is given in analogy to the following substances: ammonium bromide

## Carcinogenicity

No data available

## Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### **Toxicity**

LD50 orally in rats: 3.5 g/kg (Smith, Hambourger)

# **SECTION 12: Ecological information**

## **Toxicity**

#### Toxicity to daphnia and other aquatic invertebrates

static test NOEC - Daphnia magna (Water flea) - >= 1.000 mg/l - 48 h

(US-EPA)

#### Toxicity to algae

ErC50 - Skeletonema costatum (marine diatom) - > 440 mg/l - 72 h (OECD Test Guideline 201)

## Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

## Bioaccumulative potential

Bioaccumulation - 7 d

at 25 °C - 53,11 mg/l(sodium bromide)

Bioconcentration factor (BCF): 0,23

## Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

#### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

#### **UN** number

ADR/RID: - IMDG: - IATA: -

#### **UN proper shipping name**

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

#### Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

#### **Packaging group**

ADR/RID: - IMDG: - IATA: -

## **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

## Special precautions for user

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

# SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

## SECTION 16: Other information

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit TWA: Time Weighted Average

#### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.