



Certificate of Analysis

第 2 页 / 共 2 页

Product Name	BPC-157	Catalog No.	SMP0126
Batch No.	P24042501	CAS No.	137525-51-0
Sequence	Gly-Glu-Pro-Pro-Gly-Lys-Pro-Ala-Asp-Asp-Ala-Gly-Leu-Val		
Manufacturing Date	Apr,29,2024	Received Date	Apr,29,2024
Report Date	May,28,2024	Retest Date	Apr,28,2026
Test Reference	In-house specification/Protocol specification		
Test Items	Standard Specification	Test Results	
	Acetonitrile: $\leq 0.041\%$ Methylene chloride: $\leq 0.06\%$ N,N-Dimethylformamide: $\leq 0.088\%$ Triethylamine: $\leq 0.032\%$ Tert-butyl methyl ether: $\leq 0.5\%$	Acetonitrile: 0.027% Methylene chloride: N.D N,N-Dimethylformamide: N.D Triethylamine: N.D Tert-butyl methyl ether: N.D	
Peptide Assay	$\geq 80.0\%$	89.87%	
Packaging and storage	Store at a temperature of 2~8°C, protected from light.		
Conclusion	This batch of product complies with Enterprise Standard		
Prepared by/Date: Yuchen Ding 2024.05.28.	Reviewed by/Date: Jin Wu 2024.05.28.	Approved by/Date: 2024.05.28.	