Design Report of Safety Data Sheet

The state of the s	Date 2024/10/10
Name of the sample	Propylene glycol monomethyl ether ACETATE);METHOXY PROPYL ACETATE(MPA\PGMEA)
Applicant	JIANGSU DYNAMIC CHEMICAL CO.,LTD.
Supplier	JIANGSU DYNAMIC CHEMICAL CO.,LTD.
Composition of the sample	Propylene glycol monomethyl ether acetate(PMA\PM ACETATE);METHOXY PROPYL ACETATE(MPA\PGMEA): 99.5%; Water: 0.5%
Warranty of Design	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) Tenth revised edition
	Design Result of SDS please see next page.
Designer	[ 表 ] Approver

Notes: This SDS is valid before the implementation of the eleventh revised edition GHS.



地址:中国.常州市天宁区青洋北路 47号

Add: 47 Qingyang North Road, Tianning District, Changzhou, China

网址: www.dptc.org

电话 (Tel): +86-519-85152626, 85807785

邮编 (P.C.): 213000

# **SAFETY DATA SHEET**

# Propylene glycol monomethyl ether acetate(PMA\PM ACETATE);METHOXY PROPYL ACETATE(MPA\PGMEA)



JIANGSU DYNAMIC CHEMICAL CO.,LTD.

According to GHS (Tenth Revised Edition)

# **Section 1 Product and Company Identification**

> Product Identifier

Product Name Propylene glycol monomethyl ether acetate(PMA\PM ACETATE);METHOXY

PROPYL ACETATE(MPA\PGMEA)

Synonyms

\_

CAS No.

108-65-6

EC No.

203-603-9

Molecular Formula

C<sub>6</sub>H<sub>12</sub>O<sub>3</sub>

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Relevant Identified** 

Uses

Mainly used in TFT-LCD photo-resistance diluent in the production of LCD and optical resist, photo-resist remover, stripping agent, detergent for IC, photo resist-removing buffer solution, corrosive processing and other chemicals requiring special specification. It is also used in the solvent of printing ink, paint,

writing ink, textile dyestuff and oil.

**Uses Advised Against** 

Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

**Applicant Name** 

JIANGSU DYNAMIC CHEMICAL CO.,LTD.

**Application Address** 

NO. 2, BAILONG ROAD, NANJING CHEMICAL INDUSTRY PARK, CHINA

**Supplier Name** 

JIANGSU DYNAMIC CHEMICAL CO.,LTD.

**Supplier Address** 

NO. 2, BAILONG ROAD, NANJING CHEMICAL INDUSTRY PARK, CHINA

**Supplier Post Code** 

210047

**Supplier Telephone** 

+86-25-57098560

**Supplier Fax** 

+86-25-58392798

Supplier E-mail

duchencheng@dynai.com

> Emergency Phone Number

**Emergency Phone** 

Number

+86-25-57098565

#### Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the tenth revised edition):

> GHS Hazard Class

Flammable Liquids

Specific Target Organ

Toxicity, Single Exposure; Narcotic

Category 3

Category 3

**Effects** 

#### > GHS Label Elements

**Pictogram** 



Signal Word

Warning

#### > Hazard Statements

H226

Flammable liquid and vapour

H336

May cause drowsiness or dizziness

#### > Precautionary Statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233 Keep container tightly closed.

**P240** Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or with adequate ventilation.

P280 Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection.

Response

P319 Get medical help if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P370+P378 In case of fire: Use suitable extinguishing medium to extinguish.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

affected areas with water [or shower].

Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

# Section 3 Composition/Information on Ingredients

Component	percent, %)	CAS No.	EC No.	
Propylene glycol monomethyl ether acetate(PMA\PM	99.5	108-65-6	203-603-9	

ACETATE);METHOXY PROPYL ACETATE(MPA\PGMEA)

Water

0.5

7732-18-5

231-791-2

#### Section 4 First Aid Measures

# > Description of First Aid Measures

General Advice Immediate medical attention is required. Show this safety data sheet (SDS) to

the doctor in attendance.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician if feel uncomfortable.

Skin Contact Take off contaminated clothing and shoes immediately. Wash off with plenty of

water for at least 15 minutes and consult a physician if feel uncomfortable. Do not induce vomiting. Never give anything by mouth to an unconscious

**Ingestion**Do not induce vomiting. Never give anything by mouth to an unperson. Call a physician or Poison Control Center immediately.

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use

**Inhalation** mouth to mouth resuscitation if victim ingested or inhaled the substance. If not

breathing, give artificial respiration and consult a physician immediately. Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Protecting of First-aiders

# > Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

# > Indication of Any Immediate Medical Attention and Special Treatment Needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

# **Section 5 Fire Fighting Measures**

#### > Extinguishing Media

**Suitable Extinguishing** 

Media

Unsuitable

**Extinguishing Media** 

Dry chemical, carbon dioxide or alcohol-resistant foam.

Do not use a solid water stream as it may scatter or spread fire.

# > Specific Hazards Arising from the Substance or Mixture

- 1 Will form explosive mixtures with air.
- Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/ or vapour concentration.
- 3 Vapours may travel to source of ignition and flash back.
- 4 Liquid and vapour are flammable.
- 5 Containers may explode when heated.
- 6 Fire exposed containers may vent contents through pressure relief valves.
- 7 May expansion or decompose explosively when heated or involved in fire.

#### > Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

# > Personal Precautions, Protective Equipment and Emergency Procedures

### Section 6 Accidental Release Measure

- 1 Avoid breathing vapors and contacting with skin and eye.
- 2 Beware of vapours accumulating to form explosive concentrations.
- 3 Vapours can accumulate in low areas.
- 4 Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
- 5 Ensure adequate ventilation. Remove all sources of ignition.
- 6 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 7 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

#### > Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

# > Methods and Materials for Containment and Cleaning Up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

# Section 7 Handling and Storage

# > Precautions for Handling

- 1 Avoid inhalation of vapors.
- 2 Use only non-sparking tools.
- To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- 6 Wear suitable protective equipment.
- 7 Avoid contact with skin and eyes.
- 8 Keep away from heat/sparks/open flames/hot surfaces.
- 9 Take precautionary measures against static discharges.

#### > Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

# **Section 8 Exposure Controls/Personal Protection**

### > Control Parameters

**Occupational Exposure Limit Values** 

Component	Country/Region	Limit Value	e - Eight Hours	<b>Limit Value - Short Term</b>		
	Country/ Region	ppm	mg/m³	ppm	mg/m³	
Propylene glycol monomethyl ether acetate(PMA\P M ACETATE);MET	Switzerland	50	275	50	275	
	Latvia	50	275	100	550	
	Ireland	50	275	100	550	
	Germany (AGS)	50	270	50	270	
	Denmark	50	275	100	550	
HOXY PROPYL ACETATE(MPA\ PGMEA) 108-65-6	Australia	50	274	100	548	

#### **Biological Limit Values**

No information available

#### **Monitoring Methods**

- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 2 300 Determination of toxic substances in workplace air(Series standard).

# > Engineering Controls

- Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- Set up emergency exit and necessary risk-elimination area.

# > Personal Protection Equipment

**Eye Protection** Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to **Hand Protection** 

EN 374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are

**Respiratory protection** experienced, use a full-face respirator with multi-purpose combination (US) or

type AXBEK (EN 14387) respirator cartridges.

Skin and Body

**Protection** 

Wear fire/flame resistant/retardant clothing and antistatic boots.

#### Section 9 **Physical and Chemical Properties**

Appearance: Colorless transparent liquid Odor: No information available

Odor Threshold: No information available pH: 4 (20°C, 200g/l)

Melting Point/Freezing Point (°C): -67 Initial Boiling Point and Boiling Range (°C): 148~151 Flash Point (°C) (Closed Cup): 42

Evaporation Rate: No information available Upper/lower explosive limits [%(v/v)]: Upper limit:

Flammability: Not applicable 7.0; Lower limit: 1.5

Vapor Pressure (KPa): 0.5 (20°C) Relative Vapour Density (Air = 1): 4.6Relative Density (Water=1): 0.96 Solubility: 220g/l (20°C, in water)

n-Octanol/Water Partition Coefficient: No Auto-Ignition Temperature (°C): No information

information available available

Decomposition Temperature (°C): No information Kinematic Viscosity (mm²/s): No information

available

available

# Section 10 Stability and Reactivity

Reactivity Contact with incompatible substances can cause decomposition or other

chemical reactions.

**Chemical Stability** Stable under proper operation and storage conditions.

Possibility of In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and

**Hazardous Reactions** release hydrogen.

**Conditions to Avoid** Incompatible materials, heat, flame and spark.

**Incompatible Materials** Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal

oxide, acyl halide and metal phosphide.

Hazardous

Decomposition

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11 Toxicological Information

# > Acute Toxicity

Component	CAS No.	LD <sub>50</sub> (Oral)	LD <sub>50</sub> (Dermal)	LC <sub>50</sub> (Inhalation, 4h)
Propylene glycol monomethyl ether acetate(PMA\P M ACETATE);MET HOXY PROPYL ACETATE(MPA\ PGMEA)	108-65-6	8532mg/kg(Rat)	> 5000mg/kg(Rabbit)	No information available

#### > Skin Corrosion/Irritation

No information available

#### > Serious Eye Damage/Irritation

No information available

#### > Skin Sensitization

No information available

# > Respiratory Sensitization

No information available

# > Germ Cell Mutagenicity

No information available

# > Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	108-65-6	Propylene glycol monomethyl ether acetate(PMA\PM	Not Listed	Not Listed

		ACETATE);METHOXY		
		PROPYL		
		ACETATE(MPA\PGMEA)		
2	7732-18-5	Water	Not Listed	Not Listed

# > Reproductive Toxicity

No information available

# > Reproductive Toxicity (Additional)

No information available

# > STOT-Single Exposure

May cause drowsiness or dizziness(Category 3)

# > STOT-Repeated Exposure

No information available

# > Aspiration Hazard

No information available

# **Section 12 Ecological Information**

# > Acute Aquatic Toxicity

Component	CAS No.	Fish	Crustaceans	Algae
Propylene glycol monomethyl ether acetate(PMA\P M ACETATE);MET HOXY PROPYL ACETATE(MPA\ PGMEA)	108-65-6	LC <sub>50</sub> : >100mg/L (96h)(Fish)	EC <sub>50</sub> : 370mg/L (48h)	ErC <sub>50</sub> : >1000mg/L (72h)

# > Chronic Aquatic Toxicity

Component	omponent CAS No.		Fish Crustaceans			
Propylene glycol monomethyl ether acetate(PMA\P M ACETATE);MET HOXY PROPYL ACETATE(MPA\ PGMEA)	108-65-6	No information available	NOEC: >100mg/L	NOEC: 1000mg/L		

#### > Others

Persistence and Degradability **Bioaccumulative** 

No information available

**Potential** 

No information available

**Mobility in Soil** 

No information available

Results of PBT and vPvB Assessment

Propylene glycol monomethyl ether acetate(PMA\PM ACETATE);METHOXY PROPYL ACETATE(MPA\PGMEA) does not meet the criteria for PBT and vPvB

according to Regulation (EC) No 1907/2006, annex XIII.

Water does not meet the criteria for PBT and vPvB according to Regulation (EC)

No 1907/2006, annex XIII.

#### Section 13 **Disposal Considerations**

**Waste Chemicals** 

Before disposal should refer to the relevant national and local laws and

regulation.

Contaminated **Packaging** Disposal

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to Waste chemicals and Contaminated packaging.

Recommendations

# **Section 14 Transport Information**

**Transporting Label** 



Marine pollutant

None

**UN Number** 

3272

**UN Proper Shipping** 

Name

ESTERS, N.O.S.

**Transport Hazard Class** 

**Transport Subsidiary** 

NONE

**Hazard Class Packing Group** 

Ш

# Section 15 Regulatory Information

# > International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Propylene glycol monomethyl ether acetate(PMA\PM ACETATE);METHOX Y PROPYL ACETATE(MPA\PG MEA)	<b>√</b>	<b>V</b>	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>V</b>	<b>√</b>	×
Water	√	√	√	√	√	√	√	√	√

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

# Propylene glycol monomethyl ether acetate(PMA\PM ACETATE);METHOXY PROPYL ACETATE(MPA\PGMEA) DG2445027E

[DSL]	Canadian Domestic Substances List.
[IECSC]	China Inventory of Existing Chemical Substances.
[NZIoC]	New Zealand Inventory of Chemicals.
[PICCS]	Philippines Inventory of Chemicals and Chemical Substances.
[KECI]	Existing and Evaluated Chemical Substances.
[AICS]	Australia Inventory of Chemical Substances.
[ENCS]	Existing And New Chemical Substances.

#### Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

"x" That no data or included in the regulations

#### Section 16 Additional Information

Creation Date 2024/10/10
Revision Date 2024/10/10
Reason for Revision -

1,1

#### > Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 10th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.



# 南京海关危险货物与包装检测中心国家化学品分类鉴别与评估重点实验室



Terms of the Using of the Report

- 1. The report is issued by DPTC according to the information of the chemicals and the information of its shipping provided by the applicant (shipper or his agent).
- 2. According to the demand of this SDS, DPTC requires the applicant to provide true and the manufacture and data.
- 3. Information from applicant is the key of this Label, so the center will not respond for the wrong of applicant.
- 4. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
- 5. This report will be effective only after it is signed by the inspector, approver and stamped by DPTC.
- Our center guarantees the objectivity and fairness of this report, and carries out confidentiality obligations on business secrets such as business information, technical documents and so on.
- 7. The partly duplicating of this report is prohibited without the written approver of DPTC.
- 8. The report is invalid when anything of the following happens-illegal transfer, embezzlement, imposture, modification or tampering in any media form.
- 9. The authenticity of the certificate can be checked by scanning the QR code of this certificate.





邮编 (P.C.): 213000

地址:中国.常州市天宁区青洋北路 47号

Add: 47 Qingyang North Road, Tianning District, Changzhou, China

网址: www.dptc.org