

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion No44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

MSDS OF N-METHYL MORPHOLINE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name N-METHYL MORPHOLINE

CAS-No. : 109-02-4

1.2 Details of the supplier of the safety data sheet

Company : QINGDAO ON-BILLION INDUSTRIAL CO., LTD.
F35, Parkson Mansion No44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071
Telephone : 0086-532-80681995
Fax : 0086-532-80681980
E-mail address : QINGDAOONBILLION@GMAIL.COM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 4), H302

Skin corrosion (Category 1B), H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

F, C Highly flammable, Corrosive R11, R22, R34

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H225

Highly flammable liquid and vapour.

H302

Harmful if swallowed.

H314

Causes severe skin burns and eye damage.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/ physician.

Supplemental Hazard Statements

none

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : C₅H₁₁NO

Molecular Weight : 101,15 g/mol

CAS-No. : 109-02-4

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion No 44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

EC-No. : 203-640-0

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
4-Methylmorpholine		
CAS-No. 109-02-4	Flam. Liq. 2; Acute Tox. 4; Skin Corr. 1B; H225, H302, H314	<= 100 %
EC-No. 203-640-0		

Hazardous ingredients according to Directive 1999/45/EC

Component	Classification	Concentration
4-Methylmorpholine		
CAS-No. 109-02-4	F, C, R11 - R22 - R34	<= 100 %
EC-No. 203-640-0		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion No 44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

A part from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion No44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

Break through time: 480 min

Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,2 mm

Break through time: 30 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,
test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	Form: clear, liquid Colour: colourless
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	10,6 at 50 g/l at 20 °C
e) Melting point/freezing point	Melting point/range: -66 °C - lit.
f) Initial boiling point and boiling range	115 - 116 °C at 1.000 hPa - lit.
g) Flash point	14 °C - closed cup
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 11,8 %(V) Lower explosion limit: 2,2 %(V)
k) Vapour pressure	30,0 hPa at 20 °C
l) Vapour density	3,49 - (Air = 1.0)

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion No 44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

- | | |
|---|---------------------------------|
| m) Relative density | 0,92 g/cm ³ at 25 °C |
| n) Water solubility | completely miscible |
| o) Partition coefficient: n-octanol/water | log Pow: -0,32 |
| p) Auto-ignition temperature | no data available |
| q) Decomposition temperature | no data available |
| r) Viscosity | no data available |
| s) Explosive properties | no data available |
| t) Oxidizing properties | no data available |

9.2 Other safety information

Relative vapour density 3,49 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

acids, Acid chlorides, Acid anhydrides, Strong oxidizing agents, Carbon dioxide (CO₂)

10.6 Hazardous decomposition products

Other decomposition products - no data available
In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 1.960 mg/kg

Skin corrosion/irritation

Skin - rabbit

Result: Open irritation test

Serious eye damage/eye irritation

Eyes - rabbit

Result: Severe eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion No.44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Developmental Toxicity - rat - Oral

Specific Developmental Abnormalities: Central nervous system. Specific Developmental Abnormalities: Craniofacial (including nose and tongue). Specific Developmental Abnormalities: Musculoskeletal system.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: QE5775000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

SECTION 12: Ecological information

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2535

IMDG: 2535

IATA: 2535

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion No 44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

14.2	UN proper shipping name ADR/RID: 4-METHYLMORPHOLINE IMDG: 4-METHYLMORPHOLINE IATA: 4-Methylmorpholine		
14.3	Transport hazard class(es) ADR/RID: 3 (8)	IMDG: 3 (8)	IATA: 3 (8)
14.4	Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5	Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user no data available		

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
Skin Corr.	Skin corrosion

Full text of R-phrases referred to under sections 2 and 3

C	Corrosive
F	Highly flammable
R11	Highly flammable.
R22	Harmful if swallowed.
R34	Causes burns.

Further information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.