



Certificate of Analysis

N-Methyltyramine HCl
4-[2-(Methylamino)ethyl]phenol HCl
CAS No: 13062-76-5

Batch No:20171108

Quantity:500kg

Date of Manufacture: Nov.08,2017

Date of Expire:Nov.07,2019

Test	Standard	Results
Characteristics	off-white crystalline powder	Meet the Requirements.
Assay	NLT98%	99.25%
Moisture:	NMT 0.5%	0.21%
Heavy Metals:	NMT 10 ppm	Meet the Requerements
Arsenic:	MT 2ppm	Meet the Requerements
Cadmium:	NMT 1 ppm	Meet the Requerements
Lead:	NMT 1 ppm	Meet the Requerements
Mercury:	NMT 0.1 ppm	Meet the Requerements
Solvent Residues:	NMT 100 ppm	Meet the Requerements
Total Plate Count:	NMT 1,000 cfu/g	Meet the Requerements
Total Yeast & Mold:	NMT 100 cfu/g	Meet the Requerements
E. Coli:	Negative	Meet the Requerements
Salmonella:	Negative	Meet the Requerements
Conclusion	Conforms to above standard.	

HANGZHOU FORTUNE BIOPHARM CO., LTD.
杭州泛青生物医药有限公司