SAFETY DATA SHEETS

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS) - Sixth revised edition

Version: 1.0

Creation Date: Aug 11, 2017

Revision Date: Aug 11, 2017

1.Identification

1.1GHS Product identifier

Product name chloral hydrate

1.20ther means of identification

Product number -

Other names Trichloroacetaldehyde Hydrate

1.3Recommended use of the chemical and restrictions on use

Identified uses For industry use only.

Uses advised against no data available

1.4Supplier's details

Company Xi' an HNBiotechnology Co., Ltd.

Address Qinzhou Road, Xuhui District, Shanghai, China

Telephone 86(21)54365062

Fax

1.5Emergency phone number

Emergency phone 86(21)54365062

number

Service hours Monday to Friday, 9am-5pm (Standard time zone:

UTC/GMT +8 hours).

2. Hazard identification

2.1Classification of the substance or mixture

Acute toxicity - Oral, Category 3 Skin irritation, Category 2

Eye irritation, Category 2

2.2GHS label elements, including precautionary statements

Pictogram(s)



Signal word Danger

Hazard statement(s) H301 Toxic if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation

Precautionary

statement(s)

Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this

product.

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

Response

P301+P310 IF SWALLOWED: Immediately call a POISON

CENTER/doctor/...

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P332+P313 If skin irritation occurs: Get medical

advice/attention.

P362+P364 Take off contaminated clothing and wash it

before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical

advice/attention.

Storage

P405 Store locked up.

2.30ther hazards which do not result in classification

none

3. Composition/information on ingredients

3.1Substances

Chemical	Common names and	CAS	EC	Concentration	
name	synonyms	number	number		
chloral	chloral hydrata	302-17-0	none	100%	
hydrate	chloral hydrate				

4.First-aid measures

4.1Description of necessary first-aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

Fresh air, rest. Artificial respiration may be needed. Refer immediately for medical attention.

In case of skin contact

Rinse skin with plenty of water or shower.

In case of eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

If swallowed

Rinse mouth. Do NOT induce vomiting. Refer immediately for medical attention.

4.2Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this compound include general anesthesia, cardiac arrythmias and blood pressure depression. Other symptoms include hemorrhagic gastritis, enteritis, central nervous system depression, coma, severe respiratory depression, ventricular tachycardia and cardiac arrest. Dermatitis, swelling of the lids, hyperemia, edema of the conjuctiva and a sensation of irritation and tearing may also occur. Exposure may result in gastric irritation, rapid circulatory collapse, kidney and liver damage, heart damage, psychosis and leukopenia. Flatulence, abdominal distension, nausea, headache, giddiness, rashes and blood dyscrasias can occur. ACUTE/CHRONIC HAZARDS: This compound is an irritant of the skin and eyes. When heated to decomposition it emits toxic fumes of chlorine.

4.3Indication of immediate medical attention and special treatment needed, if necessary

Maintain an open airway and assist ventilation if necessary. Administer supplemental oxygen. Treat coma, hypothermia, hypotension, and pulmonary edema if they occur. Monitor patients for at least 6 hours after ingestion, because delayed absorption may occur. Patients with chloral hydrate ingestion should be monitored 18 to 24 hours because of the risk of cardiac arrhythmias. Tachyarrhythmias caused by myocardial sensitization may be treated with propranolol or esmolol. ... Administer activated charcoal orally if conditions are appropriate. Gastric lavage is not necessary after small to moderate ingestions if activated charcoal can be given promptly. ... /Sedative-Hypnotic Agents/

5. Fire-fighting measures

5.1Extinguishing media

Suitable extinguishing media

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Halon extinguisher.

5.2Specific hazards arising from the chemical

Flash point data for this chemical are not available; however, it is probably combustible.

5.3Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

6.Accidental release measures

6.1Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

6.3Methods and materials for containment and cleaning up

Pick up and arrange disposal. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. Handling and storage

7.1Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2Conditions for safe storage, including any incompatibilities

Separated from strong bases and food and feedstuffs. Chloral hydrate oral solution should be stored in tight, light-resistant containers. Chloral hydrate capsules should be stored at 15-30°C.

8.Exposure controls/personal protection

8.1Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique(without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

Wear dust mask when handling large quantities.

Thermal hazards

no data available

9. Physical and chemical properties

Physical state white crystalline powde

Colour COLORLESS OR WHITE CRYSTALS

Odour Aromatic, penetrating and slightly acrid odor

Melting point/ freezing 19°C(lit.)

point

Boiling point or initial 57°C(lit.)

boiling point and

boiling range

Flammability Not combustible. Gives off irritating or toxic fumes (or

gases) in a fire.

Lower and upper no data available

explosion limit /

flammability limit

Flash point -16°C(lit.)

Auto-ignition no data available

temperature

Decomposition 97°C

temperature

pH 3.5-4.4 (10% soln in water)

Kinematic viscosity no data available

Solubility In water:660 g/100 mL

Partition coefficient no data available

n-octanol/water (log

value)

Vapour pressure 5 mm Hg at 10°C; 10 mm Hg at 19.5°C; 60 mm Hg at 46.22°

C

Density and/or relative 1.908

density

Relative vapour density 5.1 (Air= 1)

Particle characteristics no data available

10.Stability and reactivity

10.1Reactivity

no data available

10.2Chemical stability

SLOWLY VOLATILIZES ON EXPOSURE TO AIR.

10.3Possibility of hazardous reactions

Combustible when exposed to heat or flame.CHLORAL HYDRATE is incompatible with alkalis, alkaline earth metals, alkali carbonates and soluble barbiturates. It is decomposed by sodium hydroxide. It reduces ammoniacal silver nitrate. It liquefies when triturated with an equal quantity of menthol, camphor or thymol. Reaction of chloral hydrate with hydroxylamine produces toxic hydrogen cyanide gas, Org. Synth., 1941, Vol. 1, 377.

10.4Conditions to avoid

no data available

10.5Incompatible materials

no data available

10.6 Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /hydrogen chloride/.

11.Toxicological information

Acute toxicity

Oral: LD50 Rat oral 200-500 mg/kg

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

WEIGHT-OF-EVIDENCE CHARACTERIZATION: Under the 1986 cancer guidelines (EPA), chloral hydrate is assigned to Group C, possible human carcinogen. Under the 1996 proposed guidelines (EPA) for carcinogen risk assessment, chloral hydrate shows suggestive evidence of human carcinogenicity by the oral route of exposure. There are no carcinogenicity data from humans. Two bioassays in rats in which chloral hydrate was administered by drinking water show no increase in tumors at any site. Because only minimal toxicity was observed in the livers of the rats in these bioassays, the tests were not conducted at the maximum tolerated dose. A chronic bioassay in female mice showed a slight increase in the severity grade of hyperplasia and a slight increase in the incidence of adenoma in the pituatary gland pars distalis at the highest exposure tested. There is some evidence that chloral hydrate causes hepatocellular tumors in male mice. An earlier study showing an increase of hepatocellular adenomas or trabecular carcinomas following a single bolus exposure could not be confirmed in a study using more animals and higher exposures. Three separate 2-year bioassays in male mice show an increased incidence of hepatocellular adenoma or carcinoma. There are no data identifying a lesion that is a precursor to the hepatocellular tumors. The strain of mice used has a very high spontaneous incidence of hepatocellular tumors. Two of the matabolites of chloral hydrate, trichloroacetic acid and dichloroacetic acid, have been shown to cause hepatocellular tumors in rodents. Trichloroacetic acid causes hepatocellular tumors only in mice. Dichloroacetic acid causes hepatocellular tumors in both rats and mice. There is an extensive database on genetic toxicity. A variety of results show

that chloral hydrate is a weak gene mutagen and clastogen. Chloral hydrate induces aneuploidy in a wide variety of cell types. These latter effects are thought to arise by disruption of the spindle apparatus. A high concentration of chloral hydrate is required to cause observable effects. Although these data suggest that genotoxicity may play a role in the toxicity of chloral hydrate, the data indicate that these effects require concentrations that are unlikely to occur under physiological conditions at the exposures typically encountered from the environment. Collectively, these data provide suggestive evidence of carcinogenicity, but the weight of evidence is not sufficient to conduct a risk assessment assuming a linear response at low exposure. HUMAN CARCINOGENICITY DATA: None. ANIMAL CARCINOGENICITY DATA: Limited.

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

12. Ecological information

12.1Toxicity

- Toxicity to fish: no data available
- Toxicity to daphnia and other aquatic invertebrates: EC50; Species: Daphnia magna (Water flea);
 Conditions: freshwater; pH 8; Concentration: 630 mg/L for 24 hr; Effect: behavior, equilibrium
 /Conditions of bioassay not specified in source examined
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

12.2Persistence and degradability

AEROBIC: Biodegradation data for chloral hydrate were not available(1).

12.3Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for chloral hydrate(SRC), using a log Kow of 0.99(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4Mobility in soil

The Koc of chloral hydrate is estimated as 82(SRC), using a log Kow of 0.99(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that chloral hydrate is expected to have high mobility in soil.

12.50ther adverse effects

no data available

13. Disposal considerations

13.1Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. Transport information

14.1UN Number

ADR/RID: UN2811 IMDG: UN2811 IATA: UN2811

14.2UN Proper Shipping Name

ADR/RID: TOXIC SOLID, ORGANIC, N.O.S.

IMDG: TOXIC SOLID, ORGANIC, N.O.S.

IATA: TOXIC SOLID, ORGANIC, N.O.S.

14.3Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4Packing group, if applicable

ADR/RID: III IMDG: III IATA: III

14.5Environmental hazards

ADR/RID: no IMDG: no IATA: no

14.6Special precautions for user

no data available

14.7Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

no data available

15. Regulatory information

15.1Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
chloral hydrate	chloral hydrate	302-17-0	none

European Inventory of Existing Commercial Chemical Substances (EINECS)	Listed.
EC Inventory	Listed.
United States Toxic Substances Control Act (TSCA) Inventory	Listed.
China Catalog of Hazardous chemicals 2015	Not Listed.
New Zealand Inventory of Chemicals (NZIoC)	Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Listed.
Vietnam National Chemical Inventory	Not Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.

16.Other information

Information on revision

Creation Date Aug 11, 2017

Revision Date Aug 11, 2017

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%

- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- ECHA European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.