SILICONE SOFTENER MATERIAL SAFETY DATA SHEET				
SECTION 1	Chemicals and corporate identify	SECTION 9	Physical and chemical property	
SECTION 2	Risk overview	SECTION 10	Stability and reactivity	
SECTION 3	Ingredient/component information	SECTION 11	Toxicological information	
SECTION 4	First aid measures	SECTION 12	Ecology information	
SECTION 5	Fire-fighting measures	SECTION 13	Disposal	
SECTION 6	Leakage emergency measures	SECTION 14	Transport information	
SECTION 7	Handling and storage	SECTION 15	Lows and regulation information	
SECTION 8	Contact control/personal protection	SECTION 16	Other information	
SECTION 1 Chemicals and corporate identify				
Chinese name	硅油柔软剂	Chinese alias	无	
English name	High concentration hydrophilic silicone oil	English alias	none	
CAS NO.	63148-62-9	MSDS NO.	MSDS#201601	
Supplier name	Zibo Green Trade Co.,Ltd	Supplier address	Zhoucun textile science and technology five west 18, Zibo city, China.	
Supplier tel.	86533-2722853	Supplier fax	86533-2722853	
SECTION 2 Risk overview				
Acute hazard	Direct contact or inhalation	on may result in eyes, s	kin, digestive tract irritation.	
characteristics	Ingestion may be harmful	•		
Eyes	Avoid entering eyes. If contact with eyes, eyes will be slight pain, redness and tearing.			
Skin	Prolonged/repeated contact may cause skin irritation.			
Inhalation	Inhale steam or smog may cause respiratory tract irritation.			
Ingestion	Ingestion will cause stomach pain, nausea, vomit, diarrhea.			

SECTION 3 Ingredient/component information			
Ingredient	Special modified block organosilicone compound		
Solid content	80%		
SECTION 4 First aid measures			
Skin contact	Remove pollutant, rinse with plenty of water immediately. Get medical advice when irritation occur.		
Eye contact	Rinse eyes with plenty of water at least for 15 minutes thoroughly, if wear glasses, remove it, then get medical attention at once.		
Inhalation	Remove from exposure and move to fresh air. If symptoms of irritation or sensitization occur (ex. shortness of breath, transient or acute coughing), call a doctor.		
Ingestion	If ingested, can induce vomiting, get medical advice at once.		
SECTION 5 Fire-fighting measures			
Hazardous Combustion Products	Carbon monoxide, carbon dioxide, nitrogen oxides, etc.		
Suitable Fire Extinguishing media	Use versatile foam to extinguish the fire. Small fire can use carbon dioxide, or dry powder extinguisher.		
Non-suitable Fire Extinguishing media	None		
Special protective device	Wear self-contained breathing apparatus, wear protective clothing.		
Additional information	None		
SECTION 6 Leakage emergency measures			
Emergency Treatment	in a dry clean covered containers for disposal. After cleaning ventilation.		
SECTION 7 Handling and storage			
Operator should be trained, strictly follow operation procedure. Recomm operator draw general working protective suit, wear safety gloves, av direct contact with eyes and skin. Prevent inhalation. Far away from the heat, and prohibit smoking in workplace. There is should be ventilated system and equipment. Avoid contact with oxidizing agent, flammated substances. Light loading and unloading when transport, prevent package weaken, moisture, and cause loss. Equip relevant types and quantities			

	aguinments and leakage emergency equinments		
	equipments and leakage emergency equipments.		
Ctomogo	Stored in a cool and dry storehouse. Far away from fire, heat. Keep container		
Storage	be sealed. Should be separately placed with oxidizing agent and flammable substances.		
	substances.		
SECTION 8 Contact control/personal protection			
Maximum allowable			
concentration	No formulate standard		
Monitoring methods	None		
Engineering control	Have ventilation system and equipment. Provide safe shower and eyes		
Engineering control	washing equipments.		
Breath system	If necessary, wear masks approved by administration department.		
protection			
Eyes protection	Wear safety glasses.		
Body protection	Wear general working protective cloths.		
Hands protection	Wear safety gloves.		
Other protection	Prohibit smoking, eating in workplace. Shower and dressing after working.		
SECTION 9 Physical and chemical property			
Appearance	Light yellow translucent viscous fluid		
Ionicity	Weak cationic		
PH value	5-8 (30% water solution)		
Solubility	Can be dispersed in water with any ratio.		
	SECTION 10 Stability and reactivity		
Stability	Stable under recommended storage and handling conditions.		
Conditions to avoid	Avoid fire and other combustible resources.		
Harm of polymerization	No polymerize		
Incompatibility	Strong alkali, strong acid, and strong oxidants.		
SECTION 11 Toxicological information			
Acute toxicity	None		
Irritation	Slightly irritate to eyes and skin.		

SECTION 12 Ecology information			
Ecotoxicity	None		
Biodegradation	None		
Non-biodegradation	None		
SECTION 13 Disposal			
Litter nature	No belong to dangerous litter.		
Disposal ways	Refer to the relevant provisions of local environmental protection department before disposal. Suggested to qualified chemical waste treatment department.		
Disposal note	None		
SECTION 14 Transport information			
Dangerous goods number	None		
UN number	None		
Packaging	120kg plastic drum		
Transport ways	By sea, railway, road		
SECTION 15 Lows and regulation information			
No belong to dan	No belong to dangerous goods in GB 12268-1990 《Name List of Hazardous Chemicals》		
SECTION 16 Other information			
Other information	None		
Filling date	2016.01.13		
Amend description	Revision 0		
Amend information	The information contained in this Material Safety Data Sheet, as of the issu date, is believed to be true and correct. However, the accuracy of completeness of the information and any recommendations or suggestions are made without warranty or guarantee. The information only concerns the above product a supplied and may not be valid if used with other product(s or in any process. Since the conditions of use are beyond the control of our Company, it is the responsibility of the user to determine the conditions of safe use of this preparation. The information in this sheet does not represent analytical specifications.		