1-2805, Fuxinghuiyu Fuxing City, Jianghan District, Wuhan, China Tel: 86-27-59843600/59843601 Fax: 86-27-66660488 http://www.whxinru.cn

# Material Safety Data Sheet(MSDS)

Revision Date: April, 26th,2017

-----

Wuhan Xinru Chemical Industry Co.,Ltd encourages and expects you to read and understand the entire MSDS,as there is important information throughout the document. We expect you to follow the precautions identified in this document unless you use conditions would necessitate other appropriate methods or actions.

# Section 1 - Chemical Product and Company Identification

Product Name: Calcium chloride

Synonyms: Calcium Chloride Hydrate; Flake; Snowmelt; Superflake anhydrous.

### **Section 2 - Composition, Information on Ingredient**

CAS#	Chemical	NamePercent	EINECS/ELINCS
10035-04-8	Calcium chloride	≥ 95%	233-140-8

## **Company Identification:**

Wuhan Xinru Chemical Industry Co., Ltd

Add: 1-2805, Fuxinghuiyu Fuxing City, Jianghan District, Wuhan, China

For information, call:+86-027-66660488

To request and SDS: Miranda@whxinru.cn

**Section 3 - Hazards Identification** 

**EMERGENCY OVERVIEW** 

**Appearance:** white solid. Warning! May be harmful if swallowed. May cause severe respiratory and digestive tract irritation with possible burns. May cause severe eye and skin irritation with possible burns. May cause cardiac disturbances. Hygroscopic (absorbsmoisture

1-2805, Fuxinghuiyu Fuxing City, Jianghan District, Wuhan, China Tel: 86-27-59843600/59843601 Fax: 86-27-66660488 http://www.whxinru.cn

from the air). Target Organs: Eyes.

#### **Potential Health Effects**

Eye: Contact with eyes may cause severe irritation, and possible eye burns.

**Skin:** Contact with skin causes irritation and possible burns, especially if the skin is wet or moist.

**Ingestion:** May cause severe gastrointestinal tract irritation with nausea, vomiting and possible burns. May cause cardiacdisturbances. May be harmful if swallowed. In very severe cases, seizures, rapid respiration, slow heartbeat, or death,may

**Inhalation:** May cause severe irritation of the upper respiratory tract with pain, burns, and inflammation.

**Chronic:** Effects may be delayed.

### **Section 4 - FirstAid Measures**

**Eyes:** Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lowereyelids. Get medical aid.

**Skin:** Get medical aid. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

**Ingestion:** Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid.

**Inhalation:** Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. Ifbreathing is difficult, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation.

**Notes to Physician:** Treat symptomatically and supportively.

# **Section 5 - Fire Fighting Measures**

**General Information:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH(approved or equivalent), and full protective gear.

**Extinguishing Media:** Use extinguishing media most appropriate for the surrounding fire.

Flash Point: Not applicable.

1-2805, Fuxinghuiyu Fuxing City, Jianghan District, Wuhan, China Tel: 86-27-59843600/59843601 Fax: 86-27-66660488 http://www.whxinru.cn

**Autoignition Temperature:** Not applicable.

Explosion Limits, Lower: Not available.

**Upper:** Not available.

**NFPA Rating:** (estimated) Health: 2; Flammability: 0; Instability: 0

# **Section 6 - Accidental Release Measures**

**General Information:** Use proper personal protective equipment as indicated in Section 8. **Spills/Leaks:** Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation.

# Section 7 - Handling and Storage

**Handling:** Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation and accumulation. Keep container tightly closed. Do not get on skin or in eyes. Do not ingest or inhale. Wash clothing before reuse. Alwaysuse cool water when dissolving calcium chloride. Heat evolved is significant.

**Storage:** Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Store protected from moisture.

# Section 8 - Exposure Controls, Personal Protection

**Engineering Controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and asafety shower. Use adequate ventilation to keep airborne concentrations low. Exposure Limits

Chemical Name ACGIH NIOSH OSHA - Final PELs

Calcium chloride none listed none listed none listed

**OSHA Vacated PELs:** Calcium chloride: No OSHA Vacated PELs are listed for this chemical.

# **Personal Protective Equipment**

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by

1-2805, Fuxinghuiyu Fuxing City, Jianghan District, Wuhan, China Tel: 86-27-59843600/59843601 Fax: 86-27-66660488 http://www.whxinru.cn

OSHA's eye and face protectionregulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear impervious gloves.

**Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use aNIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or othersymptoms are experienced.

## **Section 9 - Physical and Chemical Properties**

**Physical State:** Solid

Appearance: white

**Odor:** odorless

**pH:** Not available.

**Vapor Pressure:** Not available.

**Vapor Density:** Not available.

**Evaporation Rate:** Not available.

**Viscosity:** Not available.

**Boiling Point:** 1600 deg C @ 760 mmHg

Freezing/Melting Point:782 deg C

**Decomposition Temperature:** Not available.

**Solubility:** Soluble.

Specific Gravity/Density: 2.1500 g/cm<sup>3</sup>

Molecular Formula:CaCl2 Molecular Weight:110.99

### **Section 10 - Stability and Reactivity**

**Chemical Stability:** Stable.

**Conditions to Avoid:** Dust generation, excess heat, exposure to moist air or water.

**Incompatibilities with Other Materials:** Bromine trifluoride, Furan-2-

peroxycarboxylic acid, Solutions attack somemetals..

1-2805, Fuxinghuiyu Fuxing City, Jianghan District, Wuhan, China Tel: 86-27-59843600/59843601 Fax: 86-27-66660488 http://www.whxinru.cn

Hazardous Decomposition Products: Hydrogen chloride, calcium oxide.

Hazardous Polymerization: Will not occur.

# **Section 11 - Toxicological Information**

# RTECS#:

AS#10035-04-8: EV9800000

#### LD50/LC50:

CAS#10035-04-8:

Oral, mouse: LD50 = 1940 mg/kg;

Oral, rabbit: LD50 = 1384 mg/kg; Oral,

rat: LD50 = 1 gm/kg;

.

## **Carcinogenicity:**

CAS#10035-04-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

**Epidemiology:** No information found **Teratogenicity:** 

No information found Reproductive Effects: No

information found

**Mutagenicity:** Mutagenic effects have occurred in experimental animals.

Neurotoxicity: No information found

**Other Studies:** 

# **Section 12 - Ecological Information**

No information available.

### **Section 13 - Disposal Considerations**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPAguidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste

1-2805, Fuxinghuiyu Fuxing City, Jianghan District, Wuhan, China Tel: 86-27-59843600/59843601 Fax: 86-27-66660488 http://www.whxinru.cn

regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.
RCRA U-Series: None listed.

# **Section 14 - Transport Information**

US DOT China TDG

Shipping Name: Not Regulated Not

Regulated

**Hazard Class:** 

**UN Number:** 

**Packing Group:** 

22 KGS per woven bag

### **Section 15 - Regulatory Information**

## **US FEDERAL**

**TSCA** 

CAS#10035-04-8is listed on the TSCA inventory.

# **Health & Safety Reporting List**

None of the chemicals are on the Health & Safety Reporting List.

### **Chemical Test Rules**

None of the chemicals in this product are under a Chemical Test Rule.

### **Section 12b**

None of the chemicals are listed under TSCA Section 12b.

# TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

### **CERCLA Hazardous Substances and corresponding RQs**

None of the chemicals in this material have an RQ. SARA Section

302 Extremely Hazardous Substances None of the chemicals in

this product have a TPQ. SARA Codes

CAS #10035-04-8: immediate, delayed, reactive.

1-2805, Fuxinghuiyu Fuxing City, Jianghan District, Wuhan, China Tel: 86-27-59843600/59843601 Fax: 86-27-66660488 http://www.whxinru.cn

Section 313 No chemicals are reportable under Section 313.

#### **Clean Air Act:**

This material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depletors. This material does not contain any Class 2 Ozone depletors. **Clean Water Act:** 

None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA. OSHA:

None of the chemicals in this product are considered highly hazardous by

#### **OSHA. STATE**

CAS#10035-04-8is not present on state lists from CA, PA, MN, MA, FL, or NJ.

## California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

### **European/International Regulations**

**European Labeling in Accordance with EC Directives Hazard** 

Symbols:XI

Risk Phrases: R 36 Irritating to eyes.

#### **Safety Phrases:**

S 22 Do not breathe dust.

S 24 Avoid contact with skin. WGK

(Water Danger/Protection)

CAS#10035-04-8: 0

#### China - DSL/NDSL

CAS#10035-04-8is listed on China's DSL List.

#### China - WHMIS

This product has a WHMIS classification of D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.