SAFETY DATA SHEETS

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS) - Sixth revised edition

Version: 1.0

Creation Date: Aug 10, 2017

Revision Date: Aug 10, 2017

1.Identification

1.1GHS Product identifier

Product name butane-1,4-diol

1.20ther means of identification

Product number

Other names 1,4-Butanediol

1.3Recommended use of the chemical and restrictions on use

Identified uses For industry use only. Adhesives and sealant

chemicals, CBI, Intermediates

Uses advised against no data available

2. Hazard identification

2.1Classification of the substance or mixture

Acute toxicity - Oral, Category 4

Specific target organ toxicity - single exposure, Category 3

2.2GHS label elements, including precautionary statements

Pictogram(s)



Signal word Warning

Hazard statement(s) H302 Harmful if swallowed

H336 May cause drowsiness or dizziness

Precautionary statement(s)

Prevention P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

Response P301+P312 IF SWALLOWED: Call a POISON

CENTER/doctor/...if you feel unwell.

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P312 Call a POISON CENTER/doctor/...if you feel unwell.

Storage P403+P233 Store in a well-ventilated place. Keep container tightly

closed.

P405 Store locked up.

Disposal P501 Dispose of contents/container to ...

2.30ther hazards which do not result in classification

none

3. Composition/information on ingredients

3.1Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
butane-1,4-diol	butane-1,4-diol	110-63-4	none	100%

4.First-aid measures

4.1Description of necessary first-aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

Fresh air, rest.

In case of skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

In case of eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

If swallowed

Rinse mouth. Refer for medical attention.

4.2Most important symptoms/effects, acute and delayed

Ingestion of large amounts needed to produce any symptoms. (USCG, 1999)

4.3Indication of immediate medical attention and special treatment needed, if necessary

/SRP:/ Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. /Lower alcohols (1-3 Carbons) and related compounds/

5. Fire-fighting measures

5.1Extinguishing media

Suitable extinguishing media

To fight fire use alcohol foam, mist, foam, carbon dioxide, dry chemical.

5.2Specific hazards arising from the chemical

Special Hazards of Combustion Products: Carbon dioxide and carbon monoxide may be produced in fire. Behavior in Fire: Unstable with heat; may form flammable tetrahydrofuran at 148.89°C. (USCG, 1999)

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

6.Accidental release measures

6.1Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Collect leaking and spilled liquid in sealable containers as far as possible. Wash away remainder with plenty of water.

6.3Methods and materials for containment and cleaning up

Pick up and arrange disposal. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. Handling and storage

7.1Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2Conditions for safe storage, including any incompatibilities

Separated from strong oxidants.1,4-Butanediol can be stored indefinitely. The product is noncorrosive and therefore can be transported in cast iron containers. When it is stored for longer periods, storage tanks of steel or aluminum are necessary in order to avoid traces of iron in the product. In this case, a cover of dry nitrogen also is recommended.

8. Exposure controls/personal protection

8.1Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique(without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

Wear dust mask when handling large quantities.

Thermal hazards

no data available

9. Physical and chemical properties

Physical state viscous colourless liquid
Colour Colorless, oily liquid
Odour Almost odorless

Melting point/ freezing point 455°C(lit.) Boiling point or initial boiling 104°C

point and boiling range

Flammability Combustible.

Lower and upper explosion Lower flammable limit: 1.95% by volume; Upper flammable limit:

limit / flammability limit 18.3% by volume

Flash point 138°C(lit.)

Auto-ignition temperature 355°C (USCG, 1999)

Decomposition temperature no data available
pH no data available

Kinematic viscosity 84.9 milliPascal-sec at 20°C

Solubility In water:Miscible Partition coefficient no data available

n-octanol/water (log value)

Vapour pressure 0.015mmHg at 25°C

Density and/or relative 1.017

density

Relative vapour density 3.1 (vs air)

Particle characteristics no data available

10. Stability and reactivity

10.1Reactivity

no data available

10.2Chemical stability

Stable under recommended storage conditions.

10.3Possibility of hazardous reactions

Combustible when exposed to heat or flame.1,4-BUTANEDIOL is heat and light sensitive. This compound reacts with acid chlorides, acid anhydrides and chloroformates. It also reacts with oxidizing agents and reducing agents. It is incompatible with isocyanates and acids. It is also incompatible with peroxides, perchloric acid, sulfuric acid, hypochlorous acid, nitric acid, caustics, acetaldehyde, nitrogen peroxide and chlorine.

10.4Conditions to avoid

no data available

10.5Incompatible materials

Incompatible with oxidizing materials.

10.6Hazardous decomposition products

When heated to decomposition it emits acrid smoke and fumes.

11.Toxicological information

Acute toxicity

Oral: LD50 Rat oral 1780 mg/kg

• Inhalation: LC50 Rat (Wistar) inhalation >5.1 mg/L/4 hr /from table/

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

12. Ecological information

12.1Toxicity

- Toxicity to fish: no data available
- Toxicity to daphnia and other aquatic invertebrates: EC50 Daphnia magna (Water flea) >1000 mg/L for 48 hr; semi-static; Effect: immobilization /from table
- Toxicity to algae: EC50 Selenastrum capricornutum (Algae) >1000 mg/L for 72 hr, static; Effect: growth measured by biomass change /from table
- Toxicity to microorganisms: no data available

12.2Persistence and degradability

AEROBIC: 1,4-Butanediol, present at 100 mg/L, reached between 74 and 96 percent of its theoretical biological oxygen demand in 2 weeks using an activated sludge inoculum at 30 mg/L and the Japanese MITI test(1). Under aerobic conditions, the acetic acid bacteria Acetobacter aceti and Gluconobacter oxidans oxidized 1,4-butanediol to succinic acid(2).

12.3Bioaccumulative potential

An estimated BCF of 3.2 was calculated for 1,4-butanediol(SRC), using a log Kow of -0.86(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4Mobility in soil

The Koc of 1,4-butanediol is estimated as 8.4(SRC), using a log Kow of -0.84(1)and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that 1,4-butanediol is expected to have very high mobility in soil.

12.50ther adverse effects

no data available

13.Disposal considerations

13.1Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14.Transport information

14.1UN Number

ADR/RID: UN1479 IMDG: UN1479 IATA: UN1479

14.2UN Proper Shipping Name

ADR/RID: OXIDIZING SOLID, N.O.S. IMDG: OXIDIZING SOLID, N.O.S. IATA: OXIDIZING SOLID, N.O.S.

14.3Transport hazard class(es)

ADR/RID: 5.1 IMDG: 5.1 IATA: 5.1

14.4Packing group, if applicable

ADR/RID: III IMDG: III IATA: III

14.5Environmental hazards

ADR/RID: no IMDG: no IATA: no

14.6Special precautions for user

no data available

14.7Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

15.Regulatory information

15.1Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
butane-1,4-diol	butane-1,4-diol	110-63-4	none
European Inventory of Existing Commercial Chemical Substances (EINECS)			
EC Inventory			
United States Toxic Substances Control Act (TSCA) Inventory			
China Catalog of Hazardous chemicals 2015			
New Zealand Inventory of Chemicals (NZIoC)			
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			
Vietnam National Chemical Inventory			
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			