SAFETY DATA SHEETS

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS) - Sixth revised edition

Version: 1.0

Creation Date: Aug 20, 2017

Revision Date: Aug 20, 2017

1. Identification

1.1 GHS Product identifier

Product name N,N-dimethylethanolamine

1.2 Other means of identification

Product number -

Other names 2-hydroxy-N,N-dimethyl-benzamide

1.3 Recommended use of the chemical and restrictions on use

Identified uses For industry use only. Corrosion inhibitors and anti-

scaling agents, Intermediates, Paint additives and

coating additives not described by other

categories, Process regulators, Processing aids, not

otherwise listed, Solids separation agents

Uses advised against no data available

2. Hazard identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 3

Acute toxicity - Oral, Category 4

Acute toxicity - Dermal, Category 4

Skin corrosion, Category 1B

Acute toxicity - Inhalation, Category 4

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H226 Flammable liquid and vapour

H302 Harmful if swallowed

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H332 Harmful if inhaled

Precautionary statement(s) Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

Response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P370+P378 In case of fire: Use ... to extinguish.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/···if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P312 Call a POISON CENTER/doctor/···if you feel unwell.

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor/…

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal

P501 Dispose of contents/container to ...

2.3 Other hazards which do not result in classification

none

3. Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
N,N- dimethylethanolamine	N,N- dimethylethanolamine	108-01-	none	100%

4. First-aid measures

4.1 Description of necessary first-aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

Fresh air, rest. Half-upright position. Refer for medical attention.

In case of skin contact

First rinse with plenty of water for at least 15 minutes, then remove contaminated clothes and rinse again. Refer for medical attention.

In case of eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

If swallowed

Rinse mouth. Do NOT induce vomiting. Give one or two glasses of water to drink. Rest. Refer for medical attention .

4.2 Most important symptoms/effects, acute and delayed

Inhalation of the vapor or mist can cause irritation to the upper respiratory tract. Asthmatic symptoms have been reported. Extremely irritating; may cause permanent eye injury. Corrosive; will cause severe skin damage with burns and blistering. Ingestion may cause damage to the mucous membranes and gastrointestinal tract. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. /Organic bases/Amines and related compounds/

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water may be ineffective. Alcohol foam.

5.2 Specific hazards arising from the chemical

Special Hazards of Combustion Products: May contain toxic gases including ammonia (incomplete combustion) and NOx. Behavior in Fire: Produces gaseous nitrogen compounds that are highly toxic and irritating. (USCG, 1999)

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Personal protection: gas-tight chemical protection suit including self-contained breathing apparatus. Collect leaking and spilled liquid in sealable non-metallic

containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants, acids, acid chlorides, copper and food and feedstuffs. Do not store near acids.

8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such

as NIOSH (US) or EN 166(EU).

Skin protection

Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique(without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

Wear dust mask when handling large quantities.

Thermal hazards

no data available

9. Physical and chemical properties

Physical state clear to pale yellow liquid

Colour Colorless liquid
Odour Amine odor

Melting point/ freezing -70°C

point

Boiling point or initial 139°C

boiling point and boiling range

Flammability Flammable. Gives off irritating or toxic fumes (or gases)

in a fire.

Lower and upper

Lower 1.6% Upper 11.9%

explosion limit / flammability limit

Flash point 40°C

Auto-ignition 295°C (USCG, 1999)

temperature

Decomposition no data available

temperature

pH no data available

Kinematic viscosity 3.5839 mPa.s at 21.6°C

Solubility In water:miscible

Partition coefficient n- log Kow = -0.55 at 23°C

octanol/water (log

value)

Vapour pressure 100 mm Hg (55 °C)

Density and/or relative 0.888

density

Relative vapour density 3.03 (Relative to Air)

Particle characteristics no data available

10. Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Flammable liquid when exposed to heat or flame; can react vigorously with oxidizing materials. Ignites spontaneously in contact with cellulose nitrate of high surface area. The vapour is heavier than air. DIMETHYLAMINOETHANOL is an organic compound with both amine and alcohol substituents. Amines are chemical bases. They neutralize acids to form salts plus water. These acid-base reactions are exothermic. The amount of heat that is evolved per mole of amine in a neutralization is largely independent of the strength of the amine as a base. Amines may be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. Flammable gaseous hydrogen is generated by amines in combination with strong reducing agents, such as hydrides. This compound may react vigorously with oxidizing materials.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Oxidizing agents, Copper, Zinc, Iron, Do not store near acids.

10.6 Hazardous decomposition products

When heated to decomposition it emits toxic fumes of NOx.

11. Toxicological information

Acute toxicity

· Oral: LD50 rat oral 2000 mg/kg

· Inhalation: LC50 Rats inhalation 1641 (862-3125) ppm/4 hr

· Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

12. Ecological information

12.1 Toxicity

- · Toxicity to fish: no data available
- · Toxicity to daphnia and other aquatic invertebrates: no data available
- · Toxicity to algae: no data available
- · Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: 2-Dimethylaminoethanol, present at 100 mg/L, reached 60.5% of its theoretical BOD in 2 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test which classified the compound as readily biodegradable(1). A static test using a non adapted activated sludge inoculum measured a 2-dimethylaminoethanol degradation of >90% in 13 days(2).

12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for 2-dimethylaminoethanol(SRC), using a log Kow of -0.55(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of 2-dimethylaminoethanol can be estimated to be 1(SRC). According to a classification scheme(2), this estimated Koc value suggests that 2-dimethylaminoethanol is expected to have very high mobility in soil. The pKa of 2-dimethylaminoethanol is 9.3(3). At pH 8.2, 20% will be the free amine. Thus, this compound will exist almost entirely in the cation form in the environment and cations generally adsorb to organic carbon and clay more strongly than their neutral counterparts(4). As a result, 2-dimethylaminoethanol may have greater adsorption and less mobility than its estimated Koc value indicates.

12.5 Other adverse effects

no data available

13. Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate

water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. Transport information

14.1 UN Number

ADR/RID: UN2051 IMDG: UN2051 IATA: UN2051

14.2 UN Proper Shipping Name

ADR/RID: 2-DIMETHYLAMINOETHANOL IMDG: 2-DIMETHYLAMINOETHANOL IATA: 2-DIMETHYLAMINOETHANOL

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packing group, if applicable

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG: no IATA: no

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

15. Regulatory information

15.1 Safety, health and environmental regulations specific for the

product in question

Chemical name	Common names and synonyms	CAS number	EC number
N,N- dimethylethanolamine	N,N-dimethylethanolamine	108-01-0	none
European Inventory of Exist (EINECS)	Listed.		
EC Inventory	Listed.		
United States Toxic Substa	Listed.		
China Catalog of Hazardo	Listed.		
New Zealand Inventory of	Listed.		
Philippines Inventory of C (PICCS)	Listed.		
Vietnam National Chemica	Listed.		
Chinese Chemical Invento (China IECSC)	Listed.		

16. Other information

Information on revision

Creation Date Aug 20, 2017 Revision Date Aug 20, 2017

Abbreviations and acronyms

· CAS: Chemical Abstracts Service

 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

· RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

· IMDG: International Maritime Dangerous Goods

· IATA: International Air Transportation Association

· TWA: Time Weighted Average

· STEL: Short term exposure limit

· LC50: Lethal Concentration 50%

· LD50: Lethal Dose 50%

• EC50: Effective Concentration 50%

References

- IPCS The International Chemical Safety Cards (ICSC), website:
 http://www.ilo.org/dyn/icsc/showcard.home
- HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:
 - http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website:
 http://cameochemicals.noaa.gov/search/simple
- ChemIDplus, website:
 http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- Germany GESTIS-database on hazard substance, website:
 http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- · ECHA European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.