SAFETY DATA SHEET

1. PRODUCT

1.1 Product identifiers

Name: Ammonium chloride CAS-No.: 12125-02-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Synthesis of substances

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Eye irritation (Category 2A), H319

Acute aquatic toxicity (Category 2), H401

Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

| Pictogram | (1) (2) |
|-------------------------------|--|
| Signal word | Warning |
| Hazard statement(s) | H302 Harmful if swallowed. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. |
| Precautionary statement(s) | P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P330 Rinse mouth. P337 + P313 If eye irritation persists: Get medical advice/ attention. P391 Collect spillage. P501 Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous components

| Component | Classification | Concentration |
|-------------------|---|---------------|
| Ammonium chloride | | |
| 550 | Acute Tox. 4; Eye Irrit. 2A; Aquatic Acute 2; Aquatic Chronic 2; H302, H319, H411 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

| General advice | |
|---|--|
| Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. | |
| If inhaled | |
| If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. | |
| In case of skin contact | |
| Wash off with soap and plenty of water. Consult a physician. | |
| In case of eye contact | |
| Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. | |
| If swallowed | |
| Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. | |

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.2 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

The product itself does not burn.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for

disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis | | |
|--------------------------------------|------------|---|--|---|--|--|
| Ammonium chloride | 12125-02-9 | TWA | 10.000000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | | |
| | Remarks | Eye & Upper | Eye & Upper Respiratory Tract irritation | | | |
| .0. | | STEL | 20.000000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | | |
| 23 | | Eye & Upper | Respiratory Tract i | irritation | | |
| | | TWA | 10.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits | | |
| 600 | | ST | 20.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits | | |
| | | TWA | 10.000000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | | |
| | | Upper Respiratory Tract irritation Eye irritation | | | | |
| | | STEL | 20.000000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | | |
| Upper Respiratory Tract irritation E | | n Eye irritation | | | | |
| | | TWA | 10.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits | | |
| | | ST | 20.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits | | |
| | | PEL | 10 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | | |
| | | STEL | 20 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

| Eye/face protection | Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). |
|------------------------------------|---|
| Skin protection | Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. |
| Body Protection | Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. |
| Respiratory protection | For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). |
| Control of environmen tal exposure | Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. |

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| Appearance | Form: solid |
|--|--|
| Odour | No data available |
| Odour Threshold | No data available |
| рН | 4.5 - 5.5 at 50.00000 g/l at 20.0 °C (68.0 °F) |
| Melting point/freezing point | Melting point/range: 340 °C (644 °F) - lit. |
| Initial boiling point and boiling range | No data available |
| Flash point | Not applicable |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Upper/lower flammability or explosive limits | No data available |
| Vapour pressure | 1.3 hPa (1.0 mmHg) at 160.4 °C (320.7 °F) |
| Vapour density | No data available |
| Relative density | No data available |
| Water solubility | soluble |
| Partition coefficient: n-octanol/water | No data available |
| Auto-ignition temperature | No data available |
| Decomposition temperature | No data available |
| Viscosity | No data available |
| Explosive properties | No data available |
| Oxidizing properties | No data available |

9.2 Other safety information

Bulk density: 500 kg/m3

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Exposure to moisture may affect product quality.

10.5 Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Nitrogen oxides (NOx), Hydrogen chloride gas

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 1,650 mg/kg Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation

Respiratory or skin sensitisation

Will not occur

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity -single exposure

No data available

Specific target organ toxicity -repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: BP4550000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

| | LC50 - Cyprinus carpio (Carp) - 209.00 mg/l - 96 h LC50 - Oncorhynchus mykiss (rainbow trout) - 3.98 mg/l - 96 h NOEC - Oncorhynchus mykiss (rainbow trout) - 57 mg/l - 96 h |
|---|--|
| Toxicity to daphnia and other aquatic invertebrates | LC50 - Daphnia magna (Water flea) - 161 mg/l - 48 h Growth inhibition NOEC - Daphnia magna (Water flea) - 0.1 mg/l - 216 h |
| Toxicity to algae | No data available |
| Toxicity to bacteria | No data available |

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Ammonium chloride)

Reportable Quantity (RQ): 5000 lbs

Poison Inhalation Hazard: No

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| Component | CAS-No. | Revision Date |
|-------------------|------------|---------------|
| Ammonium chloride | 12125-02-9 | 1994-04-01 |

Massachusetts Right To Know Components

| Component | CAS-No. | Revision Date |
|-------------------|------------|---------------|
| Ammonium chloride | 12125-02-9 | 1994-04-01 |

Pennsylvania Right To Know Components

| Component | CAS-No. | Revision Date |
|-------------------|------------|---------------|
| Ammonium chloride | 12125-02-9 | 1994-04-01 |

New Jersey Right To Know Components

| Component | CAS-No. | Revision Date |
|-------------------|------------|---------------|
| Ammonium chloride | 12125-02-9 | 1994-04-01 |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity

Aquatic Chronic Chronic aquatic toxicity

Eye Irrit. Eye irritation

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

HMIS Rating

Health hazard: 2

Chronic Health Hazard:

Flammability: 0

Physical Hazard 0

NFPA Rating

Health hazard: 2

Fire Hazard: 0

Reactivity Hazard: 0