# **SAFETY DATA SHEET**

# 1. PRODUCT

# 1.1 Product identifiers

Name: Tetrahydrofurfuryl alcohol

CAS-No.: 97-99-4

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Synthesis of substances

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

Eye irritation (Category 2A), H319

Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H227 Combustible liquid. H319 Causes serious eye irritation. H360 May damage fertility or the unborn child.
Precautionary statement(s)	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Synonyms: Tetrahydro-2-furanmethanol

Formula:  $C_5H_{10}O_2$  Molecular weight: 102.13 g/mol CAS-No.: 97-99-4 EC-No.: 202-625-6

#### **Hazardous components**

Component	Classification	Concentration		
Tetrahydrofurfuryl alcohol				
	Flam. Liq. 4; Eye Irrit. 2A; Repr. 1B; H227, H319, H360	<= 100 %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

# General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.2 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

Use water spray to cool unopened containers.

# **6. ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Tetrahydrofurfuryl alcohol	97-99-4	TWA	0.500000 ppm	USA. Workplace Environmental Exposure Levels (WEEL)
Clir		TWA	0.5 ppm	USA. Workplace Environmental Exposure Levels (WEEL)
	Remarks	Skin	<i>/</i>	

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

Eye/face	Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved
protection	under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.  Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmen tal exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance	Form: clear, liquid Colour: colourless
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: -80 °C (-112 °F) - lit.
Initial boiling point and boiling range	178 °C (352 °F) - lit.
Flash point	75 °C (167 °F) - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 9.7 %(V) Lower explosion limit: 1.5 %(V)
Vapour pressure	1.86 hPa (1.40 mmHg) at 25 °C (77 °F) - OECD Test Guideline 104
Vapour density	3.53 - (Air = 1.0)
Relative density	1.054 g/cm3 at 25 °C (77 °F) - lit.
Water solubility	250 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - soluble
Partition coefficient: n-octanol/water	log Pow: -0.139 at 24.7 °C (76.5 °F) - OECD Test Guideline 107
Auto-ignition temperature	282 °C (540 °F) at 1,023 hPa (767 mmHg)
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

# 9.2 Other safety information

Surface tension: 37 mN/m at 25 °C (77 °F) Relative vapour density: 3.53 - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Strong acids, Strong oxidizing agents, Strong reducing agents

# 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - > 2,000 mg/kg (OECD Test Guideline 423) Inhalation: No data available Dermal: No data available No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes.

# Respiratory or skin sensitisation

- Mouse

Result: Does not cause skin sensitisation.

(OECD Test Guideline 429)

# Germ cell mutagenicity

Chromosome aberration test in vitro

Result: negative

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

Reproductive toxicity - Rat - male and female - Oral

Paternal Effects: Testes, epididymis, sperm duct. Paternal Effects: Spermatogenesis (including genetic material, sperm morphology,motility, and count). Endocrine:Effect on menstrual cycle.

# Specific target organ toxicity -single exposure

No data available

### Specific target organ toxicity -repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

Repeated dose

toxicity

Rat - male and female - Oral - NOAEL: 35 mg/kg

RTECS: LU2450000

Effects due to ingestion may include:, narcosis, Lung oedema, Liver injury may occur., Kidney injury may occur.

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oryzias latipes - > 101 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - > 91.7 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test EC50 - Selenastrum capricornutum (green algae) - > 98.9 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	No data available

# 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d	
	Result: 92 % - Readily biodegradable	

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

# **Product**

Contact a licensed professional waste disposal service to dispose of this material. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

# DOT (US)

NA-Number: 1993 Class: NONE Packing group: III

Proper shipping name: Combustible liquid, n.o.s. (Tetrahydrofurfuryl alcohol)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

#### 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

Component	CAS-No.	Revision Date
Tetrahydrofurfuryl alcohol	97-99-4	1993-04-24

# Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Tetrahydrofurfuryl alcohol	97-99-4	1993-04-24

# **New Jersey Right To Know Components**

Component	CAS-No.	Revision Date
Tetrahydrofurfuryl alcohol	97-99-4	1993-04-24

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit. Eye irritation

Flam. Liq. Flammable liquids

H227 Combustible liquid.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

Repr. Reproductive toxicity

## **HMIS Rating**

Health hazard: 2

Chronic Health Hazard: \*

Flammability: 2

Physical Hazard 0

# **NFPA** Rating

Health hazard: 2

Fire Hazard: 2

Reactivity Hazard: 0