SAFETY DATA SHEETS

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS) - Sixth revised edition

Version: 1.0

Creation Date: Aug 10, 2017

Revision Date: Aug 10, 2017

1. Identification

1.1 GHS Product identifier

Product name triethylene glycol

1.2 Other means of identification

Product number -

Other names Triethylene glycol

1.3 Recommended use of the chemical and restrictions on use

Identified uses For industry use only. Adsorbents and

absorbents, Functional fluids (closed systems), Functional fluids (open

systems),Intermediates,Processing aids, specific to petroleum production,Solvents (for cleaning or

degreasing), Solvents (which become part of product

formulation or mixture)

Uses advised against no data available

2. Hazard identification

2.1 Classification of the substance or mixture

Not classified.

2.2 GHS label elements, including precautionary statements

Pictogram(s)

No symbol.

Signal word

No signal word.

Hazard statement(s)

none

Precautionary statement(s)

Prevention

none

Response

none

Storage

none

Disposal

none

2.3 Other hazards which do not result in classification

none

3. Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
triethylene glycol	triethylene glycol	112-27-6	none	100%

4. First-aid measures

4.1 Description of necessary first-aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

In case of eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

If swallowed

Rinse mouth.

4.2 Most important symptoms/effects, acute and delayed

Vapor and liquid are unlikely to cause harm. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Basic treatment: Establish a patent airway (oropharyngeal or nasopharyngeal airway, if needed). Suction if necessary. Watch for signs of respiratory insufficiency and assist ventilations if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary Monitor for shock and treat if necessary Anticipate seizures and treat if necessary For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with 0.9% saline (NS) during transport Do not use emetics. For ingestion, rinse mouth and administer 5 ml/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool. Administer activated charcoal /Ethylene glycol, glycols, and related compounds/

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol foam, dry chemical

5.2 Specific hazards arising from the chemical

This chemical is combustible.

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

- 6. Accidental release measures
- 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing

vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique(without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

Wear dust mask when handling large quantities.

Thermal hazards

no data available

9. Physical and chemical properties

Physical state Clear liquid
Colour Colorless liquid

Odour Practically odorless

Melting point/ freezing 118°C(lit.)

point

Boiling point or initial 276°C(lit.)

boiling point and boiling range

Flammability Combustible.

Lower and upper Lower flammable limit: 0.9% by volume; Upper

explosion limit / flammable limit: 9.2% by volume

flammability limit

Flash point 174°C(lit.)

Auto-ignition 371.11°C (USCG, 1999)

temperature

Decomposition no data available

temperature

pH no data available

Kinematic viscosity 47.8 cP at 20°C

Solubility In water:SOLUBLE

Partition coefficient n- log Kow = -1.98

octanol/water (log

value)

Vapour pressure <0.01 mm Hg (20 °C)

Density and/or relative 1.124

density

Relative vapour density 5.2 (vs air)

Particle characteristics no data available

10. Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Combustible when exposed to heat or flame.TRIETHYLENE GLYCOL is a etheralcohol derivative. The ether being relatively unreactive. Flammable and/or toxic gases are generated by the combination of alcohols with alkali metals, nitrides, and strong reducing agents. They react with oxoacids and carboxylic acids to form esters plus water. Oxidizing agents convert alcohols to aldehydes or ketones. Alcohols exhibit both weak acid and weak base behavior. They may initiate the polymerization of isocyanates and epoxides. Reacts with strong oxidants. [Handling Chemicals Safely 1980. p. 932].

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Can react with oxidizing materials.

10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

11. Toxicological information

Acute toxicity

· Oral: LD50 Mouse oral 18,500 mg/kg

· Inhalation: LC50 Rat (Sprague-Dawley) inhalation >3.9 mg/L/4 hr

· Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

12. Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 Pimephales promelas (Fathead minnow) 59.9 g/L/96 hr (confidence limit 56.2 63.7 g/L), flow-through bioassay with measured concentrations, dissolved oxygen 7.2 mg/L, hardness 44.2 mg/L calcium carbonate, alkalinity 38.5 mg/L calcium carbonate, and pH 7.3
- Toxicity to daphnia and other aquatic invertebrates: LC50 Daphnia magna
 (Water flea) 35000 ug/L/48 hr; static
- · Toxicity to algae: no data available
- · Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: Aerobic river die-away tests, utilizing several different sources of freshwater, have demonstrated that triethylene glycol should biodegrade rapidly in the environment(1). At 20°C, the degradation of 10 mg/L triethylene glycol was complete within 7-11 days(1). 25 to 92% of the theoretical BOD was reached within 4 weeks incubation during the MITI test using a sludge inoculum; these results were on an upward trend by the end of the test(2) indicating that acclimation may be important for this compound(SRC). Triethylene glycol degraded 85% of theoretical BOD (1.6 gm/gm) after 20 days at 20°C(3).

12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for triethylene glycol(SRC), using an estimated log Kow of -1.75(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of triethylene glycol can be estimated to be 10(SRC). According to a classification scheme(2), this estimated Koc value suggests that triethylene glycol is expected to have very high mobility in soil(SRC).

12.5 Other adverse effects

no data available

13. Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. Transport information

14.1 UN Number

ADR/RID: UN2735 IMDG: UN2735 IATA: UN2735

14.2 UN Proper Shipping Name

ADR/RID: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.

IMDG: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.

IATA: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packing group, if applicable

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG: no IATA: no

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
triethylene glycol	triethylene glycol	112-27-6	none
European Inventory (EINECS)	Listed.		
EC Inventory	Listed.		
United States Toxic	Listed.		
China Catalog of Ha	Not Listed.		
New Zealand Invent	Listed.		
Philippines Invento (PICCS)	Listed.		
Vietnam National Cl	Listed.		
Chinese Chemical Ir (China IECSC)	Listed.		

16. Other information

Information on revision

Creation Date Aug 10, 2017 Revision Date Aug 10, 2017

Abbreviations and acronyms

- · CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- · RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- · IMDG: International Maritime Dangerous Goods
- · IATA: International Air Transportation Association
- · TWA: Time Weighted Average
- · STEL: Short term exposure limit

- LC50: Lethal Concentration 50%
- · LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- · IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- HSDB Hazardous Substances Data Bank, website:
 https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:
 - http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website:
 http://cameochemicals.noaa.gov/search/simple
- ChemIDplus, website:
 http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- Germany GESTIS-database on hazard substance, website:
 http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- · ECHA European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.