# **SAFETY DATA SHEET**

### 1. PRODUCT

### 1.1 Product identifiers

Name: 2,2,2-Trifluoroethanol

CAS-No.: 75-89-8

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Manufacture of substances

#### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H226 Flammable liquid and vapour. H301 + H331 Toxic if swallowed or if inhaled H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physician.

P322 Specific measures (see supplemental first aid instructions on this label).

P330 Rinse mouth.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms: Trifluoroethyl alcohol

Formula:  $C_2H_3F_3O$ Molecular weight: 100.04 g/mol CAS-No.: 75-89-8 EC-No.: 200-913-6

#### **Hazardous components**

Component	Classification	Concentration
2,2,2-Trifluoroethanol		
	Flam. Liq. 3; Acute Tox. 3; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; H226, H301 + H331, H312, H315, H318, H335	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

General advice
Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact
Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.
In case of eye contact
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen fluoride

Nature of decomposition products not known.

Carbon oxides, Hydrogen fluoride

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Flash back possible over considerable distance. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic

charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must

be carefully resealed and kept upright to prevent leakage.

Store under inert gas. Moisture sensitive.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.		Control parameters	Basis
2,2,2-Trifluoroethanol	75-89-8	TWA	0.300000 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

# 8.2 Exposure controls

# Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

Eye/face protection	Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.  Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374  If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmen tal exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance	Form: liquid
Odour	No data available

Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: -44 °C (-47 °F)
Initial boiling point and boiling range	77 - 80 °C (171 - 176 °F)
Flash point	29 °C (84 °F) - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 42 %(V) Lower explosion limit: 5.5 %(V)
Vapour pressure	93 hPa (70 mmHg) at 25 °C (77 °F)
Vapour density	3.45 - (Air = 1.0)
Relative density	1.373 g/mL at 25 °C (77 °F)
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

# 9.2 Other safety information

Relative vapour density: 3.45 - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks. Exposure to moisture

Heat, flames and sparks.

# 10.5 Incompatible materials

Strong oxidizing agents, Strong acids, Sodium/sodium oxides, Potassium

# 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 240 mg/kg LC50 Inhalation - Rat - 6 h - 470 ppm Remarks: Behavioral:Treapor. Behavioral:Ataxia. Skin and Appendages: Other: Hair.

LD50 Dermal - Rat - 1,680 mg/kg

No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: Severe skin irritation - 24 h

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation - 24 h

### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

No data available

### Specific target organ toxicity -single exposure

Inhalation - May cause respiratory irritation.

### Specific target organ toxicity -repeated exposure

No data available

#### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: KM5250000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema.

Effects may be delayed.

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 105 - 135 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	No data available
Toxicity to algae	No data available
Toxicity to bacteria	No data available

#### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

### DOT (US)

UN number: 1986 Class: 3 (6.1) Packing group: III

Proper shipping name: Alcohols, flammable, toxic n.o.s. (2,2,2-Trifluoroethanol)

Poison Inhalation Hazard: No

#### **IMDG**

UN number: 1986 Class: 3 (6.1) Packing group: III EMS-No: F-E, S-D

Proper shipping name: ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (2,2,2-Trifluoroethanol)

#### **IATA**

UN number: 1986 Class: 3 (6.1) Packing group: III

Proper shipping name: Alcohols, flammable, toxic, n.o.s. (2,2,2-Trifluoroethanol)

#### 15. REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De

Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
2,2,2-Trifluoroethanol	75-89-8	

# **New Jersey Right To Know Components**

Component	CAS-No.	Revision Date
2,2,2-Trifluoroethanol	75-89-8	

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage

Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H301 + H331 Toxic if swallowed or if inhaled

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

# **HMIS Rating**

Health hazard: 2

Chronic Health Hazard:

Flammability: 3

Physical Hazard 0

### **NFPA Rating**

Health hazard: 3

Fire Hazard: 3

Reactivity Hazard: 0