# **SAFETY DATA SHEET**

### 1. PRODUCT

### 1.1 Product identifiers

Name: Isopropylamine CAS-No.: 75-31-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Synthesis of substances

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 1), H224

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Skin corrosion (Category 1A), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
	H224 Extremely flammable liquid and vapour. H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation. H402 Harmful to aquatic life.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection. P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms: 2-Aminopropane

Formula:  $C_3H_9N$ Molecular weight: 59.11 g/mol CAS-No.: 75-31-0 EC-No.: 200-860-9

### **Hazardous components**

Component	Classification	Concentration
2-Aminopropane		
	Flam. Liq. 1; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; STOT SE 3; Aquatic Acute 3; H224, H301 + H311 + H331, H314, H318, H335, H402	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

### General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

Storage class (TRGS 510): Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
2-Aminopropane	75-31-0	TWA	5.000000 ppm 12.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants	
e e	Remarks	The value in mo	The value in mg/m3 is approximate.		
		TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)	
73,		Upper Respiratory Tract irritation Eye damage			
		TWA	A 5.000000 ppm USA. ACGIH Threshold Limit Values (TLV)		
		Upper Respiratory Tract irritation Eye damage			
$\mathbb{C}_{\mathcal{N}}$		STEL	10 ppm	USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Eye damage			
		STEL 10.000000 USA. ACGIH Threshold Limit Values (TL'		USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Eye damage See Appendix D -Substances with No Established RELs			
		PEL	5 ppm 12 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
		STEL	10 ppm 24 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

# 8.2 Exposure controls

# **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

Eye/face protection	Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 60 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmen tal exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Appearance	Form: liquid
Odour	amine-like
Odour Threshold	No data available
pH	13 at 700 g/l at 20 °C (68 °F)
Melting point/freezing point	Melting point/range: -101 °C (-150 °F)
Initial boiling point and boiling range	33 - 34 °C (91 - 93 °F) - lit.
Flash point	-18 °C (0 °F) - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Lower explosion limit: 4.2 %(V) at 43.1 hPa (32.3 mmHg)
Vapour pressure	634.1 hPa (475.6 mmHg) at 20 °C (68 °F) 2,222.2 hPa (1,666.8 mmHg) at 55 °C (131 °F)
Vapour density	2.04 - (Air = 1.0)
Relative density	0.688 g/cm3 at 20 °C (68 °F)0.694 g/cm3 at 25 °C (77 °F)
Water solubility	soluble
Partition coefficient: n-octanol/water	log Pow: -0.5 at 25 °C (77 °F)
Auto-ignition temperature	355 °C (671 °F) at 1,016 hPa (762 mmHg)
Decomposition temperature	No data available
Viscosity	0.47 mm2/s at 20 °C (68 °F) -
Explosive properties	No data available
Oxidizing properties	No data available

## 9.2 Other safety information

Surface tension: 68.5 mN/m at 20 °C (68 °F) Relative vapour density: 2.04 - (Air = 1.0)

### 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks.

## 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

## Acute toxicity

LD50 Oral - Rat - 170 mg/kg LC50 Inhalation - Rat - 4 h - 8.7 mg/l

(OECD Test Guideline 403) LD50 Dermal - Rat - > 400 mg/kg

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns. - 3 min (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive - 24 h (OECD Test Guideline 405)

## Respiratory or skin sensitisation

Maximisation Test - Guinea pig

Does not cause skin sensitisation.

(OECD Test Guideline 406)

### Germ cell mutagenicity

Ames test

Salmonella typhimurium

Result: negative

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

No data available

# Specific target organ toxicity -single exposure

No data available

### Specific target organ toxicity -repeated exposure

No data available

### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: NT8400000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.,

Cough, Shortness of breath, Headache, Nausea

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish	LC50 - Salmo salar (Atlantic salmon) - 40 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 47.4 mg/l - 48 h
Toxicity to algae	static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - 18.9 mg/l - 72 h
Toxicity to bacteria	Respiration inhibition EC50 - activated sludge - > 1,000 mg/l - 30 min (OECD Test Guideline 209)

### 12.2 Persistence and degradability

, and a	aerobic - Exposure time 35 d Result: 70 - 80 % - Readily biodegradable
	(OECD Test Guideline 301F)

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Harmful to aquatic life.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Do not empty into drains.

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

### DOT (US)

UN number: 1221 Class: 3 (8) Packing group: I

Proper shipping name: Isopropylamine

Reportable Quantity (RQ): Poison Inhalation Hazard: No

# **IMDG**

UN number: 1221 Class: 3 (8) Packing group: I EMS-No: F-E, S-C

Proper shipping name: ISOPROPYLAMINE

#### IATA

UN number: 1221 Class: 3 (8) Packing group: I

Proper shipping name: Isopropylamine

## 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De

Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

### **Massachusetts Right To Know Components**

Component	CAS-No.	Revision Date
2-Aminopropane	75-31-0	1993-04-24

### Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
2-Aminopropane	75-31-0	1993-04-24

# **New Jersey Right To Know Components**

Component	CAS-No.	Revision Date
2-Aminopropane	75-31-0	1993-04-24

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity

Eye Dam. Serious eye damage

Flam. Liq. Flammable liquids

H224 Extremely flammable liquid and vapour.

H301 Toxic if swallowed.

H301 + H311 +H331 Toxic if swallowed, in contact with skin or if inhaled

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

# **HMIS Rating**

Health hazard: 3

Chronic Health Hazard:

Flammability: 4

Physical Hazard 0

### **NFPA Rating**

Health hazard: 3

Fire Hazard: 4

Reactivity Hazard: 0