1. PRODUCT

1.1 Product identifiers

Name: Cacodylic acid

CAS-No.: 75-60-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H301 + H331 Toxic if swallowed or if inhaled H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H351 Suspected of causing cancer.
Precautionary statement(s)	 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P303 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms:	Dimethylarsinic acid Hydroxydimethylarsine oxide Dimethylarsonic acid
Formula:	$C_2H_7AsO_2$
Molecular weight:	138.00 g/mol
CAS-No.:	75-60-5
EC-No.:	200-883-4

Hazardous components

Component	Classification	Concentration
Dimethylarsinic acid	Ć	
	Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2A; Carc. 3; H301 + H331, H315, H319, H335, H351	2; STOT SE <= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

General advice

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.2 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result

in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration

before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
	Remarks	Substance liste	d; for more inforr	nation see OSHA document 1910.1018
Dimethylarsinic acid	75-60-5	TWA	0.500000 mg/m3	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		TWA 0.010000 USA. ACGIH Threshold Limit Values (TLV)		
		Lung cancer Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed human carcinogen varies		
		PEL 0.010000 OSHA Specifically Regulated Chemicals/Carcinogens		
		1910.1018 This section applies to all occupational exposures to inorganic arsenic except that this section does not apply to employee exposures in agriculture or resulting from pesticide application, the treatment of wood with preservatives or the utilization of arsenically preserved wood. OSHA specifically regulated carcinogen		
		С	0.002000 mg/m3	USA. NIOSH Recommended Exposure Limits

Component	CAS-No.	Value	Control parameters	Basis
		copper acetoars	bational Carcinog senite & all inorg A 15 minute ceilir	gen OSHA considers 'Inorganic Arsenic' to mean anic compounds containing arsenic except ARSINE. ng value
		Substance listed; for more information see OSHA document 1910.1018		
65		TWA	0.5 mg/m3 USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants	
		TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Lung cancer Su (see BEI® sect	ubstances for wh ion) Confirmed h	ich there is a Biological Exposure Index or Indices uman carcinogen varies
		PEL	0.01 mg/m3 OSHA Specifically Regulated Chemicals/Carcinogens	
		except that this resulting from p	section does no esticide applicat	to all occupational exposures to inorganic arsenic t apply to employee exposures in agriculture or ion, the treatment of wood with preservatives or the ed wood. OSHA specifically regulated carcinogen
		С	0.002 mg/m3	USA. NIOSH Recommended Exposure Limits
		copper acetoars	pational Carcinog senite & all inorg A 15 minute ceilir	gen OSHA considers 'Inorganic Arsenic' to mean anic compounds containing arsenic except ARSINE. ng value
		See 1910.1018		
		TWA 0.5 mg/m3	USA. OSHA -TABLE Z-1 Limits for Air Contaminants -1910.1000	
635		PEL 0.01 mg/m3		
		see Section 52	14	
		PEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

# Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

Eye/face protection	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) glash contact Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmen tal exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Form: crystalline Colour: white
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: 195 - 196 °C (383 - 385 °F)
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

# 9.2 Other safety information

No data available

# **10. STABILITY AND REACTIVITY**

## **10.1 Reactivity**

No data available

## **10.2 Chemical stability**

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

Avoid moisture.

## 10.5 Incompatible materials

Strong oxidizing agents, Strong bases

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Arsenic oxides

Other decomposition products - No data available

In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

## Acute toxicity

LD50 Oral - Rat - 644 mg/kg
Dermal: No data available
No data available

## Skin corrosion/irritation

ata available	
ous eye damage/eye irritation	
ata available	
piratory or skin sensitisation	
ata available	
n cell mutagenicity	
inogenicity	
nogenicity - Mouse - Oral prigenic:Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration:Tumors. ed evidence of carcinogenicity in animal studies : 1 - Group 1: Carcinogenic to humans (Dimethylarsinic acid) Group 2B: Possibly carcinogenic to humans (Dimethylarsinic acid) : 1 - Group 1: Carcinogenic to humans (Dimethylarsinic acid) Group 2B: Possibly carcinogenic to humans (Dimethylarsinic acid) A: OSHA specifically regulated carcinogen (Dimethylarsinic acid)	
oductive toxicity	
oductive toxicity - Mouse - Oral ts on Newborn: Growth statistics (e.g., reduced weight gain). Effects on Newborn: Physical.	
ific target organ toxicity -single exposure	
ation - May cause respiratory irritation.	
ific target organ toxicity -repeated exposure	
ata available	
ration hazard	
ata available	
tional Information	
CS: CH7525000 siness, Tremors, Convulsions, dry mouth, metallic taste, loss of appetite, respiratory difficulties, garlic-like breat garlic-like perspiration ach - Irregularities - Based on Human Evidence ach - Irregularities - Based on Human Evidence	n

## **12. ECOLOGICAL INFORMATION**

## 12.1 Toxicity

Toxicity to fish	LC50 - Lepomis macrochirus - > 180 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	No data available
Toxicity to algae	No data available
Toxicity to bacteria	No data available

# 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

Bioaccumulation	Gambusia affinis (Mosquito fish) - 32 d - 435 µg/l Bioconcentration factor (BCF): 21	
-----------------	--------------------------------------------------------------------------------------------	--

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

# **13. DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

## Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

# **14. TRANSPORT INFORMATION**

# DOT (US)

UN number: 1572 Class: 6.1 Packing group: II

Proper shipping name: Cacodylic acid

Reportable Quantity (RQ): 1 lbs

Poison Inhalation Hazard: No

## IMDG

UN number: 1572 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: CACODYLIC ACID

Marine pollutant:yes

# ΙΑΤΑ

UN number: 1572 Class: 6.1 Packing group: II

Proper shipping name: Cacodylic acid

## **15. REGULATORY INFORMATION**

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Component	CAS-No.	Revision Date
Dimethylarsinic acid	75-60-5	1993-04-24

# SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

Component	CAS-No.	Revision Date
Dimethylarsinic acid	75-60-5	1993-04-24

#### Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Dimethylarsinic acid	75-60-5	1993-04-24

### New Jersey Right To Know Components

Component	CAS-No.	Revision Date
Dimethylarsinic acid 7	75-60-5	1993-04-24

# California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Component	CAS-No.	Revision Date
Dimethylarsinic acid	75-60-5	2007-09-28

# Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity Carc. Carcinogenicity Eye Irrit. Eye irritation H301 Toxic if swallowed. H301 + H331 Toxic if swallowed or if inhaled H315 Causes skin irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. **HMIS Rating** Health hazard: 2 Chronic Health Hazard: * Flammability: 0 Physical Hazard 0 **NFPA Rating** Health hazard: 2

Fire Hazard: 0

Reactivity Hazard: 0

