1. PRODUCT

1.1 Product identifiers

Name: Methacrylic anhydride

CAS-No.: 760-93-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Skin sensitisation (Category 1), H317

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H227 Combustible liquid. H302 + H332 Harmful if swallowed or if inhaled H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H402 Harmful to aquatic life.

-	
Precautionary	P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
statement(s)	P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
	P264 Wash skin thoroughly after handling.
	P270 Do not eat, drink or smoke when using this product.
	P271 Use only outdoors or in a well-ventilated area.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P273 Avoid release to the environment.
	P280 Wear protective gloves/ eye protection/ face protection.
	P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you
	feel unwell. Rinse mouth.
	P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
	P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Call a POISON CENTER or doctor/ physician if you feel
	P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately
	call a POISON CENTER or doctor/ physician.
	P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P362 Take off contaminated clothing and wash before reuse.
	P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to
	extinguish.
	P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
	P403 + P235 Store in a well-ventilated place. Keep cool.
	P405 + P255 Store in a weil-ventilated place. Reep cool.
	P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula:	$C_8H_{10}O_3$
Molecular weight:	154.16 g/mol
CAS-No.:	760-93-0

Hazardous components

Component	Classification	Concentration
Methacrylic anhydride		
or the set	Flam. Liq. 4; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Skin Sens. 1; STOT SE 3; Aquatic Acute 3; H227, H302 + H332, H315, H317, H318, H335, H402	<= 100 %
6-tert-Butyl-2,4-xylenol		•
	Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; H311 + H331, H314	>= 0.1 -< 1 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.2 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all

sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive

concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Combustible, corrosive hazardous materials

7.3 Specific end use(s)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Hazardous components without workplace control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of

workday.

Personal protective equipment

Eye/face protection	Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).	
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 30 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.	
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.	
Respiratory protection		
	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.	

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Form: clear, liquid Colour: colourless
Odour	pungent
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	87 °C (189 °F) at 17 hPa (13 mmHg) - lit.
Flash point	84 °C (183 °F) - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	0.9 hPa (0.7 mmHg) at 20 °C (68 °F) - OECD Test Guideline 104

Vapour density	No data available	
Relative density	1.035 g/cm3 at 25 °C (77 °F) - lit.	
Water solubility	soluble	
Partition coefficient: n-octanol/water	log Pow: 0.93 at 22 °C (72 °F) -	
Auto-ignition temperature	345 °C (653 °F) at 1,006 hPa (755 mmHg)	
Decomposition temperature	No data available	
Viscosity	1.3 mm2/s at 40 °C (104 °F) -	
Explosive properties	No data available	
Oxidizing properties	No data available	

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

Contains the following stabiliser(s):

6-tert-Butyl-2,4-xylenol (0.2 %)

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Strong bases

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 890 mg/kg
(OECD Test Guideline 401)
LD50 Oral - Rat - female - 1,760 mg/kg
(OECD Test Guideline 401)
LC50 Inhalation - Rat - 4 h - > 2,081 mg/l
(OECD Test Guideline 403)
Dermal: No data available
No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation Eyes - Rabbit Result: Risk of serious damage to eyes. Eyes - Human Result: Severe eye irritation

Respiratory or skin sensitisation



Germ cell mutagenicity

Result: Not mutagenic in Ames Test OECD Test Guideline 478 Mouse Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. **Reproductive toxicity**

No data available No data available

Specific target organ toxicity -single exposure

May cause respiratory irritation.

Specific target organ toxicity -repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: OZ5700000 Cough, Shortness of breath, Headache, Nausea, Vomiting, Salivation Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity



Toxicity to fish	flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 85 mg/l - 96 h Remarks: Read-across (Analogy) flow-through test NOEC - Danio rerio (zebra fish) - 10 mg/l - 35 d Remarks: Read-across (Analogy)
Toxicity to daphnia and other aquatic invertebrates	flow-through test EC50 - Daphnia magna (Water flea) - > 130 mg/l - 48 h Remarks: Read-across (Analogy) NOEC - Daphnia magna (Water flea) - 53 mg/l - 21 d Remarks: Read-across (Analogy)
Toxicity to algae	EC50 - Pseudokirchneriella subcapitata (green algae) - 45 mg/l - 72 h Remarks: Read-across (Analogy)
Toxicity to bacteria	No data available

12.2 Persistence and degradability

Biodegradability	Result: 86 % - Readily biodegradable (OECD Test Guideline 301D) Remarks: Read-across (Analogy)	
------------------	--	--

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3265 Class: 8 Packing group: II

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Methacrylic anhydride)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 3265 Class: 8 Packing group: II EMS-No: F-A, S-B

Proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methacrylic anhydride)

IATA

UN number: 3265 Class: 8 Packing group: II

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Methacrylic anhydride)

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Component	CAS-No.	Revision Date
Methacrylic anhydride	760-93-0	1993-04-24

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De

Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Component	CAS-No.	Revision Date
Methacrylic anhydride	760-93-0	1993-04-24

Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Methacrylic anhydride	760-93-0	1993-04-24

New Jersey Right To Know Components

Component	CAS-No.	Revision Date
Methacrylic anhydride	760-93-0	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity Aquatic Acute Acute aquatic toxicity Eye Dam. Serious eye damage Flam. Liq. Flammable liquids H227 Combustible liquid. H302 Harmful if swallowed. H302 + H332 Harmful if swallowed or if inhaled H311 + H331 Toxic in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H332 Harmful if inhaled. H335 May cause respiratory irritation. H402 Harmful to aquatic life. Skin Corr. Skin corrosion Skin Irrit. Skin irritation **HMIS** Rating Health hazard: 2 Chronic Health Hazard: * Flammability: 2 Physical Hazard 0 **NFPA Rating** Health hazard: 2 Fire Hazard: 2 Reactivity Hazard: 0