# 1. PRODUCT

## **1.1 Product identifiers**

Name: Dibutyl phthalate

CAS-No.: 84-74-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Reproductive toxicity (Category 1B), H360

Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram		
Signal word	Danger	
Hazard statement(s)	H360 May damage fertility or the unborn child. H400 Very toxic to aquatic life.	
Precautionary statement(s)	<ul> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P273 Avoid release to the environment.</li> <li>P281 Use personal protective equipment as required.</li> <li>P308 + P313 IF exposed or concerned: Get medical advice/ attention.</li> <li>P391 Collect spillage.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>	

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Synonyms:	n-Butyl phthalate Phthalic acid dibutyl ester DBP
Formula:	C <sub>16</sub> H <sub>22</sub> O <sub>4</sub>
Molecular weight:	278.34 g/mol
CAS-No.:	84-74-2
EC-No.:	201-557-4

## Hazardous components

Component	Classification	Concentration
Dibutyl phthalate Included in the Cand Regulation (EC) No. 1907/2006 (REACH	idate List of Substances of Very High Concern (S <sup>v</sup> I)	/HC) according to
	Repr. 1B; Aquatic Acute 1; H360, H400	<= 100 %

# 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.2 Indication of any immediate medical attention and special treatment needed

No data available

## **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

No data available

# 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate

personnel to safe areas.

For personal protection see section 8.

## **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Dibutyl phthalate	84-74-2	TWA	5.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Upper Respir	atory Tract irritation	n Eye irritation Testicular damage	
		TWA	5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Eye irritation Testicular damage			
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants	
<u>حالم</u>		TWA	5.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		PEL	5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of

workday.

## Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M) Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 120 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

	Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Appearance	Form: liquid, clear Colour: colourless
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: -35 °C (-31 °F) - lit.
Initial boiling point and boiling range	340 °C (644 °F) - lit.
Flash point	171.0 °C (339.8 °F) - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Lower explosion limit: 0.47 %(V)
Vapour pressure	1.3 hPa (1.0 mmHg) at 147.0 °C (296.6 °F)
Vapour density	No data available
Relative density	1.043 g/cm3 at 25 °C (77 °F)
Water solubility	0.0114 g/l at 25 °C (77 °F) - OECD Test Guideline 105 - slightly soluble
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	402.0 °C (755.6 °F)
Decomposition temperature	No data available
Viscosity	18.8 mm2/s at 20 °C (68 °F) -
Explosive properties	No data available
Oxidizing properties	No data available

## 9.2 Other safety information

No data available

# **10. STABILITY AND REACTIVITY**

## **10.1 Reactivity**

No data available

## **10.2 Chemical stability**

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

No data available

# 10.5 Incompatible materials

Strong oxidizing agents, Nitrates, Bases, acids, Chlorine

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

Acute toxicity	
LD50 Oral - Rat - 8,000 mg/kg LC50 Inhalation - Rat - 4,250 mg/m3 LD50 Dermal - Rabbit - > 20,860 mg/kg No data available	orthSt
Skin corrosion/irritation	
Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)	es <sup>c</sup>
Serious eye damage/eye irritation	
Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)	Cher
Respiratory or skin sensitisation	
Maximisation Test - Guinea pig Result: Does not cause skin sensitisation. (OECD Test Guideline 406)	
Germ cell mutagenicity	
No data available	
Carcinogenicity	
probable, possible or confirmed human carcino NTP: No component of this product present at I known or anticipated carcinogen by NTP.	levels greater than or equal to 0.1% is identified as gen by IARC. evels greater than or equal to 0.1% is identified as a t levels greater than or equal to 0.1% is identified as a
Reproductive toxicity	
Presumed human reproductive toxicant Overexposure may cause reproductive disorde	r(s) based on tests with laboratory animals.
Specific target organ toxicity -single ex	posure
No data available	v
Specific target organ toxicity -repeated	exposure
No data available	
Aspiration hazard	
No data available	
Additional Information	
RTECS: TI0875000 Nausea, Dizziness, Headache, To the best of o not been thoroughly investigated. Central nervous system -	ur knowledge, the chemical, physical, and toxicological properties have

# **12. ECOLOGICAL INFORMATION**

# 12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 0.85 mg/l - 96.0 h NOEC - Pimephales promelas (fathead minnow) - 0.32 mg/l - 96.0 h	
Toxicity to daphnia and other aquatic invertebrates	LC50 - Daphnia magna (Water flea) - 3.7 mg/l - 48 h	
Toxicity to algae	No data available	
Toxicity to bacteria	No data available	

# 12.2 Persistence and degradability

Biodegradability	Result: 81 % - Readily biodegradable (C.4-C of the COUNCIL REGULATION (EC) No 440/2008)
------------------	--

# 12.3 Bioaccumulative potential

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

No data available

# **13. DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

## Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## **Contaminated packaging**

Dispose of as unused product.

# **14. TRANSPORT INFORMATION**

## DOT (US)

UN number: 3082 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Dibutyl phthalate)

Reportable Quantity (RQ): 10 lbs

Marine pollutant:yes

Poison Inhalation Hazard: No

# IMDG

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dibutyl phthalate)

Marine pollutant:yes

# ΙΑΤΑ

UN number: 3082 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Dibutyl phthalate)

# **15. REGULATORY INFORMATION**

# SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Component	CAS-No.	Revision Date
Dibutyl phthalate	84-74-2	2007-07-01

# SARA 311/312 Hazards

Chronic Health Hazard

# Massachusetts Right To Know Components

Component	CAS-No.	<b>Revision Date</b>
Dibutyl phthalate	84-74-2	2007-07-01
Pennsylvania Right To Know Componen	ts	
Component	CAS-No.	Revision Date
Dibutyl phthalate	84-74-2	2007-07-01
New Jersey Right To Know Components		
Component	CAS-No.	Revision Date
Dibutyl phthalate	84-74-2	2007-07-01
California Prop. 65 Components WARNING: This product contains a chemical kn	own to the State of California to cause birth def	ects or other reproductive harr
Component	CAS-No.	Revision Date
Dibutyl phthalate	84-74-2	2008-06-17

# **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

Repr. Reproductive toxicity

## **HMIS** Rating

Health hazard: 1

Chronic Health Hazard: \*

Flammability: 1

Physical Hazard 0

# **NFPA** Rating

Health hazard: 2

Fire Hazard: 1

Reactivity Hazard: 0