

MIT
Phone/Wech
En
Websit

Product	CAS
Beta naphthol	135-19-3
N,N-diethyl-o-toluidine	210-119-1
N,N-Diethyl-m-toluidine	91-67-8
N,N-Diethyl aniline DEA	91-66-7
N-Ethyl-o-toluidine	94-68-8
N,N-Dimethylaniline DMA	121-69-7
N,N-Dimethyl-p-toluidine DMPT	99-97-8
N,N-Dimethyl-o-toluidine	609-72-3
Auramine O C.I. Basic yellow 2	2465-27-2
Crystal violet lactone CVL	1552-42-7
Basic Green 4 Magenta Green Malachite Green	14426-28-9
m-Phenylenediamine MPDA	108-45-2

<p>Joice MIT-IVY Industry Co.,Ltd. WhatsApp: +8618636360528 Email:gm@mit-ivy.com Website: http://www.mit-ivy.com</p>
<p>Application(Reference)</p>
<p>Used in the preparation of Tobias acid, J acid, 2.3-acid, and used in the preparation of anti-aging agent D, anti-aging agent DNP and its anti-aging agent, organic pigment and fungicide</p>
<p>Dye intermediates. It is used to produce weak acid brilliant blue BA and other dyes. It can also be used to synthesize positive film CD-2 for color development.</p>
<p>Used in dye intermediates, latex accelerators, pharmaceuticals, pesticides, etc.</p>
<p>Used in dyes, medicine and other organic synthesis</p>
<p>One of the basic raw materials for the production of basic dyes (triphenylmethane dyes, etc.) and basic dyes. The main varieties are basic bright yellow, basic violet 5BN, basic green, basic lake blue, brilliant red 5GN, brilliant Blue etc. N,N-dimethylaniline is used in the pharmaceutical industry to manufacture cephalosporin V, sulfa-b-methoxine, sulfa-dimethoxine, fluosporine, etc., and in the perfume industry to manufacture vanillin Wait.</p>
<p>Used to make self-setting dental tray water; glue accelerator, marble glue; anchoring agent.</p>
<p>For organic synthesis</p>
<p>Dyestuff</p>
<p>It is an important functional dye for the production of pressure-sensitive materials</p>
<p>It is a dye and pigment</p>
<p>Intermediate of azo dyes and azine dyes, mainly used in the manufacture of direct sun-fast black RN, basic orange, basic brown</p>

