## CERTIFICATE OF ANALYSIS

| Product name                     | Antio | oxidant 3114   | Batch n                  |          | 202012003 |
|----------------------------------|-------|--|--------------------------|----------|-----------|
| CAS NO                           | 2767  | 6-62-6   | Mfg.                     | date     | 20201201  |
| Quantity                         | 1000  | lkg  | Retes                    | t date   | 20221130  |
| Items                            |       | Specification  |                          | Results  |           |
| Appearance                       |       | white powder   |                          | Conforms |           |
| Assay                            |       | ≥98%   |                          | 98.72%   |           |
| Melting point                    |       | 218-223 °C   |                          | Conforms |           |
| Volatiles                        |       | ≪0.5%  |                          | 0.41%    |           |
| Ash                              |       | ≤0.1%  |                          | 0.06%    |           |
| Transmittance                    | 425nm | ≥97%   |                          | Conforms |           |
|                                  | 500nm | ≥98%   | $\mathcal{O}\mathcal{O}$ | Conforms |           |
| Storage                          |       | Keeping away from light and in a cool and dry place.         |                          |          |           |
| Conclusion                       |       | According to the enterprise standard, and the results are in |                          |          |           |
| conformity with the regulations. |       |  |                          |          |           |

Analyst: Anna

Checker: Bruce