

XI'AN JULONG BIO-TECH CO.,LTD

Address: FULI BAILU BAY ,BAQIAO DISTRICT ,XI'AN,SHAANXI PROVINCE, CHINA.

Tel:+86-02983614387 www.biowharton.en.alibaba.com

Certificate of Analysis--HCG Powder

Product Name	HCG Powder	Batch No	JL-20210325
Quantity	10KG	Analysis Date	Mar .26th,2021
Mfg. Date	Mar ,25th,2021	Exp. Date	Mar ,24th ,2023
Package	25KG per drum	Standard	USP

TEST ITEMS	SPECIFICATIONS	Results	
	A.HNMR:Comply with the structure		
Identification	B.LC-MS:Complywith the structure	Complies	
	C.The IR spectmumof sample should be ic with that ofreference standard		
	D.HPLCES-MS		
	The retention time of the major peak in the		
Crystallinity	Meets the requirements.	Complies	
Loss on Drying	≤2.0%	≤0.19%	
Heavy metals	≤10ppm	< 10ppm	
Water	≤1.0%	0.1%	
Related substances	Unspecified impurities:for esch impurity	≤0.5%	<0.10%
	Total Impurity	≤0.10%	0.18%
Purity	≥99.0%	99.7%	
Assay	99.0%~101.0% (anhydrous substa	99.8%	
Total plate sount	≤1000cfu/g	Complies	
Yeast and Moulds	≤100cfu/g		Complies
Sulphated ash	0.5%, determined determined on	009%	
Conclusion	Meets the Requirements	WATE Z	Path

QC MANAGER: 董卓 INSPECTOR: 张赞 ANALYSI: 王胜利