



XI'AN JULONG BIO-TECH CO.,LTD

Address:FULI BAILU BAY ,BAQIAO DISTRICT ,XI'AN,SHAANXI PROVINCE, CHINA.

Tel:+86-02983614387

Certificate of Analysis--Naphazoline Hydrochloride

| | | | |
|--------------------------|---------------------------|----------------------|---------------|
| Product Name | Naphazoline Hydrochloride | Batch No | JL-20210112 |
| Quantity | 10Kg | Analysis Date | Jan,13th,2021 |
| Mfg. Date | Jan,12th,2021 | Exp. Date | Jan,11th,2023 |
| Package | 25KG per drum | Standard | GMP/USP/EP |
| Item | Specification | Result | |
| Appearance | White powder | Complies | |
| Related substance (HPLC) | 98%min | 99.8% | |
| Odor | Characteristic | Complies | |
| Assay | 98% | 98.22% | |
| Sieve analysis | 100% pass 80 mesh | Complies | |
| Heavy Metal | <10ppm | Complies | |
| As | <0.1ppm | 0.05ppm | |
| Pb | <0.1ppm | 0.05ppm | |
| Cd | <0.1ppm | 0.05ppm | |
| Residual Solvents | <100ppm | Complies | |
| Residual Pesticide | Negative | Complies | |
| Total Plate Count | <1000cfu/g | Complies | |
| Yeast & Mold | <100cfu/g | Complies | |
| E.Coli | Negative | Complies | |
| Salmonella | Negative | Complies | |

QC MANAGER: 董卓

INSPECTOR: 张赞

ANALYST: 王胜利

