

CERTIFICATE OF ANALYSIS

PRODUCT : Magnesium Ascorbyl Phosphate		CERTIFICATE NO : 20210425	
BATCH NO : SM20210425		CERTIFICATE DATE : 20210425	
BATCH SIZE : 200kg		DATE OF MANUFACTURE : 20210424	
Items	Specification	Results	
DESCRIPTION	White or pale yellowish Powder or granule	Pass	
PH	7.0—8.5	8.3	
STATE OF SOLUTION	Colourless to pale	Pass	
HEAVY METALS	≤10mg/kg	< 10mg/kg	
ARSENIC	≤1mg/kg	< 1mg/kg	
FREE ASCORBIC ACID	≤0.5%	< 0.5%	
FREE PHOSPHORIC ACID	≤1%	< 1%	
CHLORIDE	≤0.35%	< 0.35%	
KETOGULONIC ACID AND IT' S DERIVATIVES	≤2.5%	< 2.5%	
WATER	≤29.0%	< 29.0%	
ASSAY (ANHYDROUS)	≥95.0%	99.6%	
CONCLUSION		Pass	
QC DEPARTMENT	SUPERVISOR : YAN XU	ANALYST JING ZHANG	CHECKER ZHANG WEI

SINOWAY INDUSTRIAL CO.,LTD.

