

# Certificate of Analysis<sup>(Ver.1.0)</sup>

## Aflatoxin B<sub>1</sub>,B<sub>2</sub>,G<sub>1</sub>,G<sub>2</sub>,Zearalenone,T-2 toxin in Methanol

### 1. General information

This document is designed and the certified value(s) and uncertainty(ies) are determined in accordance with ISO Guide 31<sup>[1]</sup>.

### 2. Description of the Reference Material (RM)

Product name:	Aflatoxin B <sub>1</sub> ,B <sub>2</sub> ,G <sub>1</sub> ,G <sub>2</sub> ,Zearalenone,T-2 toxin in Methanol	
Product numbers:	STD# <b>3088</b>	
Lot number:	<b>2A00D27</b>	
CAS number:	Aflatoxin B <sub>1</sub> :1162-65-8;Aflatoxin B <sub>2</sub> :7220-81-7; Aflatoxin G <sub>1</sub> :1165-39-5;Aflatoxin G <sub>2</sub> :7241-98-7; Zearalenone:17924-92-4;T-2 toxin:21259-20-1	
Formula weight:	Aflatoxin B <sub>1</sub> :312.27;Aflatoxin B <sub>2</sub> :314.29; Aflatoxin G <sub>1</sub> :328.27;Aflatoxin G <sub>2</sub> :330.29; Zearalenone:318.36;T-2 toxin:466.52	
Formula:	Aflatoxin B <sub>1</sub> :C <sub>17</sub> H <sub>12</sub> O <sub>6</sub> ;Aflatoxin B <sub>2</sub> :C <sub>17</sub> H <sub>14</sub> O <sub>6</sub> ; Aflatoxin G <sub>1</sub> :C <sub>17</sub> H <sub>12</sub> O <sub>7</sub> ;Aflatoxin G <sub>2</sub> :C <sub>17</sub> H <sub>14</sub> O <sub>7</sub> ; Zearalenone:C <sub>18</sub> H <sub>22</sub> O <sub>5</sub> ;T-2 toxin:C <sub>24</sub> H <sub>34</sub> O <sub>9</sub>	
Result concentration:	Aflatoxin B <sub>1</sub> : <b>10.00±0.12µg/mL</b> ; Aflatoxin B <sub>2</sub> : <b>10.02±0.12µg/mL</b> ; Aflatoxin G <sub>1</sub> : <b>10.01±0.12µg/mL</b> ; Aflatoxin G <sub>2</sub> : <b>10.00±0.12µg/mL</b> ; Zearalenone: <b>10.00±0.12µg/mL</b> ; T-2 toxin: <b>10.06±0.12µg/mL</b>	
Starting material :	Aflatoxin B <sub>1</sub> ,lot# <b>J20016P</b> ; Aflatoxin B <sub>2</sub> ,lot#J20125P; Aflatoxin G <sub>1</sub> ,lot#J20311P; Aflatoxin G <sub>2</sub> ,lot#J20311P; Zearalenone,lot#J20217P; T-2 toxin,lot# <b>I19924P</b> ; Pribolab Pte. Ltd	
Matrix :	Methanol, LiChrosolv <sup>®</sup> , Merck	
Amount:	2.0mL	
Production date:	<b>27/Apr/2021</b>	
Expiration date:	<b>26/Apr/2022</b>	
Name the supplier:	Pribolab Pte. Ltd	

#### 2.1 Intended use of the RM

- for laboratory use only
- calibration of analytical instruments

## 2.2 Instruction for the correct use of the RM

The ampoules should be stored at 2-8°C in a dark place. Before usage of the RM, the ampoules should be allowed to warm to room temperature. The recommended minimum sub-sample amount for all kinds of application is 100 µL. The expiry date of this RM is based on the current knowledge and holds only for proper storage conditions in the originally closed flasks/ packages.

## 2.3 Hazardous situation

The normal laboratory safety precautions should be observed when working with this RM. Further details for the handling of this RM are available as safety data sheet.

Hazardous Ingredients	Concentration in%	Pictograms	Signal word	Hazard statement(s)
Methanol	>99.9		Danger	H225,H302,H312,H319,H332

## 3. Certified values and their uncertainties

Aflatoxin B <sub>1</sub> ,B <sub>2</sub> ,G <sub>1</sub> ,G <sub>2</sub> ,Zearalenone,T-2 toxin in Methanol		
Compound	Mass concentration <sup>a</sup>	
	Certified value <sup>b</sup>	Uncertainty <sup>c</sup>
Aflatoxin B <sub>1</sub>	10.00 µg/mL	±0.12 µg/mL
Aflatoxin B <sub>2</sub>	10.02 µg/mL	±0.12 µg/mL
Aflatoxin G <sub>1</sub>	10.01 µg/mL	±0.12 µg/mL
Aflatoxin G <sub>2</sub>	10.00 µg/mL	±0.12 µg/mL
Zearalenone	10.00 µg/mL	±0.12 µg/mL
T-2 toxin	10.06 µg/mL	±0.12 µg/mL

a Mass concentration based on weighed amount, purity and dilution steps  
b Values are based on preparation data and confirmed experimentally by HPLC-UV  
c Expanded uncertainty U(k=2) of the value u<sub>c</sub> according to GUM<sup>[2]</sup>

## 3.1 Calculation of uncertainty

After the concentration of the gravimetric prepared solution was confirmed by HPLC-UV, the uncertainty of the calibrant was calculated on the basis of preparation<sup>[3]</sup>.

Uncertainty components	Description	Standard uncertainty (u)	
Purity(P) of solid Aflatoxin B <sub>1</sub> ; Aflatoxin B <sub>2</sub> Aflatoxin G <sub>1</sub> ; Aflatoxin G <sub>2</sub> Zearalenone; T-2 toxin	P <sub>1</sub> =99.0±1.0% P <sub>2</sub> =98.9±1.1% P <sub>3</sub> =99.0±1.0% P <sub>4</sub> =98.9±1.1% P <sub>5</sub> =99.0±1.0% P <sub>6</sub> =99.0±1.0%	u(P)=0.6%	a
Weighing procedure; Weighted sample: m <sub>Aflatoxin B1</sub> =5.051mg; m <sub>Aflatoxin B2</sub> =5.066mg m <sub>Aflatoxin G1</sub> =5.056mg; m <sub>Aflatoxin G2</sub> =5.056mg m <sub>Zearalenone</sub> =5.051mg; m <sub>T-2 Toxin</sub> =5.081mg	U <sub>(m)</sub> =0.0000008g+1.30*10 <sup>-5</sup> *m <sub>Toxin</sub> U <sub>(m)</sub> =U <sub>(m)</sub> /2	u <sub>(m)</sub> =0.0004mg	b
Dilution procedure Volumetric flask :v <sub>r</sub> =500mL	Calibration:500mL ± 0.25mL Repeatability : 0.1mL Volume expansion solvent	u(cal)=0.1mL u(rep)=0.1mL u(Vol.exp.1)=1.0mL u(v)=1.0mL	c d e f

- a Maximum tolerance of purity was divided by  $\sqrt{3}$
- b Calculation of this u-value is based upon the uncertainty formula for the weighed amount as given in the calibration report from annual balance calibration
- c A triangular distribution (division by  $\sqrt{6}$ ) was chosen for the calculation of u(cal)
- d Based on a series of ten fill and weigh experiments on a typical 500mL flask; the value was used directly as a standard deviation
- e Based on the density of 0.7918 g/cm<sup>3</sup> at temperature T=20°C and a maximum temperature variation of ±3°C, of volume expansion, relative volume expansion coefficient of methanol is  $1190 \times 10^{-6}/^{\circ}\text{C}$  [7], volume expansion term (rectangular distribution) was divided by  $\sqrt{3}$
- f The three contributions are combined to give the  $u(V) = \sqrt{u(\text{cal})^2 + u(\text{rep})^2 + u(\text{Vol.exp})^2}$

#### Calculation of the combined uncertainty $u_c$ and the expanded standard uncertainty U

$$C_{\text{Toxin}} = \frac{10 \times m_{\text{ws}} \times P}{V_f} = \frac{10 \times 5.051 \times 99.0}{500} = 10.00 \text{ mg / L}$$

$$\frac{u_c(C_{\text{Toxin}})}{C_{\text{Toxin}}} = \sqrt{\left[\frac{u(P)}{P}\right]^2 + \left[\frac{u(m)}{m_{\text{ws}}}\right]^2 + \left[\frac{u(V)}{V_f}\right]^2} = \sqrt{\left[\frac{0.6}{99.0}\right]^2 + \left[\frac{0.0004}{5.051}\right]^2 + \left[\frac{1.0}{500}\right]^2} = 0.006$$

$$u_c(C_{\text{Toxin}}) = C_{\text{Toxin}} \times 0.006 = 10.00 \times 0.006 = 0.06 \text{ mg / L}$$

#### calculation of expanded standard uncertainty U using a coverage factor k=2

$$U(C_{\text{Toxin}}) = u_c(C_{\text{Toxin}}) \times 2 = 0.06 \times 2 = 0.12 \mu\text{g / mL}$$

### 4. Discussion of traceability

This calibrant is certified on the basis of gravimetric preparation<sup>[4]</sup>. Thus the certified value (mass concentration of Aflatoxin B<sub>1</sub>, B<sub>2</sub>, G<sub>1</sub>, G<sub>2</sub>, Zearalenone, T-2 toxin) are based on the weighed amount of the starting material and is therefore traceable to the stated purity of the solid raw material. High purity material represents a practical realization of concentration units, through conversion of mass to molar quality.


### 5. Confirmation of certified value by HPLC-UV

The certified concentration of Aflatoxin B<sub>1</sub>, B<sub>2</sub>, G<sub>1</sub>, G<sub>2</sub>, Zearalenone, T-2 toxin of the gravimetric prepared solution were confirmed by HPLC-UV against an independently prepared reference batch of Aflatoxin B<sub>1</sub>, B<sub>2</sub>, G<sub>1</sub>, G<sub>2</sub>, Zearalenone, T-2 toxin.

### 6. Further information

The purchaser must determine the suitability of this product for its particular use. Pribolab makes no warranty of any kind, express or implied, other than its products meet all quality control standards set by Pribolab Labs. We do not guarantee that the product can be used for a special application.

Inspected by

  
 \_\_\_\_\_

Quality System Specialist

## References:

- [1] ISO Guide 31, 1-7, (2000), "Reference Materials - Contents of Certificates and Labels"
- [2] International Organization for Standardization (ISO), (2008), "Guide to the Expression of Uncertainty in Measurements ", (GUM 1995 with minor corrections) 1<sup>st</sup> Ed. Geneva, Switzerland
- [3] R.D. Josephs, R. Krska, S. MacDonald, P. Wilson, H. Pettersson, J. AOAC Int. 86, 50-60. (2003), "Preparation of a Calibrant as Certified Reference Material for Determination of the Fusarium Mycotoxin, Zearalenone"
- [4] E.W. Flick, (1998), "Industrial Solvents Handbook ", 5<sup>rd</sup> Ed., Noyes Data Corp. Westwood NJ