# SAFETY DATA SHEET

## 1. PRODUCT

## 1.1 Product identifiers

Name: Formamide CAS-No.: 75-12-7

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Synthesis of substances

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Carcinogenicity (Category 2), H351

Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - repeated exposure, Oral (Category 2), Blood, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. H373 May cause damage to organs (Blood) through prolonged or repeated exposure if swallowed.
Precautionary statement(s)	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P281 Use personal protective equipment as required. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms: Amide C1

Formic amide

Formula:  $CH_3NO$  Molecular weight: 45.04 g/mol CAS-No.: 75-12-7 EC-No.: 200-842-0

## **Hazardous components**

Component	Classification	Concentration		
Formamide Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)				
.57	Carc. 2; Repr. 1B; STOT RE 2; H351, H360, H373	<= 100 %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

General advice	O.V.
Consult a physician. Show this safet	y data sheet to the doctor in attendance.Move of

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

No data available

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

#### **6. ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Formamide	75-12-7	TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Eye irritation absorption	n Liver damage Kidn	ney damage Skin irritation Danger of cutaneous
		TWA	10.000000 ppm 15.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
	J	Potential for dermal absorption		
,57		PEL	10 ppm 18 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

	79.7
Eva/face	Food shield and sofety alcohold los aguinment for avainment to tested and approved under appropriate
Eve/lace	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate
,	
Inrotaction	government standards such as NIOSH (US) or EN 166(EU).
DIOLECTION	TUUVETTITIETII SIATUATUS SUUT AS INIOOTT TOOTOLEN TOOLEOT.

Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.  Full contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 480 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 450 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmen tal exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance	Form: liquid Colour: colourlessyellow
Odour	Ammonia odor
Odour Threshold	No data available
рН	4 - 10 at 200 g/l at 20 °C (68 °F)
Melting point/freezing point	Melting point/range: 2 - 3 °C (36 - 37 °F)
Initial boiling point and boiling range	210 °C (410 °F)
Flash point	175 °C (347 °F)
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 19 %(V) Lower explosion limit: 2.7 %(V)
Vapour pressure	0.08 hPa (0.06 mmHg) at 20 °C (68 °F)
Vapour density	1.56 - (Air = 1.0)
Relative density	1.134 g/mL at 25 °C (77 °F)
Water solubility	completely miscible
Partition coefficient: n-octanol/water	log Pow: -0.82 at 25 °C (77 °F)
Auto-ignition temperature	No data available
Decomposition temperature	> 180 °C (> 356 °F) -
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

# 9.2 Other safety information

Relative vapour density: 1.56 - (Air = 1.0)

# **10. STABILITY AND REACTIVITY**

# 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

#### 10.5 Incompatible materials

Bases, Oxidizing agents, Hydrogen peroxide, Iodine, Pyridine, Sulphur oxides

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - male and female - 5,325 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male - 4 h - > 21 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - 17,000 mg/kg

No data available

## Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 20 h

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Mild eye irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

Ames test

S. typhimurium

Result: negative

Mutagenicity (micronucleus test)

Mouse - male and female

Result: negative

#### Carcinogenicity

Suspected human carcinogens

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

Presumed human reproductive toxicant

Reproductive toxicity - Rat - Oral

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Developmental Toxicity - Rat - Skin

Effects on Embryo or Fetus: Fetal death

## Specific target organ toxicity -single exposure

No data available

# Specific target organ toxicity -repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Blood

## **Aspiration hazard**

No data available

#### **Additional Information**

Repeated dose

toxicity

Rat - female - Oral - NOAEL : 40 mg/kg Rat - male and female - Dermal - NOAEL : 100 mg/kg RTECS: LQ0525000

Gastrointestinal disturbance, To the best of our knowledge, the chemical, physical, and toxicological properties have

not been thoroughly investigated.

Blood - Irregularities - Based on Human Evidence Blood - Irregularities - Based on Human Evidence

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Toxicity to fish	static test LC50 - Leuciscus idus (Golden orfe) - 6,569 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 500 mg/l - 48 h
Toxicity to algae	static test EC50 - Desmodesmus subspicatus (green algae) - > 500 mg/l - 72 h
Toxicity to bacteria	Respiration inhibition EC50 - Sludge Treatment - > 1,000 mg/l - 30 min (OECD Test Guideline 209)

# 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d Result: 99 % - Readily biodegradable
	(OECD Test Guideline 301A)

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

Adsorbed organic bound

halogens (AOX)

Remarks: Product does not contain any organic halogens.

## 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

## DOT (US)

Not dangerous goods

**IMDG** 

#### **IATA**

Not dangerous goods

## 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De

Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Chronic Health Hazard

## **Massachusetts Right To Know Components**

Component	CAS-No.	Revision Date
Formamide	75-12-7	1994-04-01

## Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Formamide	75-12-7	1994-04-01

## **New Jersey Right To Know Components**

Component	CAS-No.	Revision Date
Formamide	75-12-7	1994-04-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

# Full text of H-Statements referred to under sections 2 and 3.

Carc. Carcinogenicity

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

Repr. Reproductive toxicity

STOT RE Specific target organ toxicity - repeated exposure

# **HMIS Rating**

Health hazard: 0

Chronic Health Hazard: \*

Flammability: 1

Physical Hazard 0

# **NFPA Rating**

Health hazard: 2

Fire Hazard: 1

Reactivity Hazard: 0

chem5<sup>rc</sup>