

# SAFETY DATA SHEET

## 1. PRODUCT

### 1.1 Product identifiers

Name: 1-Hexanol

CAS-No.: 111-27-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Dermal (Category 4), H312

Eye irritation (Category 2A), H319

Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pictogram                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Signal word                | Warning                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Hazard statement(s)        | H226 Flammable liquid and vapour.<br>H302 + H312 Harmful if swallowed or in contact with skin<br>H319 Causes serious eye irritation.<br>H402 Harmful to aquatic life.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Precautionary statement(s) | P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.<br>P233 Keep container tightly closed.<br>P240 Ground/bond container and receiving equipment.<br>P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.<br>P242 Use only non-sparking tools.<br>P243 Take precautionary measures against static discharge.<br>P264 Wash skin thoroughly after handling.<br>P270 Do not eat, drink or smoke when using this product.<br>P273 Avoid release to the environment.<br>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.<br>P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.<br>P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.<br>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P312 Call a POISON CENTER or doctor/ physician if you feel unwell.<br>P322 Specific measures (see supplemental first aid instructions on this label).<br>P330 Rinse mouth.<br>P337 + P313 If eye irritation persists: Get medical advice/ attention.<br>P363 Wash contaminated clothing before reuse.<br>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.<br>P403 + P235 Store in a well-ventilated place. Keep cool.<br>P501 Dispose of contents/ container to an approved waste disposal plant. |

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms: Hexyl alcohol  
Formula:  $C_6H_{14}O$   
Molecular weight: 102.17 g/mol  
CAS-No.: 111-27-3  
EC-No.: 203-852-3

#### Hazardous components

| Component  | Classification                                                                            | Concentration |
|------------|-------------------------------------------------------------------------------------------|---------------|
| Hexan-1-ol | Flam. Liq. 3; Acute Tox. 4; Eye Irrit. 2A; Aquatic Acute 3; H226, H302 + H312, H319, H402 | <= 100 %      |

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

|                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------|
| <b>General advice</b>                                                                                                       |
| Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.                   |
| <b>If inhaled</b>                                                                                                           |
| If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.             |
| <b>In case of skin contact</b>                                                                                              |
| Wash off with soap and plenty of water. Consult a physician.                                                                |
| <b>In case of eye contact</b>                                                                                               |
| Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.                                      |
| <b>If swallowed</b>                                                                                                         |
| Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. |

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

---

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Components with workplace control parameters

| Component  | CAS-No.  | Value          | Control parameters | Basis                                               |
|------------|----------|----------------|--------------------|-----------------------------------------------------|
| Hexan-1-ol | 111-27-3 | TWA            | 40.000000 ppm      | USA. Workplace Environmental Exposure Levels (WEEL) |
|            | Remarks  | Eye irritation |                    |                                                     |

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

|                     |                                                                                                                                                              |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye/face protection | Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin protection                   | <p>Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.</p> <p>Full contact<br/>Material: Nitrile rubber<br/>Minimum layer thickness: 0.4 mm<br/>Break through time: 480 min<br/>Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)</p> <p>Splash contact<br/>Material: Nitrile rubber<br/>Minimum layer thickness: 0.2 mm<br/>Break through time: 30 min<br/>Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)<br/>data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374</p> <p>If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.</p> |
| Body Protection                   | Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Respiratory protection            | Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Control of environmental exposure | Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|                                              |                                                                              |
|----------------------------------------------|------------------------------------------------------------------------------|
| Appearance                                   | Form: clear, liquid<br>Colour: colourless                                    |
| Odour                                        | No data available                                                            |
| Odour Threshold                              | No data available                                                            |
| pH                                           | No data available                                                            |
| Melting point/freezing point                 | Melting point/range: -52 °C (-62 °F) - lit.                                  |
| Initial boiling point and boiling range      | 156 - 157 °C (313 - 315 °F) - lit.                                           |
| Flash point                                  | 60 °C (140 °F) - closed cup                                                  |
| Evaporation rate                             | No data available                                                            |
| Flammability (solid, gas)                    | No data available                                                            |
| Upper/lower flammability or explosive limits | Lower explosion limit: 1.3 %(V)                                              |
| Vapour pressure                              | 1.00 hPa (0.75 mmHg) at 20 °C (68 °F)<br>1 hPa (1 mmHg) at 25.6 °C (78.1 °F) |
| Vapour density                               | 3.53 - (Air = 1.0)                                                           |
| Relative density                             | 0.814 g/mL at 25 °C (77 °F)                                                  |
| Water solubility                             | No data available                                                            |
| Partition coefficient: n-octanol/water       | log Pow: 1.82                                                                |
| Auto-ignition temperature                    | No data available                                                            |
| Decomposition temperature                    | No data available                                                            |
| Viscosity                                    | No data available                                                            |
| Explosive properties                         | No data available                                                            |
| Oxidizing properties                         | No data available                                                            |

### 9.2 Other safety information

Relative vapour density: 3.53 - (Air = 1.0)

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

Heat, flames and sparks.

## 10.5 Incompatible materials

Strong oxidizing agents, Strong acids

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - 720 mg/kg

Remarks: Liver:Fatty liver degeneration. Kidney, Ureter, Bladder:Other changes. Blood:Other changes.

Inhalation: No data available

Dermal: No data available

LD50 Dermal - Rabbit - male - 1,500 mg/kg

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

Result: Not mutagenic in Ames Test

Histidine reversion (Ames)

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

No data available

### Specific target organ toxicity -single exposure

No data available

Acute dermal toxicity - Diarrhoea, Loss of reflexes, Coma, Rapid respiration

### Specific target organ toxicity -repeated exposure

No data available

### Aspiration hazard

No data available

### Additional Information

RTECS: MQ4025000

Dermatitis, Nausea, Dizziness, Headache, narcosis, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

|                                                     |                                                                |
|-----------------------------------------------------|----------------------------------------------------------------|
| Toxicity to fish                                    | LC50 - Pimephales promelas (fathead minnow) - 97.7 mg/l - 96 h |
| Toxicity to daphnia and other aquatic invertebrates | EC50 - Daphnia magna (Water flea) - > 100 mg/l - 24 h          |
| Toxicity to algae                                   | No data available                                              |
| Toxicity to bacteria                                | No data available                                              |

### 12.2 Persistence and degradability

|                  |                                        |
|------------------|----------------------------------------|
| Biodegradability | Result: > 70 % - Readily biodegradable |
|------------------|----------------------------------------|

### 12.3 Bioaccumulative potential

|                 |                                                                                                   |
|-----------------|---------------------------------------------------------------------------------------------------|
| Bioaccumulation | Oncorhynchus mykiss (rainbow trout) - 24 h<br>- 39,800 µg/l<br>Bioconcentration factor (BCF): 0.5 |
|-----------------|---------------------------------------------------------------------------------------------------|

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

No data available

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

|                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product</b>                                                                                                                                                                                                                                                                                                 |
| Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. |
| <b>Contaminated packaging</b>                                                                                                                                                                                                                                                                                  |
| Dispose of as unused product.                                                                                                                                                                                                                                                                                  |

## 14. TRANSPORT INFORMATION

### DOT (US)

UN number: 2282 Class: 3 Packing group: III

Proper shipping name: Hexanols

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

### IMDG

UN number: 2282 Class: 3 Packing group: III EMS-No: F-E, S-D

Proper shipping name: HEXANOLS

## IATA

UN number: 2282 Class: 3 Packing group: III

Proper shipping name: Hexanols

## 15. REGULATORY INFORMATION

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know Components

| Component  | CAS-No.  | Revision Date |
|------------|----------|---------------|
| Hexan-1-ol | 111-27-3 | 2007-03-01    |

### New Jersey Right To Know Components

| Component  | CAS-No.  | Revision Date |
|------------|----------|---------------|
| Hexan-1-ol | 111-27-3 | 2007-03-01    |

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity

Eye Irrit. Eye irritation

Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H302 + H312 Harmful if swallowed or in contact with skin

H312 Harmful in contact with skin.

### HMIS Rating

Health hazard: 2

Chronic Health Hazard: \*

Flammability: 2

Physical Hazard 0

### NFPA Rating

Health hazard: 2

Fire Hazard: 2

