

SAFETY DATA SHEET

1. PRODUCT

1.1 Product identifiers

Name: Copper(II) bromide

CAS-No.: 7789-45-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

| | |
|----------------------------|--|
| Pictogram | |
| Signal word | Danger |
| Hazard statement(s) | H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. |
| Precautionary statement(s) | P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms: Cupric bromide
Formula: Br_2Cu
Molecular weight: 223.35 g/mol
CAS-No.: 7789-45-9

Hazardous components

| Component | Classification | Concentration |
|-------------------------|---|---------------|
| Copper dibromide | | |
| | Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; H302, H314, H318 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES**4.1 Description of first aid measures**

| |
|--|
| General advice |
| Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. |
| If inhaled |
| If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. |
| In case of skin contact |
| Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician. |
| In case of eye contact |
| Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital. |
| If swallowed |
| Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. |

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.2 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES**5.1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|------------------|-----------|-------|----------------------------|---|
| Copper dibromide | 7789-45-9 | TWA | 1.000000 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 1.000000 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 1 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | | PEL | 1 mg/m ³ | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

| | |
|---------------------|--|
| Eye/face protection | Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). |
|---------------------|--|

| | |
|-----------------------------------|---|
| Skin protection | <p>Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.</p> <p>Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)</p> <p>Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374</p> <p>If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.</p> |
| Body Protection | Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. |
| Respiratory protection | Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). |
| Control of environmental exposure | Do not let product enter drains. |

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | |
|--|---|
| Appearance | Form: solid Colour: black |
| Odour | slight, characteristic |
| Odour Threshold | No data available |
| pH | No data available |
| Melting point/freezing point | Melting point/range: 498 °C (928 °F) - lit. |
| Initial boiling point and boiling range | 900 °C (1,652 °F) at 1,013 hPa (760 mmHg) |
| Flash point | Not applicable |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Upper/lower flammability or explosive limits | No data available |
| Vapour pressure | No data available |
| Vapour density | No data available |
| Relative density | 4.77 g/mL at 25 °C (77 °F) |
| Water solubility | soluble |
| Partition coefficient: n-octanol/water | No data available |
| Auto-ignition temperature | No data available |
| Decomposition temperature | No data available |
| Viscosity | No data available |
| Explosive properties | No data available |
| Oxidizing properties | No data available |

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

Alkali metals

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen bromide gas, Copper oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| |
|---|
| Acute toxicity |
| LD50 Oral - Rat - 536 mg/kg Inhalation: No data available Dermal: No data available No data available |
| Skin corrosion/irritation |
| Skin - Rabbit Result: Severe skin irritation |
| Serious eye damage/eye irritation |
| No data available |
| Respiratory or skin sensitisation |
| No data available |
| Germ cell mutagenicity |
| No data available |
| Carcinogenicity |
| IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| Reproductive toxicity |
| No data available No data available |
| Specific target organ toxicity -single exposure |
| No data available |
| Specific target organ toxicity -repeated exposure |
| No data available |
| Aspiration hazard |
| No data available |
| Additional Information |
| RTECS: Not available Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., Blood disorders, Liver injury may occur., Damage to the lungs., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence |

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

| Product |
|--|
| Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. |
| Contaminated packaging |
| Dispose of as unused product. |

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3260 Class: 8 Packing group: III

Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Copper dibromide)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 3260 Class: 8 Packing group: III EMS-No: F-A, S-B

Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Copper dibromide)

IATA

UN number: 3260 Class: 8 Packing group: III

Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Copper dibromide)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| Component | CAS-No. | Revision Date |
|------------------|-----------|---------------|
| Copper dibromide | 7789-45-9 | 2007-07-01 |

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

| Component | CAS-No. | Revision Date |
|------------------|-----------|---------------|
| Copper dibromide | 7789-45-9 | 2007-07-01 |

New Jersey Right To Know Components

| Component | CAS-No. | Revision Date |
|------------------|-----------|---------------|
| Copper dibromide | 7789-45-9 | 2007-07-01 |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Skin Corr. Skin corrosion

HMIS Rating

Health hazard: 3

Chronic Health Hazard: *

Flammability: 0

Physical Hazard 0

NFPA Rating

Health hazard: 3

Fire Hazard: 0

Reactivity Hazard: 0
