

# SAFETY DATA SHEET according

to GB/T 16483 and GB/T 17519

Version 8.0 Revision Date 31.03.2023 Print Date 19.04.2023 Date of first issue 31.03.2023

SDS No. Sigma - T2269 Product Number Sigma - T2269

# L-Tyrosine disodium salt hydrate

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : L-Tyrosine disodium salt hydrate

Product Number : T2269
Brand : Sigma
CAS-No. : 122666-87-9

1.2 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich (Shanghai) Trading Co.Ltd.

509 Renging Road

Zhangjiang High Tech East Park, Pudong

SHANGHAI

201201 SHANGHAI

**CHINA** 

西格玛奥德里奇(上海)贸易有限公司 **上海市浦**东新区仁庆路 509 号 10 幢

邮政编码: 201201

Merck KGaA 64271 Darmstadt

Germany

Phone: +49 6151 72-0

Telephone : +86 21 6141-5566 Fax : +86 21 6141-5567

1.3 Emergency telephone

Emergency Phone # : +86 532 83889090

1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other

uses.

Sigma- T2269 Page 1 of 10



# **SECTION 2: Hazards identification**

#### **Summary of emergency**

Causes serious eye damage., Toxic to aquatic life. Show this material safety data sheet to the doctor in attendance. After inhalation: fresh air. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. After eye contact: rinse out with plenty of water., Immediately call in ophthalmologist., Remove contact lenses. After swallowing: immediately make victim drink water (two glasses at most)., Consult a physician. Combustible. Development of hazardous combustion gases or vapours possible in the event of fire. Violent reactions possible with: Strong oxidizing agents

#### 2.1 GHS Classification

Serious eye damage/eye irritation (Category 1), H318 Short-term (acute) aquatic hazard (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard statement(s)

H318 Causes serious eye damage.

H401 Toxic to aquatic life.

Precautionary statement(s)

Prevention

P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Response

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes.

P310 Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

Disposal

P501 Dispose of contents/ container to an approved waste disposal

plant.

# Reduced Labeling (<= 125 ml)

Pictogram

(EE)

Signal Word Danger

Hazard statement(s)

H318 Causes serious eye damage.

H401 Toxic to aquatic life.

Precautionary

statement(s)

#### 2.3 Physical and chemical hazards

Referring to current information, no physical or chemical hazard.

none

Sigma- T2269 Page 2 of 10



#### 2.4 Health hazards

H318 Causes serious eye damage.

#### 2.5 Environmental hazards

H401 Toxic to aquatic life.

#### 2.6 Other hazards - none

#### **SECTION 3: Composition/information on ingredients**

Substance / Mixture : Substance

# 3.1 Substances

Formula : C9H9NO3Na2.2H2O Molecular weight : 261.18 g/mol CAS-No. : 122666-87-9 EC-No. : 682-860-2

## **Hazardous ingredients**

Component	Classification	Concentration				
L-Tyrosine disodium salt dihydrate						
	Serious eye damage/eye irritation Category 1; Short-term (acute) aquatic hazard Category 2; H318, H401	<= 100 %				

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

# In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

## In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma- T2269 Page 3 of 10

MERCK

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 4.4 Notes to physician

No data available

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Sodium oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

**Storage conditions** 

Sigma- T2269 Page 4 of 10



Tightly closed. Dry.

#### Storage stability

Recommended storage temperature 2 - 8 °C

## Storage class

Storage class (TRGS 510): 11: Combustible Solids

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

## **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

## Personal protective equipment

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

## **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection**

protective clothing

# **Respiratory protection**

required when dusts are generated.

Sigma- T2269 Page 5 of 10



Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

a)	) Phy	/sical	state	solid

b) Color No data available c) Odor No data available d) Melting No data available

point/freezing point

e) Initial boiling point and boiling range

No data available

Flammability (solid,

No data available

gas)

g) Upper/lower flammability or explosive limits No data available

h) Flash point Not applicable Autoignition i)

temperature

does not ignite

Decomposition j) temperature

No data available

No data available k) pH

Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility 727 g/l - OECD Test Guideline 105- (anhydrous substance)

Partition coefficient: No data available

n-octanol/water

No data available o) Vapor pressure

No data available p) Density

Relative density No data available

q) Relative vapor density

characteristics

No data available

No data available Particle

Explosive properties No data available

Sigma-T2269 Page 6 of 10

## t) Oxidizing properties none

## 9.2 Other safety information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

#### 10.2 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

#### 10.3 Conditions to avoid

no information available

#### 10.4 Incompatible materials

No data available

#### 10.5 Hazardous decomposition products

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 423)

Remarks: The value is given in analogy to the following substances: disodium L-tyrosinate

Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: non-corrosive (OECD Test Guideline 431)

Remarks: Serious eye damage/eye irritation

Eyes - Bovine cornea

Result: Causes serious eye damage. - 4 h

(OECD Test Guideline 437)

Remarks: The value is given in analogy to the following substances: disodium L-tyrosinate

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: The value is given in analogy to the following substances: disodium L-

tyrosinate Carcinogenicity

Sigma- T2269 Page 7 of 10



No data available

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

No data available

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

Remarks: The value is given in analogy to the following substances:

disodium L-tyrosinate

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) -

8.02 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: The value is given in analogy to the following substances:

disodium L-tyrosinate

static test NOEC - Pseudokirchneriella subcapitata (green algae) -

1.11 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: The value is given in analogy to the following substances:

disodium L-tyrosinate

## 12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d

Result: 76.1 % - Readily biodegradable.

(OECD Test Guideline 301D)

Remarks: The value is given in analogy to the following substances:

disodium L-tyrosinate

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

Sigma- T2269 Page 8 of 10



#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

## **SECTION 14: Transport information**

# 14.1 UN number

ADR/RID: - IMDG: - IATA-DGR: -

# 14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA-DGR: Not dangerous goods

#### 14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA-DGR: -

#### 14.4 Packaging group

ADR/RID: - IMDG: - IATA-DGR: -

## 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA-DGR: no

#### 14.6 Special precautions for user

#### 14.7 Incompatible materials

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **National regulatory information**

#### Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

Sigma- T2269 Page 9 of 10



#### **SECTION 16: Other information**

#### -Full text of H-Statements referred to under sections 2 and 3.

H318 Causes serious eye damage.

H401 Toxic to aquatic life.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma- T2269 Page 10 of 10

